American Heart Journal

An international publication for the study of the circulation

George E. Burch *Editor*
James A. Cronvich *Assistant Editor*
Peter C. Gazes *Assistant Editor*

International Editorial Board

Walter H. Abelmann, *Boston, Mass.*
R. P. Ahlquist, *Augusta*
James K. Alexander, *Houston, Texas*
John B. Barlow, *Johannesburg, South Africa*
Giorgio Baroldi, *Milan, Italy*
Lotfy L. Basta, *Tulsa, Okla.*
Henry W. Blackburn, *Minneapolis*
Thomas M. Blake, *Jackson, Miss.*
S. Gilbert Blount, Jr., *Denver*
Bernardo Boskis, *Argentina*
Howard B. Burchell, *Minneapolis*
Eugenii I. Chazov, *Moscow, U.S.S.R.*
Henri Chevalier, *Paris*
Te-Chuan Chou, *Cincinnati*
Arthur C. DeGraff, *New York*
H. Denolin, *Brussels, Belgium*
Lewis Dexter, *Boston*
James E. Doherty, *Little Rock*
Jesse E. Edwards, *St. Paul*
Robert H. Eich, *Syracuse, N. Y.*
Mary Allen Engle, *New York*
Ali M. Fakhro, *Bahrain*
M. Irené Ferrer, *New York*
Nancy C. Flowers, *Louisville*
Nicholas J. Fortuin, *Baltimore, Md.*
Martin J. Frank, *Augusta, Ga.*
Julian Frieden, *New Rochelle, N. Y.*
Meyer Friedman, *San Francisco*
Jacques Genest, *Montreal, Canada*
Allan V. N. Goodyer, *New Haven, Conn.*
Mervyn S. Gotsman, *Jerusalem, Israel*
Robert L. Grissom, *Omaha*
Dale Groom, *Oklahoma City*
Rolf M. Gunnar, *Chicago*
Warren G. Guntheroth, *Seattle, Wash.*
E. William Hancock, *Stanford, Calif.*
Herbert N. Hultgren, *Palo Alto, Calif.*
Thomas N. James, *Birmingham, Ala.*
L. E. January, *Iowa City*
James N. Karnegis, *Minneapolis*
John A. Kastor, *Philadelphia*
Nodar N. Kipshidze, *Tbilisi, U.S.S.R.*
Henri E. Kulbertus, *Liège, Belgium*
Richard Langendorf, *Chicago*
John H. Laragh, *New York*
J. Lequime, *Brussels, Belgium*
Maurice Lev, *Chicago*
Harold D. Levine, *Boston*
R. J. Linden, *Leeds*
F. Loogen, *Dusseldorf, Germany*
Hugh A. McAllister, Jr., *Washington, D.C.*
Dan G. McNamara, *Houston*
George E. Maha, *West Point, Pa.*
Rashid A. Massumi, *Davis, Calif.*
Clifford V. Nelson, *Portland, Me.*
Satoshi Ohta, *Japan*
Eckhardt G. J. Olsen, *London*
Victor Parsonnet, *Newark*
Morton Lee Pearce, *Los Angeles*
Alfred Pick, *Chicago*
Hubert V. Pipberger, *Washington, D. C.*
Ray Pryor, *Denver, Colo.*
E. W. Reynolds, *Madison, Wisc.*
Robert C. Schlant, *Atlanta, Ga.*
Peter J. Schwartz, *Milano*
Ralph C. Scott, *Cincinnati*
Walter Somerville, *London*
Borys Surawicz, *Lexington*
John Thomas, *Nashville, Tenn.*
Hironori Toshima, *Kyushu, Japan*
William H. Wehrmacher, *Chicago*
Hein J. J. Wellens, *Maastricht, The Netherlands*
Douglas P. Zipes, *Indianapolis, Ind.*

VOLUME 97

JANUARY-JUNE 1979

VOLUME 97
COPYRIGHT © 1979 BY
THE C.V. MOSBY COMPANY
All rights reserved

Printed in the United States of America

Author index*

A

ABE, SACHIYOSHI. Ventricular tachycardia produced by hyperosmotic solutions injected into the left main coronary artery in dogs, 351

ABEL, RONALD M., GRIMES, JAMES B., ALONSO, DANIEL, ALONSO, MARIA, AND GAY, WILLIAM A., JR. Adverse hemodynamic and ultrastructural changes in dog hearts subjected to protein-calorie malnutrition, 733

ABELER, VERA. Sarcoidosis of the cardiac conducting system, 701

ABINADER, EDWARD G. (*See* Cooper and Abinader), 225

ACERO, ALBERTO. (*See* Attie et al.), 141

ADESANYA, C. O. (*See* Sanderson et al.), 613

AHLQUIST, RAYMOND P. Propranolol in clinical medicine, 137

ALI, NAYAB. (*See* Covarrubias, Sheikh, and Ali), 272 (Letter to Editor)

ALONSO, DANIEL. (*See* Abel et al.), 733

ALONSO, MARIA. (*See* Abel et al.), 733

ALPAN, G. (*See* Marmor et al.), 574

ALPERT, JOSEPH S. (*See* Rippe et al.), 561

ALTSCHULER, HAROLD, FISHER, JOHN D., AND FURMAN, SEYMOUR. Significance of isolated H-V interval prolongation in symptomatic patients without documented heart block, 19

AMITAI, NOGA. (*See* Lewis et al.), 92

AMORY, DAVID W. (*See* Su et al.), 53

ANDERSON, JAMES L., DURNIN, ROBERT E., LEDBETTER, MARION K., ANGEVINE, JAMES M., GILBERT, ENID F., AND EDWARDS, JESSE E. Clinical pathologic conference, 233

ANGEVINE, JAMES M. (*See* Anderson et al.), 233

ANGOFF, GERALD H. (*See* Cohn et al.), 187

——. (*See* Rippe et al.), 561

ANJORIN, F. I. (*See* Sanderson et al.), 613

ARBEIT, SIDNEY. (*See* Greenberg, Arbeit, and Rubin), 527

ARKIN, BARRY M., HUETER, DAVID C., AND RYAN, THOMAS J. Predictive value of electrocardiographic patterns in localizing left ventricular asynergy in coronary artery disease, 453

ARYANPUR, IRAJ. (*See* Shakibi and Aryanpur), 130 (Letter to Editor)

ATLAN, HENRI. (*See* Corne, Gotsman, and Atlan), 112

ATTIE, FAUSE, CUARON, ALFREDO, MARQUEZ, MANUEL, BUENDIA, ALFONSO, ZAMORA, CARLOS, AND ACERO, ALBERTO. Qualitative radionuclide angiocardiography in the diagnosis of corrected transposition, 141

AYGEN, MAURICE M. (*See* Traub, Aygen, and Rosenfeld), 174

B

BABB, JOSEPH D. (*See* Liedtke, Babb, and DeJoseph), 286

BAIRD, S. G. (*See* Thompson, Baird, and Thomson), 406 (Annot.)

BAKER, WILLIAM P. (*See* Judson, Holmes, and Baker), 759

BALIGADOO, S. (*See* Chiche and Baligadoo), 408 (Letter to Editor)

BARLOW, JOHN B., AND POCOCK, WENDY A. Mitral valve prolapse, the specific billowing mitral leaflet syndrome, or an insignificant non-ejection systolic click, 277

BARNES, ROBERT W. Noninvasive diagnostic techniques in peripheral vascular disease, 241

BASHOUR, FOUAD A. (*See* Parker et al.), 745

BASTA, LOTFY L., AND BETTINGER, JERRY J. The cardiac impulse: A new look at an old art, 96

BEDYNEK, JULIUS L., FENOGLIO, JOHN J., JR., AND MCALLISTER, HUGH A. Rupture of the ventricular septum as a complication of myocardial infarction, 773

BELL, JAMES SPENCER. (*See* Smith et al.), 505

BERAL, VALERIE, AND KAY, CLIFFORD. The pill and circulatory disease, 263 (Annot.)

BERKMAN, M., MAGNIER, J. P., TRAN, M. D., AND THILLAUD, P. Orthostatic increase in blood pressure in the elderly, 131 (Letter to Editor)

BERTRAND, MICHEL E., LEFEBVRE, JEAN M., LAISNE, CHRISTIAN L., ROUSSEAU, MICHEL F., CARRE, ALAIN G., AND LEKIEFFRE, JEAN P. Coronary arteriography in acute transmural myocardial infarction, 61

BETRIU, A. (*See* Navarro-López et al.), 272 (Letter to Editor)

BETTINGER, JERRY J. (*See* Basta and Bettinger), 96

BIRMINGHAM, C. LAIRD, AND PERETZ, DWIGHT I. Metastatic carcinoma presenting as obstruction to the right ventricular outflow tract. Report of a case and review of the literature, 229

BLAISDELL, F. WILLIAM. Low-dose heparin prophylaxis of venous thrombosis: An editorial, 685

BLANDFORD, GERALD. Respiratory viral infections and renal disease, 125 (Annot.)

BLONDER, RONALD. (*See* Kerin et al.), 204

BOTEY, ALBERT. (*See* Montoliu et al.), 541 (Letter to Editor)

BOUCHER, CHARLES A. (*See* Vignola et al.), 27

BOUTROS, ISHAK S. (*See* Parker et al.), 745

BOWLBY, JAMES R. The effect of exercise on left ventricular ejection time in patients with hypertension or angina pectoris, 348

BOXER, ROBERT. (*See* Shapiro, Boxer, and Krongrad), 147

BRASSEUR, L. (*See* Clerbaux et al.), 815 (Letter to Editor)

BUDA, ANDREW J. Reply, 410 (Letter to Editor)

BUENDIA, ALFONSO. (*See* Attie et al.), 141

BULKLEY, BERNADINE H., AND HUTCHINS, GROVER M. Atrial myxomas: A fifty year review, 639

BURCH, GEORGE E. Of acute anginal discomfort and tachycardia, 812 (Annot.)

——. Of conformists, 1

——. Of jogging, 407 (Annot.)

——. Of peer review, 265 (Annot.)

——. Of the digoxin-diuretic cardiomyopathy, 540 (Annot.)

——. Of walking into the ocean, 126 (Annot.)

——. Of when is a physician prepared? 677 (Annot.)

BURCH, P. R. J. Coronary disease: Risk factors, age, and time, 415

——. Reply, 680 (Letter to Editor)

BURCKHARDT, DIETER. (*See* Raeder and Burckhardt), 432

BURGESS, J. H. (*See* Warnica, White, and Burgess), 469

C

CACACE, LARRY G., HARRALSON, ART, AND CLOUGHERTY, TIM. Stability of NTG, 817 (Letter to Editor)

CAEIRO, TOMÁS F. (*See* Palmero, Caeiro, and Iosa), 38

CANDELL, JAIME, VALLE, VICENTE, PAYÁ, JOSÉ, CORTADELLAS, JOSEFA, ESPLUGAS, ENRIQUE, AND RIUS, JORGE. Post-traumatic coronary occlusion and early left ventricular aneurysm, 509

CAPONE, ROBERT J., AND MOST, ALBERT S. The single precordial lead for ST segment monitoring: Comparison with the multiple lead map, 753

CARRE, ALAIN G. (*See* Bertrand et al.), 61

*January, pp. 1-136; February, pp. 137-276; March, pp. 277-414; April, pp. 415-548; May, pp. 549-684; June, pp. 685-840.

CARROLL, ROBYN J. (*See* Falsetti, Carroll, and Cramer), 485
CHAN, ANTONIO Q., AND PICK, ALFRED. Re-entrant arrhythmias and concealed conduction, 644
CHEN, CHENG-HSIUNG, NOBUYOSHI, MASAKIYO, AND KAWAI, CHUICHI. ECG pattern of left ventricular hypertrophy in nonobstructive hypertrophic cardiomyopathy: The significance of the mid-precordial changes, 687
CHICHE, P., AND BALIGADOO, S. Nitrates, "pharmacological phlebotomy" and pulmonary edema, 408 (Letter to Editor)
CHIPPERFIELD, BARBARA, AND CHIPPERFIELD, J. R. Reply, 541 (Letter to Editor)
CHIPPERFIELD, J. R. (*See* Chipperfield and Chipperfield), 541 (Letter to Editor
CINCA, J. (*See* Navarro-López et al.), 272 (Letter to Editor)
CLERBAUX, TH., NEMERY, B., BRASSEUR, L., AND FRANS, A. Nitroglycerin and blood oxygen dissociation curve of normal subjects, 815 (Letter to Editor)
CLOUGHERTY, TIM. (*See* Cacace, Harralson, and Clougherty), 817 (Letter to Editor)
COHEN, IRA S., WHARTON, THOMAS P., JR., AND NEILL, WILLIAM A. Pathophysiologic observations on premature opening of the aortic valve utilizing a technique for multiplane echocardiographic analysis, 766
COHEN, MICHAEL V., SHAH, PREDIMAN K., AND SPINDOLA-FRANCO, HUGO. Angiographic-echocardiographic correlation in mitral valve prolapse, 43
COHN, PETER F., ANGOFF, GERALD H., AND SLOSS, LAURENCE J., with the technical assistance of Peters, Priscilla. Noninvasively induced postextrasystolic potentiation of ischemic and infarcted myocardium in patients with coronary artery disease, 187
COOPER, JAMES N. (*See* Rosenthal and Cooper), 266 (Annot.)
COOPER, MICHAEL J., AND ABINADER, EDWARD G. Atropine-induced ventricular fibrillation: Case report and review of the literature, 225
CORNE, ROBERT A., GOTSMAN, MERVYN S., AND ATLAN, HENRI. Radionuclide assessment of regional myocardial perfusion with thallium-201, 112
CORTADELLAS, JOSEFA. (*See* Candell et al.), 509
COVARRUBIAS, EDGAR A., SHEIKH, MAZHAR U., AND ALI, NAYAB. Location of valvular involvement in bacterial endocarditis, 272 (Letter to Editor)
CRAMER, JAMES A. (*See* Falsetti, Carroll, and Cramer), 485
CRAWFORD, MICHAEL H., MOODY, JOE M., O'ROURKE, ROBERT A., AND DETWILER, JOHN. Limitations of the cardiokymograph for assessing left ventricular wall motion, 719
CRUICKSHANK, A. H. (*See* Harris, Cruickshank, and Heath), 513
CUARON, ALFREDO. (*See* Attie et al.), 141
CURFMAN, GREGORY D. (*See* Vignola et al.), 27

D

DANILO, PETER, JR. Aprindine, 119
——. Tocainide, 259
——. Mexiletine, 399
DAS, DHIRENDRA. (*See* Nevins, Das, and Saranathan), 130 (Letter to Editor)
DASHKOFF, NEIL. Reply, 412 (Letter to Editor)
DAVIDSON, N. MCD., AND PARRY, E. H. O. The etiology of peripartum cardiac failure, 535 (Annot.)
DEJOSEPH, ROBERT L. (*See* Liedtke, Babb, and DeJoseph), 286
DENES, PABLO. (*See* Lewis et al.), 159
DENNISH, GEORGE W., III, LONG, HARRY J., III, AND PEPINE, CARL J. Aortocoronary sinus anastomosis: A postoperative follow-up 24 years later, 631
DEPPISCH, LUDWIG M. (*See* Fayemi and Deppisch), 405 (Annot.)
DESANCTIS, ROMAN W. (*See* Harper et al.), 178
DE SOYZA, NEIL (*See* Murphy, Galbraith, and de Soyza), 578
DETWILER, JOHN. (*See* Crawford et al.), 719
DINSMORE, ROBERT E. (*See* Vignola et al.), 27
DOCES, JOHN G. (*See* Kennedy, Doces, and Stewart), 592
DOLGIN, MARTIN. (*See* Udoshi et al.), 303
DOWNEY, H. FRED. (*See* Parker et al.), 745
DREIFUS, LEONARD S. (*See* Ogawa et al.), 312
DUKE, MARTIN. Fever, leukocytosis, and sedimentation rate in acute MI, 273 (Letter to Editor)
DURANT, D. (*See* Fouad et al.), 477
DURNIN, ROBERT E. (*See* Anderson et al.), 233
DYCKNER, THOMAS, AND WESTER, P. O. Ventricular extrasystoles and intracellular electrolytes before and after potassium and magnesium infusions in patients on diuretic treatment, 12

E

EDELSTEIN, JOSEPH. (*See* Kerin et al.), 204
EDWARDS, JESSE E. (*See* Anderson et al.), 233
EHRENFELD, E. N. (*See* Lewis et al.), 460
ENGE, IVAR. (*See* Nitter-Hauge et al.), 599
ESKWITH, IRWIN S. The benefits of coronary artery bypass surgery. A suggestion for objective evaluation, 543 (Letter to Editor)
ESPLUGAS, ENRIQUE. (*See* Candell et al.), 509
EYER, KENNETH M. Post-PVC pressures in normals and in patients with abnormal LV function, 679 (Letter to Editor)

F

FALSETTI, HERMAN L., CARROLL, ROBYN J., AND CRAMER, JAMES A., *with the technical assistance of Lenth, Rick A.* Total and regional myocardial blood flow in aortic regurgitation, 485
FANTINI, FABIO. (*See* Morace et al.), 343
FAYEMI, A. OLUSEGUN, AND DEPPISCH, LUDWIG M. Nonbacterial thrombotic endocarditis and myocardial infarction, 405 (Annot.)
FENOGLIO, JOHN J., JR. (*See* Bedynek, Fenoglio, and McAllister), 773
FENSTER, PAUL. (*See* Mayersohn et al.), 678 (Letter to Editor)
FISHER, JOHN D. (*See* Altschuler, Fisher, and Furman), 19
FISHER, VINCENT J. (*See* Udoshi et al.), 303
FLAMENG, WILLEM, SCHWARZ, FRANZ, AND SCHAPER, WOLFGANG. Coronary collaterals in the canine heart: development and functional significance, 70
FLOWERS, NANCY C. (*See* Sridharan, Horan, and Flowers), 622
FOLTS, JOHN D., ROWE, GEORGE G., KAHN, DONALD R., AND YOUNG, WILLIAM P. Phasic changes in human right coronary blood flow before and after repair of aortic insufficiency, 211
FORESTER, DONALD. Effects of glucagon, 545
——. Myoglobinuria and rhabdomyolysis, 814 (Letter to Editor)
FOUAD, FETNAT M., TARAZI, R. C., MACINTYRE, W. J., AND DURANT, D. Venous delay, a major source of error in isotopic cardiac output determination, 477
FOWLER, NOBLE O. Risks of early commissurotomy, 132 (Letter to Editor)
FRANCISCO, JERRY THOMAS. (*See* Smith et al.), 505
FRANS, A. (*See* Clerbaux et al.), 815 (Letter to Editor)
FREEMAN, MICHAEL R. (*See* Myers et al.), 298
FREIS, EDWARD D. "New" treatment for congestive heart failure, 127 (Annot.)
FRIEDLAND, ROBERT P., AND GRANT, STEVEN. Hematocrit, viscosity and cerebral blood flow, 404 (Annot.)
FRIEDMAN, MEYER. The modification of Type A behavior in post-infarction patients, 551
FRISCHKNECHT, JOHN, STEELE, PETER, KIRCH, DENNIS, JENSEN, DOUGLAS, AND VOGEL, ROBERT. Effect of exercise on left ventricular ejection fraction in men with coronary artery disease, 494

FRISHMAN, WILLIAM. Clinical pharmacology of the new beta-adrenergic blocking drugs. Part I. Pharmacodynamic and pharmacokinetic properties, 663
——, AND SILVERMAN, RALPH. Clinical pharmacology of the new beta-adrenergic blocking drugs. Part 2. Physiologic and metabolic effects, 797
FRONTERA-IZQUIERDO, P. (*See* Vázquez-Pérez and Frontera-Izquierdo), 89
FRÖYSAKER, TOR. (*See* Holen, Höie, and Fröysaker), 499
——. (*See* Nitter-Hauge et al.), 599
FURMAN, SEYMOUR. (*See* Altschuler, Fisher, and Furman), 19

G

GADDY, JOE E. (*See* Gazes and Gaddy), 782
GALBRAITH, JO ETTA (*See* Murphy, Galbraith, and de Soyza), 578
GAY, WILLIAM A., JR. (*See* Abel et al.), 733
GAZES, PETER C., AND GADDY, JOE E. Bedside management of acute myocardial infarction, 782
GEDDES, L. A., AND WHISTLER, STEVE E. Reply, 543 (Letter to Editor)
GILBERT, ENID F. (*See* Anderson et al.), 233
GILLIES, AL. (*See* Morgan and Gillies), 811 (Annot.)
GLASER, JORAM. Misdiagnosis of pericardial effusion in presence of MAC, 411 (Letter to Editor)
GOTSMAN, MERVYN S. (*See* Lewis et al.), 92
——. (*See* Corne, Gotsman, and Atlan), 112
——. (*See* Lewis et al.), 460
GRANT, STEVEN. (*See* Friedland and Grant), 404 (Annot.)
GRAY, MARK B. (*See* Wilson et al.), 814 (Letter to Editor)
GREENBERG, MARK A., ARBEIT, SIDNEY, AND RUBIN, IRA L. The role of physical training in patients with coronary artery disease, 527
GREENBLATT, DAVID J., AND OCHS, HERMANN R. Reply, 545 (Letter to Editor)
GRENADIER, E. (*See* Marmor et al.), 574
——. (*See* Marmor et al.), 269 (Letter to Editor)
GRIMES, JAMES B. (*See* Abel et al.), 733
GROVER, FREDERICK L. (*See* Schwartz, Grover, and Horwitz), 339
GUNTHEROTH, WARREN G. The cost and benefits of segregation (by age), 549
GUPTA, UMESH. (*See* Khalilullah et al.), 608

H

HAGAN, A. D. (*See* Joswig et al.), 635
HALL, KARL VICTOR. (*See* Nitter-Hauge et al.), 599
HAMBY, ROBERT I. Reply, 679 (Letter to Editor)
HAMILTON, JOHN, MOODIE, DOUGLAS, AND LEVY, JAY. The use of the diving reflex to terminate supraventricular tachycardia in a 2-week old infant, 371
HANSEN, BIRGIT FISCHER. Thrombosis of epicardial coronary veins in acute myocardial infarction, 696
HARPER, RICHARD W., KENNEDY, GEMMA, DESANCTIS, ROMAN W., AND HUTTER, ADOLPH M., JR. The incidence and pattern of angina prior to acute myocardial infarction: A study of 577 cases, 178
HARRALSON, ART. (*See* Cacace, Harralson, and Clougherty), 817 (Letter to Editor)
HARRIS, BILL. (*See* Reddy and Harris), 216
HARRIS, PETER, CRUICKSHANK, A. H., AND HEATH, DONALD. Clinical pathologic conference, 513
HARRISON, DONALD C. (*See* Horowitz, Rossen, and Harrison), 420
HAYCRAFT, GORDON L. (*See* Wilson et al.), 814 (Letter to Editor)
HEATH, DONALD. (*See* Harris, Cruickshank, and Heath), 513
HEINZ, JEANNE. (*See* Karnegis and Heinz), 291
HELLSTROM, H. R. Chronic cardiac denervation, infarct size, and myocardial blood flow, 270 (Letter to Editor)
——. Evidence in favor of the vasospastic cause of coronary artery thrombosis, 449
HERMAN, M. V. (*See* Pichard and Herman), 410 (Letter to Editor)
——. (*See* Wiener et al.), 726
HIMMELMANN, G. (*See* Lange, Hoffmann, and Himmelmann), 808 (Annot.)
HIROSE, KUNIHIKO. (*See* Matsumori et al.), 428
HOFFMANN, R. A. (*See* Lange, Hoffmann, and Himmelmann), 808 (Annot.)
HÖIE, JOHAN. (*See* Holen, Höie, and Fröysaker), 499
HOLEN, JARLE, HÖIE, JOHAN, AND FRÖYSAKER, TOR. Determination of pre- and postoperative flow obstruction in patients undergoing closed mitral commissurotomy from non-invasive ultrasound Doppler data and cardiac output, 499
HOLMES, DAVID R. (*See* Judson, Holmes, and Baker), 759
HORAN, LEO G. (*See* Sridharan, Horan, and Flowers), 622
HOROWITZ, LEONARD N. (*See* Morganroth et al.), 184
HOROWITZ, MICHAEL S., ROSSEN, RONALD, AND HARRISON, DONALD C. Echocardiographic diagnosis of pericardial disease, 420
HORWITZ, LAWRENCE D. (*See* Schwartz, Grover, and Horwitz), 339
HUBBARD, FRANCIS E. (*See* Ogawa et al.), 312
HUETER, DAVID C. (*See* Arkin, Hueter, and Ryan), 453
HULL, D. H., WOLTHUIS, R. A., LONGO, M. R., AND TRIEBWASSER, J. H. Reply, 132 (Letter to Editor)
HUTCHINS, GROVER M. Rupture of the interventricular septum complicating myocardial infarction: Pathological analysis of 10 patients with clinically diagnosed perforations, 165
——. (*See* Silverman, and Hutchins), 367
——. (*See* Bulkley and Hutchins), 639
HUTTER, ADOLPH M., JR. (*See* Harper et al.), 178

I

IOSA, DANIEL J. (*See* Palmero, Caeiro, and Iosa), 38
ISHIKAWA, KYOZO, NAGASAWA, TOSHIHIKO, AND SHIMADA, HIDEYO. Influence of hemodialysis on electrocardiographic wave forms, 5

J

JENSEN, DOUGLAS. (*See* Frischknecht et al.), 494
JETT, G. KIMBLE, TWIEG, DONALD, WATSON, JOHN T., PARKEY, ROBERT W., AND WILLERSON, JAMES T. External, noninvasive cardiac assistance and nitrate administration for patients with unstable angina pectoris or acute coronary insufficiency, 195
JONES, CARL E. Reply, 270 (Letter to Editor)
JOSEPHSON, MARK E. (*See* Morganroth et al.), 184
JOSWIG, B. C., PICK, R. A., VIEWEG, W. V. R., AND HAGAN, A. D. Flutter of the mitral valve associated with a diastolic murmur in the absence of disease, 635
JUDSON, PRESTON, HOLMES, DAVID R., AND BAKER, WILLIAM P. Evaluation of outpatient arrhythmias utilizing transtelephonic monitoring, 759
JUMA, ZULFIKAR A. (*See* Myers et al.), 298

K

KAHANA, L. (*See* Marmor et al.), 574
KAHN, DONALD R. (*See* Folts et al.), 211
KAINDL, FRITZ. (*See* Probst et al.), 436
KANAKIS, CHARLES. (*See* Lewis et al.), 159
KARNEGIS, JAMES N., AND HEINZ, JEANNE. The risk of diagnostic cardiovascular catheterization, 291
KASTOR, JOHN A. (*See* Morganroth et al.), 184
KAWAI, CHUICHI. (*See* Matsumori et al.), 428
——. (*See* Chen, Nobuyoshi, and Kawai), 687
KAY, CLIFFORD. (*See* Beral and Kay), 263 (Annot.)
KEIDAR, S. (*See* Marmor et al.), 269 (Letter to Editor)
——. (*See* Marmor et al.), 574
KENNEDY, GEMMA. (*See* Harper et al.), 178

KENNEDY, J. WARD, DOCES, JOHN G., AND STEWART, DOUGLAS K. Left ventricular function before and following surgical treatment of mitral valve disease, 592
KERIN, NICHOLAS Z., MORI, ISAO, EDELSTEIN, JOSEPH, BLONDER, RONALD, RUBENFIRE, MELVYN, with the technical assistance of Rosenfeld, Suzy. Evaluation of phentolamine as a provocative test for idiopathic hypertrophic subaortic stenosis, 204
KESSLER, KENNETH M. REPLY, 678 (Letter to Editor)
KEZDI, PAUL. (*See* Kordenat and Kezdi), 329
KHAJA, FAREED. (*See* Lakier, Khaja, and Stein), 519
KHALILULLAH, MOHAMMAD, SINGHAL, NARENDRA, GUPTA, UMESH, AND PADMAVATI, SIVARAMAKRISHNA. Unidirectional complete heart block, 608
KIRCH, DENNIS. (*See* Frischknecht et al.), 494
KORDENAT, R. KARL, AND KEZDI, PAUL. Serotonin blockade during experimental coronary thrombosis, 329
KRALIOS, ALEXANDROS C. (*See* McDonnell et al.), 78
KRONGRAD, EHUD. (*See* Shapiro, Boxer, and Krongrad), 147
KUIDA, HIROSHI. (*See* McDonnell et al.), 78
KUPERSMITH, JOEL. Electrophysiological and antiarrhythmic effects of lidocaine in canine acute myocardial ischemia, 360

L

LAISNE, CHRISTIAN L. (*See* Bertrand et al.), 61
LAKIER, JEFFREY B., KHAJA, FAREED, AND STEIN, PAUL D. Rationale and use of vasodilators in the management of congestive heart failure, 519
LAMPMAN, JAMES. (*See* Wilson and Lampman), 155
LANGE, H., HOFFMANN, R. A., AND HIMMELMANN, G. Statistical support for or against transplantation, 808 (Annot.)
LANGEVIN, EUGENE. (*See* Orr et al.), 128 (Annot.)
LEAHEY, EDWARD B., JR. (*See* Reiffel, McCarthy, and Leahey), 810 (Annot.)
LEDBETTER, MARION K. (*See* Anderson et al.), 233
LEE, W. K. (*See* Val-Mejias et al.), 585
LEFEBVRE, JEAN M. (*See* Bertrand et al.), 61
LEISCH, FRANZ. (*See* Probst et al.), 436
LEKIEFFRE, JEAN P. (*See* Bertrand et al.), 61
LEVY, JAY. (*See* Hamilton, Moodie, and Levy), 371
LEWIS, BASIL S., AMITAI, NOGA, SIMCHA, ARIEH, MERIN, GIDON, AND GOTSMAN, MERVYN S. Echocardiographic diagnosis of pulmonary atresia with intact ventricular septum, 92
——, EHRENFELD, E. N., LEWIS, N., AND GOTSMAN, M. S. Echocardiographic LV function in thyrotoxicosis, 460
LEWIS, N. (*See* Lewis et al.), 460
LEWIS, STEVEN, KANAKIS, CHARLES, ROSEN, KENNETH M., AND DENES, PABLO. Significance of site of origin of premature ventricular contractions, 159
LIEDTKE, A. JAMES, BABB, JOSEPH D., AND DEJOSEPH, ROBERT L. Mitral valve echoes in patients with mitral valve prolapse syndrome, 286
LITTLER, W. A. Sleep and blood pressure: further observations, 35
LONG, HARRY J., III (*See* Dennish, Long, and Pepine), 631
LONGO, M. R. (*See* Hull et al.), 132 (Letter to Editor)
LUDDEN, T. M. (*See* Reed, Talbert, and Ludden), 678 (Letter to Editor)

M

MCALLISTER, HUGH A. (*See* Bedynek, Fenoglio, and McAllister), 773
MCCARTHY, DAVID M. (*See* Reiffel, McCarthy, and Leahey), 810 (Annot.)
MCDONNELL, MARY ANN, KRALIOS, ALEXANDROS C., TSAGARIS, THEOFILOS J., AND KUIDA, HIROSHI. Comparative effect of counterpulsation and bypass on left ventricular myocardial oxygen consumption and dynamics before and after coronary occlusion, 78
MACINTYRE, W. J. (*See* Fouad et al.), 477
MACVAUGH, HORACE, III (*See* Michelson, Morganroth, and MacVaugh), 442
MAGNIER, J. P. (*See* Berkman et al.), 131 (Letter to Editor)
MAGRIÑA, J. (*See* Navarro-López et al.), 272 (Letter to Editor)
MALINS, ANDREW F. Pulmonary edema following radiological investigation of patients with peripheral occlusive vascular disease: Adverse reaction to contrast media, 676 (Annot.)
MÄLKÖNEN, M. (*See* Manninen, Mälkönen, and Tuomilehto), 674 (Annot.)
MANNINEN, V., MÄLKÖNEN, M., AND TUOMILEHTO, J. Treating lipid disorders, 674 (Annot.)
MARBLE, EARL L. Complications with heparin therapy, 130 (Letter to Editor)
MARCUS, FRANK I. (*See* Mayersohn et al.), 678 (Letter to Editor)
MARDELLI, T. JOSEPH. (*See* Ogawa et al.), 312
MARMOR, A., KEIDAR, S., GRENADIR, E., AND PALANT, A. Reliability of CK-MB isoenzyme as a predictor of acute MI, 269 (Letter to Editor)
——, KAHANA, L., ALPAN, G., GRENADIER, E., KEIDAR, S., AND PALANT, A. Creatine kinase isoenzyme MB (CK-MB) in acute coronary ischemia, 574
MARQUEZ, MANUEL. (*See* Attie et al.), 141
MARTZ, B. L. Drug management of hypercholesterolemia, 389
MASON, JAMES MICHAEL. (*See* Smith et al.), 505
MATSUMORI, AKIRA, HIROSE, KUNIHIKO, WAKABAYASHI, AKIRA, KAWAI, CHUICHI, NABEYA, NOBORU, SAKURAMI, TAKEHIKO, AND TSUJI, KIMIYOSHI. HL-A and hypertrophic cardiomyopathy, 428
MAY, ANGELO M. The place of coronary surgery in the treatment of arteriosclerotic heart disease (ASHD), 671 (Annot.)
MAYERSOHN, MICHAEL, PERRIER, DONALD, FENSTER, PAUL, AND MARCUS, FRANK I. Steady-state plasma concentrations of quinidine and propranolol, 678 (Letter to Editor)
MEIXELL, LINDA L. (*See* Ogawa et al.), 312
MELLER, JOSE. (*See* Wiener et al.), 726
MERIN, GIDON. (*See* Lewis et al.), 92
MICHELSON, ERIC L., MORGANROTH, JOEL, AND MACVAUGH, HORACE, III. Postoperative arrhythmias after coronary artery and cardiac valvular surgery detected by long-term electrocardiographic monitoring, 442
——, AND ——. Spontaneous variability in arrhythmia frequency, 815 (Letter to Editor)
MOHRI, H. (*See* Su et al.), 53
MONTOLIU, JESÚS, BOTEY, ALBERT, PONS, JUAN M., AND REVERT, LUIS. Fatal hypotension in normal-dose nitroprusside therapy, 541 (Letter to Editor)
MOODIE, DOUGLAS. (*See* Hamilton, Moodie, and Levy), 371
MOODY, JOE M. (*See* Crawford et al.), 719
MORACE, GIORGIO, PADELETTI, LUIGI, PORCIANI, MARIA C., AND FANTINI, FABIO. Effect of isoproterenol on the "early repolarization" syndrome, 343
MORGAN, TREFOR, AND GILLIES, AL. Effect of reduction in salt intake on hypertension, 811 (Annot.)
MORGANROTH, JOEL, HOROWITZ, LEONARD N., JOSEPHSON, MARK E., AND KASTOR, JOHN A. Relationship of atrial fibrillatory wave amplitude to left atrial size and etiology of heart disease. An old generalization reexamined, 184
——. (*See* Michelson, Morganroth, and MacVaugh), 442
——. (*See* Michelson and Morganroth), 815 (Letter to Editor)
MORI, ISAO. (*See* Kerin et al.), 204
MOST, ALBERT S. (*See* Capone and Most), 753
MURAD, ALI AKBAR. (*See* Probst et al.), 436
MURPHY, MARVIN L., GALBRAITH, JO ETTA, AND DE SOYZA, NEIL. The reliability of coronary angiogram interpretation: An angiographic-pathologic correlation with a comparison of radiographic views, 578
MYERS, MARTIN G., FREEMAN, MICHAEL R., JUMA, ZULFIKAR A., AND WISENBERG, GERALD. Propranolol withdrawal in angina pectoris: A prospective study, 298

N

NABEYA, NOBORU. (*See* Matsumori et al.), 428
NAFTCHI, NOSRAT E., AND TUCKMAN, JOHN. Hypertensive crises in spinal man, 536 (Annot.)
NAGASAWA, TOSHIHIKO. (*See* Ishikawa, Nagasawa, and Shimada), 5
NAVARRO-LÓPEZ, F., CINCA, J., SANZ, G., PERIZ, A., MAGRIÑA, J., AND BETRIU, A. Reply, 272 (Letter to Editor)
NEILL, WILLIAM A. (*See* Cohen, Wharton, and Neill), 766
NEMERY, B. (*See* Clerbaux et al.), 815 (Letter to Editor)
NEURATH, OTTO. Why don't they read the old books? 680, (Letter to Editor)
NEVINS, MICHAEL A., DAS, DHIRENDRA, AND SARANATHAN, K. Normal initial vectors on the ECG, 130 (Letter to Editor)
NITTER-HAUGE, SIGURD, FRØYSAKER, TOR, ENGE, IVAR, AND HALL, KARL VICTOR. Clinical and hemodynamic results after combined aortic and mitral valve replacement with the Lillehei-Kaster pivoting disc valve, 599
NOBUYOSHI, MASAKIYO. (*See* Chen, Nobuyoshi, and Kawai), 687

O

OGAWA, SATOSHI, HUBBARD, FRANCIS E., MARDELLI, T., JOSEPH, DREIFUS, LEONARD S., *with the technical assistance of Meixell, Linda L.* Cross-sectional echocardiographic spectrum of papillary muscle dysfunction, 312
OPIE, LIONEL H. Provision of carbohydrate in acute MI, 268 (Letter to Editor)
——. Role of carnitine in fatty acid metabolism of normal and ischemic myocardium, 375
O'ROURKE, ROBERT A. (*See* Crawford et al.), 719
ORR, WILLIAM C., STAHL, MONTE L., WHITSETT, THOMAS, AND LANGEVIN, EUGENE. Physiological sleep patterns and cardiac arrhythmias, 128 (Annot.)

P

PACHINGER, OTMAR. (*See* Probst et al.), 436
PACKER, MILTON. (*See* Wiener et al.), 726
PADELETTI, LUIGI. (*See* Morace et al.), 343
PADMAVATI, SIVARAMAKRISHNA. (*See* Khalilullah et al.), 608
PALANT, A. (*See* Marmor et al.), 269 (Letter to Editor)
——. (*See* Marmor et al.), 574
PALMERO, HUGO A., CAEIRO, TOMÁS F., AND IOSA, DANIEL J. Effect of Chagas' disease on arterial blood pressure, 38
PARKER, PAUL E., BASHOUR, FOUAD A., DOWNEY, H. FRED, AND BOUTROS, ISHAK S. Coronary reperfusion: Effect of hyperosmotic mannitol, 745
PARKEY, ROBERT W. (*See* Jett et al.), 195
PARRY, E. H. O. (*See* Davidson and Parry), 535 (Annot.)
——. (*See* Sanderson et al.), 613
PAYÁ, JOSÉ. (*See* Candell et al.), 509
PEPINE, CARL J. (*See* Dennish, Long, and Pepine), 631
PERIZ, A. (*See* Navarro-López et al.), 272 (Letter to Editor)
PERRIER, DONALD. (*See* Mayersohn et al.), 678 (Letter to Editor)
PETERS, PRISCILLA. (*See* Cohn et al.), 187
PICHARD, A. D., AND HERMAN, M. V. Coronary artery spasm and mitral valve prolapse, 410 (Letter to Editor)
PICK, ALFRED. (*See* Chan and Pick), 644
PICK, R. A. (*See* Joswig et al.), 635
POCOCK, WENDY A. (*See* Barlow and Pocock), 277
POHOST, GERALD M. (*See* Vignola et al.), 27
PONS, JUAN M. (*See* Montoliu et al.), 541 (Letter to Editor)
PORCIANI, MARIA C. (*See* Morace et al.), 343
PROBST, PETER, PACHINGER, OTMAR, MURAD, ALI AKBAR, LEISCH, FRANZ, AND KAINDL, FRITZ. The HQ time in congestive cardiomyopathies, 436

R

RAEDER, ERNST A., AND BURCKHARDT, DIETER. Noninvasive assessment of myocardial function in young patients with mitral valve prolapse, 432
REDDY, C. PRATAP, AND HARRIS, BILL. Gap phenomenon in "the right and left bundle branch systems" during retrograde conduction in man, 216
REED, W. E., TALBERT, R. L., AND LUDDEN, T. M. Clearances of propranolol and quinidine, 678 (Letter to Editor)
REGAN, T. J. (*See* Val-Mejias et al.), 585
REIFFEL, JAMES A., MCCARTHY, DAVID M., AND LEAHEY, EDWARD B., JR. Does DC cardioversion affect isoenzyme recognition of myocardial infarction? 810 (Annot.)
REVERT, LUIS. (*See* Montoliu et al.), 541 (Letter to Editor)
RIPPE, JAMES M., SLOSS, LAURENCE J., ANGOFF, GERALD, AND ALPERT, JOSEPH S. Mitral valve prolapse in adults with congenital heart disease, 561
RIUS, JORGE. (*See* Candell et al.), 509
ROBERTS, ROBERT. Reply, 269 (Letter to Editor)
ROELANDT, J. (*See* ten Cate and Roelandt), 762
ROSEN, KENNETH M. (*See* Lewis et al.), 159
ROSENFELD, JOSEPH B. (*See* Traub, Aygen, and Rosenfeld), 174
ROSENFELD, SUZY. (*See* Kerin et al.), 204
ROSENTHAL, HAROLD M., AND COOPER, JAMES N. The esophagus and chest pain with normal coronary arteries, 266 (Annot.)
ROSSEN, RONALD. (*See* Horowitz, Rossen, and Harrison), 420
ROUSSEAU, MICHEL F. (*See* Bertrand et al.), 61
ROWE, GEORGE G. (*See* Folts et al.), 211
RUBENFIRE, MELVYN. (*See* Kerin et al.), 204
RUBIN, IRA L. (*See* Greenberg, Arbeit, and Rubin), 527
RYAN, THOMAS J. (*See* Arkin, Hueter, and Ryan), 453

S

SAKURAMI, TAKEHIKO. (*See* Matsumori et al.), 428
SANDERSON, J. E., ADESANYA, C. O., ANJORIN, F. I., AND PARRY, E. H. O. Postpartum cardiac failure—heart failure due to volume overload? 613
SANDS, MURRAY P. (*See* Su et al.), 53
SANZ, G. (*See* Navarro-López et al.), 272 (Letter to Editor)
SARANATHAN, K. (*See* Nevins, Das, and Saranathan), 130 (Letter to Editor)
SCHAEFER, CARL F. Data analysis in BP measurement, 543 (Letter to Editor)
SCHAPER, WOLFGANG. (*See* Flameng, Schwarz, and Schaper), 70
SCHERPE, ALEXANDER. (*See* Strauer and Scherpe), 408 (Letter to Editor)
SCHWARTZ, DAVID A., GROVER, FREDERICK L., AND HORWITZ, LAWRENCE D. Effect of isoproterenol on regional myocardial perfusion and tissue oxygenation in acute myocardial infarction, 339
SCHWARZ, FRANZ. (*See* Flameng, Schwarz, and Schaper), 70
SEELY, STEPHEN. Mineral deficiency and atherosclerosis, 541 (Letter to Editor)
SEHAPAYAK, GEORGINA K. (*See* Wilson et al.), 814 (Letter to Editor)
SHAH, ANILKUMAR. (*See* Udoshi et al.), 303
SHAH, PREDIMAN K. (*See* Cohen, Shah, and Spindola-Franco), 43
SHAKIBI, JAMI G., AND ARYANPUR, IRAJ. AH and HV intervals in children with heart disease, 130 (Letter to Editor)
SHAPIRO, JAMES, BOXER, ROBERT, AND KRONGRAD, EHUD. Abnormal septal motion in patients with postoperative right bundle branch block pattern, 147
SHAPIRO, MARTIN F. The control of hypertension in the community: no easy solution, 538 (Annot.)
SHEA, WILLIAM H. (*See* Vignola et al.), 27
SHEIKH, MAZHAR U. (*See* Covarrubias, Sheikh, and Ali), 272 (Letter to Editor)
SHIMADA, HIDEYO. (*See* Ishikawa, Nagasawa, and Shimada), 5
SILVERMAN, KENNETH J., AND HUTCHINS, GROVER M. Spontaneous dehiscence of an aortic commissure complicating idiopathic aortic root dilatation, 367
SILVERMAN, RALPH. (*See* Frishman, and Silverman), 797

SIMCHA, ARIEH. (*See* Lewis et al.), 92
SINGHAL, NARENDRA. (*See* Khalilullah et al.), 608
SKLAROFF, HERSCHEL J. Carotid sinus hypersensitivity—asystole and hypotension in the same patient, 815 (Letter to Editor)
SLOSS, LAURENCE J. (*See* Cohn et al.), 187
——. (*See* Rippe et al.), 561
SMITH, THOMAS ANDERSON, MASON, JAMES MICHAEL, BELL, JAMES SPENCER, AND FRANCISCO, JERRY THOMAS. Sleep apnea and Q-T interval prolongation—a particularly lethal combination, 505
SPEICHER, RICHARD S. (*See* Wilson et al.), 814 (Letter to Editor)
SPENCER, FRANK C. Reply, 133 (Letter to Editor)
SPINDOLA-FRANCO, HUGO. (*See* Cohen, Shah, and Spindola-Franco), 43
SPODICK, DAVID H. PR segment depression, pericardial knock, and pericardial rub in pericarditis, 411 (Letter to Editor)
SRIDHARAN, M. R., HORAN, LEO G., AND FLOWERS, NANCY C. Combined effects of graded hyperkalemia on activation and recovery, 622
STAHL, MONTE L. (*See* Orr et al.), 128 (Annot.)
STEELE, PETER. (*See* Frischknecht et al.), 494
STEIN, PAUL D. (*See* Lakier, Khaja, and Stein), 519
STÉPHAN, EDOUARD. Hereditary bundle branch system defect, 708
STEWART, DOUGLAS K. (*See* Kennedy, Doces, and Stewart), 592
STRAUER, BODO E., AND SCHERPE, ALEXANDER. Systemic vascular pooling potency of vasodilator drugs (nitroglycerin, phentolamine, hydralazine), 408 (Letter to Editor)
STUTTS, SHIELDS S. (*See* Wilson et al.), 814 (Letter to Editor)
SU, JUDY Y., AMORY, DAVID W., SANDS, MURRAY P., AND MOHRI, H. Effects of ether anesthesia and surface-induced hypothermia on regional blood flow, 53

T

TALBERT R. L. (*See* Reed, Talbert, and Ludden), 678 (Letter to Editor)
TARAZI, R. C. (*See* Fouad et al.), 477
TEICHHOLZ, LOUIS E. (*See* Wiener et al.), 726
TEN CATE, F. J., AND ROELANDT, J. Progression to left ventricular dilatation in patients with hypertrophic obstructive cardiomyopathy, 762
THILLAUD, P. (*See* Berkman et al.), 131 (Letter to Editor)
THOMPSON, G. H. Second-hand pacemakers, 134 (Letter to Editor)
THOMPSON, J. E., BAIRD, S. G., AND THOMSON, J. A. Absence of any change in thyroid function following acute myocardial infarction, 406 (Annot.)
THOMSON, J. A. (*See* Thompson, Baird, and Thomson), 406 (Annot.)
TODD, JOHN W. Cardiomyopathy and coronary artery disease, 264 (Annot.)
TRAN, M. D. (*See* Berkman et al.), 131 (Letter to Editor)
TRAUB, YEHUDA M., AYGEN, MAURICE M., AND ROSENFELD, JOSEPH B. Hazards in treatment of systolic hypertension, 174
TRIEBWASSER, J. H. (*See* Hull et al.), 132 (Letter to Editor)
TROUP, PAUL J., AND ZIPES, DOUGLAS P. Aprindine treatment of recurrent ventricular tachycardia in patients with mitral valve prolapse, 322
TSAGARIS, THEOFILOS J. (*See* McDonnell et al.), 78
TSUJI, KIMIYOSHI. (*See* Matsumori et al.), 428
TUCKMAN, JOHN. (*See* Naftchi and Tuckman), 536 (Annot.)
TUOMILEHTO, J. (*See* Manninen, Mälkönen, and Tuomilehto), 674 (Annot.)
TWIEG, DONALD. (*See* Jett et al.), 195

U

UDOSHI, MALLIKARJUN B., SHAH, ANILKUMAR, FISHER, VINCENT J., AND DOLGIN, MARTIN. Incidence of mitral valve prolapse in subjects with thoracic skeletal abnormalities—A prospective study, 303

V

VALLE, VICENTE. (*See* Candell et al.), 509
VAL-MEJIAS, J., LEE, W. K., WEISSE, A. B., AND REGAN, T. J. Left ventricular performance during and after sickle cell crisis, 585
VAZ, ANTHONY J. Clinical use of spironolactone, 545 (Letter to Editor)
VÁZQUEZ-PÉREZ, J., AND FRONTERA-IZQUIERDO, P. Anomalous drainage of the right superior vena cava into the left atrium as an isolated anomaly. Rare case report, 89
VERGASSOLA, ROSSANO. Isolated T wave alternans, 271 (Letter to Editor)
VIEWEG, W. V. R. (*See* Joswig et al.), 635
VIGNOLA, PAUL A., BOUCHER, CHARLES A., CURFMAN, GREGORY D., WALKER, HARRIET J., SHEA, WILLIAM H., DINSMORE, ROBERT E., AND POHOST, GERALD M. Abnormal interventricular septal motion following cardiac surgery: Clinical, surgical, echocardiographic and radionuclide correlates, 27
VOGEL, ROBERT. (*See* Frischknecht et al.), 494

W

WAKABAYASHI, AKIRA. (*See* Matsumori et al.), 428
WALKER, HARRIET J. (*See* Vignola et al.), 27
WARNICA, J. W., WHITE, A. V. M., AND BURGESS, J. H. Cardiorespiratory function and extravascular lung water following acute myocardial infarction, 469
WARREN, S. E. Reply, 268 (Letter to Editor)
WATSON, JOHN T. (*See* Jett et al.), 195
WEISSE, A. B. (*See* Val-Mejias et al.), 585
WESTER, P. O. (*See* Dyckner and Wester), 12
WHARTON, THOMAS P., JR. (*See* Cohen, Wharton, and Neill), 766
WHEATLEY, CHARLES E. Reply, 411 (Letter to Editor)
WHISTLER, STEVE E. (*See* Geddes and Whistler), 543 (Letter to Editor)
WHITE, A. V. M. (*See* Warnica, White, and Burgess), 469
WHITSETT, THOMAS. (*See* Orr et al.), 128 (Annot.)
WIENER, ISAAC, MELLER, JOSE, PACKER, MILTON, HERMAN, MICHAEL V., AND TEICHHOLZ, LOUIS E. Prognostic value of echocardiographic evaluation of septal function in acute anteroseptal myocardial infarction, 726
WILLERSON, JAMES T. (*See* Jett et al.), 195
WILSON, CHARLES L., SEHAPAYAK, GEORGINA K., GRAY, MARK B., STUTTS, SHIELDS S., HAYCRAFT, GORDON L., SPEICHER, RICHARD S., AND WILSON, GREGORY S. New physical sign during myocardial ischemia-limb venous engorgement, nine cases, 814 (Letter to Editor)
WILSON, GREGORY S. (*See* Wilson et al.), 814 (Letter to Editor)
WILSON, JOHN R., AND LAMPMAN, JAMES. Heparin therapy: A randomized prospective study, 155
WISENBERG, GERALD. (*See* Myers et al.), 298
WOLTHUIS, R. A. (*See* Hull et al.), 132 (Letter to Editor)
WOODWARD, R. CRAIG. CPR and seizure, 542 (Letter to Editor)

Y

YOUNG, WILLIAM P. (*See* Folts et al.), 211

Z

ZAMORA, CARLOS. (*See* Attie et al.), 141
ZIPES, DOUGLAS P. (*See* Troup and Zipes), 322

Subject index*

A

Abnormal septal motion in patients with postoperative right bundle branch block pattern (Shapiro, Boxer, and Krongrad), 147

Absence of any change in thyroid function following acute myocardial infarction (Thompson, Baird, and Thomson), 406 (Annot.)

Activation and recovery, combined effects of graded hyperkalemia on (Sridharan, Horan, and Flowers), 622

Acute anginal discomfort and tachycardia, of (Burch), 812 (Annot.)

myocardial infarction, angina prior to, incidence and pattern of: a study of 577 cases (Harper et al.), 178

fever, leukocytosis, and sedimentation rate in (Duke), 273 (Letter to Editor)

provision of carbohydrate in (Opie), 268 (Letter to Editor)

Reply (Warren), 268

reliability of CK-MB isoenzyme as a predictor of (Marmor et al.), 269 (Letter to Editor)

Reply (Roberts), 269

Age, cost and benefits of segregation by (Guntheroth), 549

time, and risk factors in coronary disease (Burch), 415

AH and HV intervals in children with heart disease (Shakibi and Aryanpur), 130 (Letter to Editor)

Alternans, isolated T wave (Vergassola), 271 (Letter to Editor)

Reply (Navarro-López et al.), 272

Anastomosis, aortocoronary sinus: a postoperative follow-up 24 years later (Dennish, Long, and Pepine), 631

Anesthesia, ether, and surface-induced hypothermia on regional blood flow, effects of (Su et al.), 53

Aneurysm, ventricular, early left, post-traumatic coronary occlusion and (Candell et al.), 509

Angina pectoris or hypertension, patients with, effect of exercise on left ventricular ejection time in (Bowlby), 348

propranolol withdrawal in: a prospective study (Myers et al.), 298

unstable, or acute coronary insufficiency, external, noninvasive cardiac assistance and nitrate administration for patients with (Jett et. al.), 195

prior to acute myocardial infarction, incidence and pattern of: a study of 577 cases (Harper et al.), 178

Anginal discomfort, acute, and tachycardia, of (Burch), 812 (Annot.)

Angiocardiography, qualitative radionuclide, in the diagnosis of corrected transposition (Attie et al.), 141

Angiogram, coronary, interpretation, reliability of: an angiographic-pathologic correlation with a comparison of radiographic views (Murphy, Galbraith, and de Soyza), 578

Angiographic–echocardiographic correlation in mitral valve prolapse (Cohen, Shah, and Spindola-Franco), 43

–pathologic correlation of reliability of coronary angiogram interpretation with a comparison of radiographic views (Murphy, Galbraith and de Soyza), 578

Announcements, 136, 276, 414, 548, 684, 820

Annulus calcification, mitral (MAC), misdiagnosis of pericardial effusion in presence of (Glaser), 411 (Letter to Editor)

Reply (Dashkoff), 412

Anomalous drainage of the right superior vena cava into the left atrium as an isolated anomaly. Rare case report (Vázquez-Pérez and Frontera-Izquierdo), 89

Anteroseptal myocardial infarction, acute, prognostic value of echocardiographic evaluation of septal function in (Wiener et al.), 726

Antiarrhythmic and electrophysiological effects of lidocaine in canine acute myocardial ischemia (Kupersmith), 360

Aortic and mitral valve replacement, combined, with the Lillehei-Kaster pivoting disc valve, clinical and hemodynamic results after (Nitter-Hauge et al.), 599

commissure, spontaneous dehiscence of an complicating idiopathic aortic root dilatation (Silverman and Hutchins), 367

insufficiency, phasic changes in human right coronary blood flow before and after repair of (Folts et al.), 211

regurgitation, total and regional myocardial blood flow in (Falsetti, Carroll, and Cramer), 485

root dilatation, idiopathic, spontaneous dehiscence of an aortic commissure complicating (Silverman and Hutchins), 367

valve, pathophysiologic observations on premature opening of the utilizing a technique for multiplane echocardiographic analysis (Cohen, Wharton, and Neill), 766

Aortocoronary sinus anastomosis: a postoperative follow-up 24 years later (Dennish, Long, and Pepine), 631

Apnea, sleep, and Q-T interval prolongation—a particularly lethal combination (Smith et al.), 505

Aprindine *(Therapy)* (Danilo), 119

treatment of recurrent ventricular tachycardia in patients with mitral valve prolapse (Troup and Zipes), 322

Arrhythmia(s), cardiac, physiological sleep patterns and (Orr et al.), 128 (Annot.)

frequency, spontaneous variability in (Michelson and Morganroth), 815 (Letter to Editor)

outpatient, evaluation of utilizing transtelephonic monitoring (Judson, Holmes, and Baker), 759

postoperative, after coronary artery and cardiac valvular surgery detected by long-term electrocardiographic monitoring (Michelson, Morganroth, and MacVaugh), 442

re-entrant, and concealed conduction (Chan and Pick), 644

Arterial blood pressure, effect of Chagas' disease on (Palmero, Caeiro, and Iosa), 38

Arteriography, coronary, in acute transmural myocardial infarction (Bertrand et al.), 61

Arteriosclerotic heart disease (ASHD), coronary surgery in the treatment of (May), 671 (Annot.)

Artery(ies) bypass surgery, coronary, the benefits of. A suggestion for objective evaluation (Eskwith), 543 (Letter to Editor)

coronary, and cardiac valvular surgery, postoperative arrhythmias after detected by long-term electrocardiographic monitoring (Michelson, Morganroth, and MacVaugh), 442

left main, in dogs, ventricular tachycardia produced by hyperosmotic solutions injected into the (Abe), 351

normal, the esophagus and chest pain with (Rosenthal and Cooper), 266 (Annot.)

disease, coronary, cardiomyopathy and (Todd), 264 (Annot.)

effect of exercise on left ventricular ejection fraction in men with (Frischknecht et al.), 494

noninvasively induced postextrasystolic potentiation of ischemic and infarcted myocardium in patients with (Cohn, Angoff, and Sloss), 187

predictive value of electrocardiographic patterns in localizing left ventricular asynergy in (Arkin, Hueter, and Ryan), 453

*January, pp. 1-136; February, pp. 137-276; March, pp. 277-414; April, pp. 415-548; May, pp. 549-684; June, pp. 685-840.

Artery(ies) disease, coronary—continued
the role of physical training in patients with (Greenberg, Arbeit, and Rubin), 527
spasm, coronary, and mitral valve prolapse (Pichard and Herman), 410 (Letter to Editor)
Reply (Buda), 410
thrombosis, coronary, vasospastic cause of, evidence in favor of the (Hellstrom), 449
ASHD (arteriosclerotic heart disease), coronary surgery in the treatment of (May), 671 (Annot.)
Asynergy, left ventricular, predictive value of electrocardiographic patterns in localizing in coronary artery disease (Arkin, Hueter, and Ryan), 453
Asystole and hypotension in the same patient—carotid sinus hypersensitivity (Sklaroff), 815 (Letter to Editor)
Atherosclerosis and mineral deficiency (Seely), 541 (Letter to Editor)
Reply (Chipperfield and Chipperfield), 541
Atresia, pulmonary, echocardiographic diagnosis of with intact ventricular septum (Lewis et al.), 92
Atrial fibrillatory wave amplitude, relationship of to left atrial size and etiology of heart disease. An old generalization reexamined (Morganroth et al.), 184
myxomas: a fifty year review (Bulkley and Hutchins), 639
size, left, and etiology of heart disease, relationship of atrial fibrillatory wave amplitude to. An old generalization re-examined (Morganroth et al.), 184
Atrium, left, anomalous drainage of the right superior vena cava into the as an isolated anomaly. Rare case report (Vázquez-Pérez and Frontera-Izquierdo), 89
Atropine-induced ventricular fibrillation: case report and review of the literature (Copper and Abinader), 225

B

Bacterial endocarditis, location of valvular involvement in (Covarrubias, Sheikh, and Ali), 272 (Letter to Editor)
Bedside management of acute myocardial infarction (Gazes and Gaddy), 782
Behavior, Type A, modification of in post-infarction patients (Friedman), 551
Benefits and cost of segregation (by age), the (Guntheroth), 549
Beta-adrenergic blocking drugs, new, clinical pharmacology of the Part 1. Pharmacodynamic and pharmacokinetic properties (Frishman), 663
Part 2. Physiologic and metabolic effects (Frishman and Silverman), 797
Billowing mitral leaflet syndrome, the specific—mitral valve prolapse—or an insignificant non-ejection systolic click (Barlow and Pocock), 277
Block, heart, complete, unidirectional (Khalilullah et al.), 608
documented, significance of isolated H-V interval prolongation in symptomatic patients without (Altschuler, Fisher, and Furman), 19
pattern, right bundle branch, postoperative, abnormal septal motion in patients with (Shapiro, Boxer, and Krongrad), 147
Blockade, serotonin, during experimental coronary thrombosis (Kordenat and Kezdi), 329
Blocking drugs, beta-adrenergic, new, clinical pharmacology of the Part 1. Pharmacodynamic and pharmacokinetic properties (Frishman), 663
Part 2. Physiologic and metabolic effects (Frishman and Silverman), 797
Blood flow, cerebral, hematocrit, viscosity, and (Friedland and Grant), 404 (Annot.)
human right coronary, before and after repair of aortic insufficiency, phasic changes in (Folts et al.), 211
myocardial, chronic cardiac denervation, infarct size, and (Hellstrom), 270 (Letter to Editor)
Reply (Jones), 270
total and regional, in aortic regurgitation (Falsetti, Carroll, and Cramer), 485
Blood flow—continued
regional, effects of ether anesthesia and surface-induced hypothermia on (Su et al.), 53
oxygen dissociation curve and nitroglycerin in normal subjects (Clerbaux et al.), 815 (Letter to Editor)
pressure and sleep: further observations (Littler), 35
arterial, effect of Chagas' disease on (Palmero, Caeiro, and Iosa), 38
in the elderly, orthostatic increase in (Berkman et al.), 131 (Letter to Editor)
Reply (Hull, Longo, and Triebwasser), 132
(BP) measurement, data analysis in (Schaefer), 543 (Letter to Editor)
Reply (Geddes and Whistler), 543
Book(s) reviews, 135, 274, 413, 547, 682, 819
old, why don't they read the? (Neurath), 680 (Letter to Editor)
Reply (Burch), 680
received, 136, 275, 414, 548, 683, 820
BP measurement, data analysis in (Schaefer), 543 (Letter to Editor)
Reply (Geddes and Whistler), 543
Branch system defect, bundle, hereditary. A new genetic entity? (Stéphan), 708
Bundle branch block pattern, right, postoperative, abnormal septal motion in patients with (Shapiro, Boxer, and Krongrad), 147
system(s) defect, hereditary. A new genetic entity? (Stéphan), 708
right and left, gap phenomenon in the during retrograde conduction in man (Reddy and Harris), 216
Bypass and counterpulsation on left ventricular myocardial oxygen consumption and dynamics before and after coronary occlusion, comparative effect of (McDonnell et al.), 78
surgery, coronary artery, the benefits of. A suggestion for objective evaluation (Eskwith), 543 (Letter to Editor)

C

Calcification, mitral annulus (MAC), misdiagnosis of pericardial effusion in presence of (Glaser), 411 (Letter to Editor)
Reply (Dashkoff), 412
Canine heart, coronary collaterals in the: development and functional significance (Flameng, Schwarz, and Schaper), 70
Carbohydrate in acute MI, provision of (Opie), 268 (Letter to Editor)
Reply (Warren), 268
Carcinoma, metastatic, presenting as obstruction to the right ventricular outflow tract. Report of a case and review of the literature (Birmingham and Peretz), 229
Cardiac arrhythmias, physiological sleep patterns and (Orr et al.), 128 (Annot.)
assistance, external, noninvasive, and nitrate administration for patients with unstable angina pectoris or acute coronary insufficiency (Jett et al.), 195
conducting system, sarcoidosis of the (Abeler), 701
denervation, chronic, infarct size, and myocardial blood flow (Hellstrom), 270 (Letter to Editor)
Reply (Jones), 270
failure, peripartum, the etiology of (Davidson and Parry), 535 (Annot.)
postpartum—heart failure due to volume overload? (Sanderson et al.), 613
impulse, the: a new look at an old art (Basta and Bettinger), 96
output and non-invasive ultrasound Doppler data, determination of pre- and postoperative flow obstruction in patients undergoing closed mitral commissurotomy from (Holen, Höie, and Fröysaker), 499
determination, isotopic, venous delay, a major source of error in (Fouad et al.), 477

Cardiac—continued
surgery, abnormal interventricular septal motion following: clinical, surgical, echocardiographic and radionuclide correlates (Vignola et al.), 27
valvular surgery and coronary artery surgery, postoperative arrhythmias after detected by long-term electrocardiographic monitoring (Michelson, Morganroth, and MacVaugh), 442
Cardiokymograph for assessing left ventricular wall motion, limitations of the (Crawford et al.), 719
Cardiomyopathy(ies) and coronary artery disease (Todd), 264 (Annot.)
congestive, the HQ time in (Probst et al.), 436
digoxin-diuretic, of the (Burch), 540 (Annot.)
hypertrophic, and HL-A (Matsumori et al.), 428
nonobstructive, ECG pattern of left ventricular hypertrophy in: the significance of the mid-precordial changes (Chen, Nobuyoshi, and Kawai), 687
obstructive, progression to left ventricular dilatation in patients with (ten Cate and Roelandt), 762
Cardiopulmonary resuscitation (CPR) and seizure (Woodward), 542 (Letter to Editor)
Cardiorespiratory function and extravascular lung water following acute myocardial infarction (Warnica, White, and Burgess), 469
Cardiovascular catheterization, diagnostic, the risk of (Karnegis and Heinz), 291
Cardioversion, DC—does it affect isoenzyme recognition of myocardial infarction? (Reiffel, McCarthy, and Leahey), 810 (Annot.)
Carnitine, role of in fatty acid metabolism of normal and ischemic myocardium (Opie), 375
Carotid sinus hypersensitivity—asystole and hypotension in the same patient (Sklaroff), 815 (Letter to Editor)
Catheterization, cardiovascular, diagnostic, the risk of (Karnegis and Heinz), 291
Cell crisis, sickle, left ventricular performance during and after (Val-Mejias et al.), 585
Cerebral blood flow, hematocrit, viscosity, and (Friedland and Grant), 404 (Annot.)
Chagas' disease on arterial blood pressure, effect of (Palmero, Caeiro, and Iosa), 38
Chest pain and the esophagus with normal coronary arteries (Rosenthal and Copper), 266 (Annot.)
Children with heart disease, AH and HV intervals in (Shakibi and Aryanpur), 130 (Letter to Editor)
Circulatory disease, the pill and (Beral and Kay), 263 (Annot.)
CK-MB isoenzyme as a predictor of acute MI, reliability of (Marmor et al.), 269 (Letter to Editor)
Reply (Roberts), 269
Clearances of propranolol and quinidine (Reed, Talbert, and Ludden), 678 (Letter to Editor)
Reply (Kessler), 678
Clinical and hemodynamic results after combined aortic and mitral valve replacement with the Lillehei-Kaster pivoting disc valve (Nitter-Hauge et al.), 599
medicine, propranolol in (Ahlquist), 137
pathologic conference (Anderson et al.), 233
(Harris, Cruickshank, and Heath), 513
Rupture of the ventricular septum as a complication of myocardial infarction. (Bedynek, Fenoglio, and McAllister), 773
pharmacology of the new beta-adrenergic blocking drugs. Part 1. Pharmacodynamic and pharmacokinetic properties (Frishman), 663
Part 2. Physiologic and metabolic effects (Frishman and Silverman), 797
use of spironolactone (Vaz), 545 (Letter to Editor)
Reply (Greenblatt and Ochs), 545
Collaterals, coronary, in the canine heart: development and functional significance (Flameng, Schwarz, and Schaper), 70
Combined effects of graded hyperkalemia on activation and recovery (Sridharan, Horan, and Flowers), 622
Commissure, aortic, spontaneous dehiscence of an complicating idiopathic aortic root dilatation (Silverman and Hutchins), 367
Commissurotomy, early, risks of (Fowler), 132 (Letter to Editor)
Reply (Spencer), 133
mitral, closed, from non-invasive ultrasound Doppler data and cardiac output, determination of pre- and postoperative flow obstruction in patients undergoing (Holen, Höie, and Fröysaker), 499
Community, the control of hypertension in the: no easy solution (Shapiro), 538 (Annot.)
Complete heart block, unidirectional (Khalilullah et al.), 608
Complications with heparin therapy (Marble), 130 (Letter to Editor)
Concealed conduction, re-entrant arrhythmias and (Chan and Pick), 644
Conducting system, cardiac, sarcoidosis of the (Abeler), 701
Conduction, concealed, re-entrant arrhythmias and (Chan and Pick), 644
retrograde, in man, gap phenomenon in "the right and left bundle branch systems" during (Reddy and Harris), 216
Conference, clinical pathologic (Anderson et al.), 233
(Harris, Cruickshank, and Heath), 513
Rupture of the ventricular septum as a complication of myocardial infarction. (Bedynek, Fenoglio, and McAllister), 773
Conformists, of (Editorial) (Burch), 1
Congenital heart disease, mitral valve prolapse in adults with (Rippe et al.), 561
Congestive cardiomyopathies, the HQ time in (Probst et al.), 436
heart failure, "new" treatment for (Freis), 127 (Annot.)
rationale and use of vasodilators in the management of (Lakier, Khaja, and Stein), 519
Contractions, premature ventricular, significance of site of origin of (Lewis et al.), 159
Contrast media, adverse reaction to—pulmonary edema following radiological investigation of patients with peripheral occlusive vascular disease (Malins), 676 (Annot.)
Control of hypertension in the community, the: no easy solution (Shapiro), 538 (Annot.)
Coronary angiogram interpretation, reliability of: an angiographic-pathologic correlation with a comparison of radiographic views (Murphy, Galbraith, and de Soyza), 578
arteriography in acute transmural myocardial infarction (Bertrand et al.), 61
artery(ies) and cardiac valvular surgery, postoperative arrhythmias after detected by long-term electrocardiographic monitoring (Michelson, Morganroth, and MacVaugh), 442
bypass surgery, the benefits of. A suggestion for objective evaluation (Eskwith), 543 (Letter to Editor)
disease, cardiomyopathy and (Todd), 264 (Annot.)
effect of exercise on left ventricular ejection fraction in men with (Frischknecht et al.), 494
noninvasively induced postextrasystolic potentiation of ischemic and infarcted myocardium in patients with (Cohn, Angoff, and Sloss), 187
predictive value of electrocardiographic patterns in localizing left ventricular asynergy in (Arkin, Hueter, and Ryan), 453
the role of physical training in patients with (Greenberg, Arbeit, and Rubin), 527
left main, in dogs, ventricular tachycardia produced by hyperosmotic solutions injected into the (Abe), 351
normal, the esophagus and chest pain with (Rosenthal and Cooper), 266 (Annot.)
spasm and mitral valve prolapse (Pichard and Herman), 410 (Letter to Editor)
Reply (Buda), 410
thrombosis, vasospastic cause of, evidence in favor of the (Hellstrom), 449
blood flow, human right, before and after repair of aortic insufficiency, phasic changes in (Folts et al.), 211
collaterals in the canine heart: development and functional significance (Flameng, Schwarz, and Schaper), 70

Coronary—continued
disease: risk factors, age, and time (Burch), 415
insufficiency, acute, or unstable angina pectoris, external noninvasive cardiac assistance and nitrate administration for patients with (Jett et al.), 195
ischemia, acute, creatine kinase isoenzyme MB (CK-MB) in (Marmor et al.), 574
occlusion, post-traumatic, and early left ventricular aneurysm (Candell et al.), 509
reperfusion: effects of hyperosmotic mannitol (Parker et al.), 745
surgery in the treatment of arteriosclerotic heart disease (ASHD) (May), 671 (Annot.)
thrombosis, experimental, serotonin blockade during (Kordenat and Kezdi), 329
veins, epicardial, thrombosis of in acute myocardial infarction (Hansen), 696
Corrected transposition, qualitative radionuclide angiocardiography in the diagnosis of (Attie et al.), 141
Cost and benefits of segregation (by age), the (Guntheroth), 549
Counterpulsation and bypass on left ventricular myocardial oxygen consumption and dynamics before and after coronary occlusion, comparative effect of (McDonnell et al.), 78
CPR and seizure (Woodward), 542 (Letter to Editor)
Creatine kinase isoenzyme MB (CK-MB) in acute coronary ischemia (Marmor et al.), 574
Crises, hypertensive, in spinal man (Naftchi and Tuckman), 536 (Annot.)
Cross-sectional echocardiographic spectrum of papillary muscle dysfunction (Ogawa et al.), 312

D

Data analysis in BP measurement (Schaefer), 543 (Letter to Editor)
Reply (Geddes and Whistler), 543
DC cardioversion—does it affect isoenzyme recognition of myocardial infarction? (Reiffel, McCarthy, and Leahey), 810 (Annot.)
Deficiency, mineral, and atherosclerosis (Seely), 541 (Letter to Editor)
Reply (Chipperfield and Chipperfield), 541
Dehiscence, spontaneous, of an aortic commissure complicating idiopathic aortic root dilatation (Silverman and Hutchins), 367
Denervation, cardiac, chronic, infarct size, and myocardial blood flow (Hellstrom), 270 (Letter to Editor)
Reply (Jones), 270
Diagnostic cardiovascular catheterization, the risk of (Karnegis and Heinz), 291
techniques, noninvasive, in peripheral vascular disease (Barnes), 241
Diastolic murmur associated with flutter of the mitral valve in the absence of disease (Joswig et al.), 635
Digoxin–diuretic cardiomyopathy, of the (Burch), 540 (Annot.)
Dilatation, idiopathic aortic root, spontaneous dehiscence of an aortic commissure complicating (Silverman and Hutchins), 367
left ventricular, in patients with hypertrophic obstructive cardiomyopathy, progression to (ten Cate and Roelandt), 762
Discomfort, anginal, acute, and tachycardia, of (Burch), 812 (Annot.)
Disease, coronary: risk factors, age, and time (Burch), 415
pericardial, echocardiographic diagnosis of (Horowitz, Rossen, and Harrison), 420
Disorders, lipid, treating (Manninen, Mälkönen, and Tuomilehto), 674 (Annot.)
Dissociation curve, blood oxygen, and nitroglycerin in normal subjects (Clerbaux et al.), 815 (Letter to Editor)
Diuretic–digoxin cardiomyopathy, of the (Burch), 540 (Annot.)
treatment, patients on, ventricular extrasystoles and intracellular electrolytes before and after potassium and magnesium infusions in (Dyckner and Wester), 12
Diving reflex, use of the to terminate supraventricular tachycardia in a 2-week-old infant (Hamilton, Moodie, and Levy), 371
Doppler data, ultrasound, non-invasive, and cardiac output, determination of pre- and postoperative flow obstruction in patients undergoing closed mitral commissurotomy from (Holen, Höie, and Fröysaker), 499
Drug(s), blocking, beta-adrenergic, clinical pharmacology of the new. Part 1. Pharmacodynamic and pharmacokinetic properties (Frishman), 663
Part 2. Physiologic and metabolic effects (Frishman and Silverman), 797
management of hypercholesterolemia (Martz), 389

E

Early commissurotomy, risks of (Fowler), 132 (Letter to Editor)
Reply (Spencer), 133
repolarization syndrome, effect of isoproterenol on (Morace et al.), 343
ECG (electrocardiogram), normal initial vectors on the (Nevins, Das, and Saranathan), 130 (Letter to Editor)
pattern of left ventricular hypertrophy in nonobstructive hypertrophic cardiomyopathy: the significance of the mid-precordial changes (Chen, Nobuyoshi, and Kawai), 687
Echocardiographic analysis, multiplane, utilizing a technique for, pathophysiologic observations on premature opening of the aortic valve (Cohen, Wharton, and Neill), 766
–angiographic correlation in mitral valve prolapse (Cohen, Shah, and Spindola-Franco), 43
clinical, surgical, and radionuclide correlates in abnormal interventricular septal motion following cardiac surgery (Vignola et al.), 27
diagnosis of pericardial disease (Horowitz, Rossen, and Harrison), 420
of pulmonary atresia with intact ventricular septum (Lewis et al.), 92
evaluation of septal function in acute anteroseptal myocardial infarction, prognostic value of (Wiener et al.), 726
LV function in thyrotoxicosis (Lewis et al.), 460
spectrum of papillary muscle dysfunction, cross-sectional (Ogawa et al.), 312
Edema, pulmonary, following radiological investigation of patients with peripheral occlusive vascular disease: adverse reaction to contrast media (Malins), 676 (Annot.)
nitrates, "pharmacological phlebotomy" and (Chiche and Baligadoo), 408 (Letter to Editor)
Reply—Systemic vascular pooling potency of vasodilator drugs (nitroglycerin, phentolamine, hydralazine (Strauer and Scherpe), 408
Effects of glucagon (Forester), 545 (Letter to Editor)
Effusion, pericardial, misdiagnosis of in presence of MAC (Glaser), 411 (Letter to Editor)
Reply (Dashkoff), 412
Ejection fraction, left ventricular, effect of exercise on in men with coronary artery disease (Frischknecht et al.), 494
time, left ventricular, effect of exercise on in patients with hypertension or angina pectoris (Bowlby), 348
Elderly, orthostatic increase in blood pressure in the (Berkman et al.), 131 (Letter to Editor)
Reply (Hull, Longo, and Triebwasser), 132
Electrocardiographic monitoring, long-term, postoperative arrhythmias after coronary artery and cardiac valvular surgery detected by (Michelson, Morganroth, and MacVaugh), 442
patterns, predictive value of in localizing left ventricular asynergy in coronary artery disease (Arkin, Hueter, and Ryan), 453

Electrocardiographic—continued
wave forms, influence of hemodialysis on (Ishikawa, Nagasawa, and Shimada), 5
Electrophysiological and antiarrhythmic effects of lidocaine in canine acute myocardial ischemia (Kupersmith), 360
Endocarditis, bacterial, location of valvular involvement in (Covarrubias, Sheikh, and Ali), 272 (Letter to Editor)
nonbacterial thrombotic, and myocardial infarction (Fayemi and Deppisch), 405 (Annot.)
Engorgement, limb venous—new physical sign during myocardial ischemia, nine cases (Wilson et al.), 814 (Letter to Editor)
Epicardial coronary veins, thrombosis of in acute myocardial infarction (Hansen), 696
Esophagus and chest pain with normal coronary arteries, the (Rosenthal and Cooper), 266 (Annot.)
Ether anesthesia and surface-induced hypothermia on regional blood flow, effects of (Su et al.), 53
Etiology of peripartum cardiac failure, the (Davidson and Parry), 535 (Annot.)
Evaluation of phentolamine as a provocative test for idiopathic hypertrophic subaortic stenosis (Kerin et al.), 204
Exercise, effect of on left ventricular ejection fraction in men with coronary artery disease (Frischknecht et al.), 494
on left ventricular ejection time in patients with hypertension or angina pectoris (Bowlby), 348
External, noninvasive cardiac assistance and nitrate administration for patients with unstable angina pectoris or acute coronary insufficiency (Jett et al.), 195
Extrasystoles, ventricular, and intracellular electrolytes before and after potassium and magnesium infusions in patients on diuretic treatment (Dyckner and Wester), 12
Extravascular lung water and cardiorespiratory function following acute myocardial infarction (Warnica, White, and Burgess), 469

F

Failure, cardiac, peripartum, the etiology of (Davidson and Parry), 535 (Annot.)
postpartum—heart failure due to volume overload? (Sanderson et al.), 613
heart, congestive, "new" treatment for (Freis), 127 (Annot.)
rationale and use of vasodilators in the management of (Lakier, Khaja, and Stein), 519
due to volume overload—postpartum cardiac failure (Sanderson et al.), 613
Fatal hypotension in normal-dose nitroprusside therapy (Montoliu et al.), 541 (Letter to Editor)
Fatty acid metabolism of normal and ischemic myocardium, role of carnitine in (Opie), 375
Fever, leukocytosis, and sedimentation rate in acute MI (Duke), 273 (Letter to Editor)
Fibrillation, ventricular, atropine-induced: case report and review of the literature (Cooper and Abinader), 225
Fibrillatory wave amplitude, atrial, relationship of to left atrial size and etiology of heart disease. An old generalization reexamined (Morganroth et al.), 184
Fifty year review of atrial myxomas (Bulkley and Hutchins), 639
Flow, blood, cerebral, hematocrit, viscosity, and (Friedland and Grant), 404 (Annot.)
obstruction, determination of pre- and postoperative in patients undergoing closed mitral commissurotomy from non-invasive ultrasound Doppler data and cardiac output (Holen, Höie, and Fröysaker), 499
Flutter of the mitral valve associated with a diastolic murmur in the absence of disease (Joswig et al.), 635
Frequency, arrhythmia, spontaneous variability in (Michelson and Morganroth), 815 (Letter to Editor)

G

Gap phenomenon in "the right and left bundle branch systems" during retrograde conduction in man (Reddy and Harris), 216
Genetic entity, a new? Hereditary bundle branch system defect (Stéphan), 708
Glucagon, effects of (Forester), 545 (Letter to Editor)
Graft transplantation, renal, statistical support for or against (Lange, Hoffmann, and Himmelmann), 808 (Annot.)

H

Hazards in treatment of systolic hypertension (Traub, Aygen, and Rosenfeld), 174
Heart block, complete, unidirectional (Khalilullah et al.), 608
documented, significance of isolated H-V interval prolongation in symptomatic patients without (Altschuler, Fisher, and Furman), 19
canine, coronary collaterals in the: development and functional significance (Flameng, Schwarz, and Schaper), 70
disease, arteriosclerotic (ASHD), coronary surgery in the treatment of (May), 671 (Annot.)
children with, AH and HV intervals in (Shakibi and Aryanpur), 130 (Letter to Editor)
congenital, mitral valve prolapse in adults with (Rippe et al.), 561
relationship of atrial fibrillatory wave amplitude to left atrial size and etiology of. An old generalization reexamined (Morganroth et al.), 184
failure, congestive, "new" treatment for (Freis), 127 (Annot.)
rationale and use of vasodilators in the management of (Lakier, Khaja, and Stein), 519
due to volume overload—postpartum cardiac failure (Sanderson et al.), 613
Hematocrit, viscosity and cerebral blood flow (Friedland and Grant), 404 (Annot.)
Hemodialysis on electrocardiographic wave forms, influence of (Ishikawa, Nagasawa, and Shimada), 5
Hemodynamic and clinical results after combined aortic and mitral valve replacement with the Lillehei-Kaster pivoting disc valve (Nitter-Hauge et al.), 599
and ultrastructural changes, adverse, in dog hearts subjected to protein-calorie malnutrition (Abel et al.), 733
Heparin prophylaxis, low-dose, of venous thrombosis: an editorial (Blaisdell), 685
therapy: a randomized prospective study (Wilson and Lampman), 155
complications with (Marble), 130 (Letter to Editor)
Hereditary bundle branch system defect. A new genetic entity? (Stéphan), 708
HL-A and hypertrophic cardiomyopathy (Matsumori et al.), 428
HQ time in congestive cardiomyopathies, the (Probst et al.), 436
HV and AH intervals in children with heart disease (Shakibi and Aryanpur), 130 (Letter to Editor)
interval prolongation, isolated, in symptomatic patients without documented heart block, significance of (Altschuler, Fisher, and Furman), 19
Hypercholesterolemia, drug management of (Martz), 389
Hyperkalemia, graded, combined effects of on activation and recovery (Sridharan, Horan, and Flowers), 622
Hyperosmotic mannitol, effects of in coronary reperfusion (Parker et al.), 745
solutions injected into the left main coronary artery in dogs, ventricular tachycardia produced by (Abe), 351
Hypersensitivity, carotid sinus—asystole and hypotension in the same patient (Sklaroff), 815 (Letter to Editor)
Hypertension, control of in the community: no easy solution (Shapiro), 538 (Annot.)
effect of reduction in salt intake on (Morgan and Gillies), 811 (Annot.)

Hypertension—continued
or angina pectoris, patients with, effect of exercise on left ventricular ejection time in (Bowlby), 348
systolic, hazards in treatment of (Traub, Aygen, and Rosenfeld), 174
Hypertensive crises in spinal man (Naftchi and Tuckman), 536 (Annot.)
Hypertrophic cardiomyopathy and HL-A (Matsumori et al.), 428
nonobstructive, ECG pattern of left ventricular hypertrophy in: the significance of the mid-precordial changes (Chen, Nobuyoshi, and Kawai), 687
obstructive, progression to left ventricular dilatation in patients with (ten Cate and Roelandt), 762
subaortic stenosis, idiopathic, evaluation of phentolamine as a provocative test for (Kerin et al.), 204
Hypertrophy, left ventricular, ECG pattern of in nonobstructive hypertrophic cardiomyopathy: the significance of the mid-precordial changes (Chen, Nobuyoshi, and Kawai), 687
Hypotension and asystole in the same patient—carotid sinus hypersensitivity (Sklaroff), 815 (Letter to Editor)
fatal, in normal-dose nitroprusside therapy (Montoliu et al.), 541 (Letter to Editor)
Hypothermia, surface-induced, and ether anesthesia on regional blood flow, effects of (Su et al.), 53

I

Idiopathic aortic root dilatation, spontaneous dehiscence of an aortic commissure complicating (Silverman and Hutchins), 367
hypertrophic subaortic stenosis, evaluation of phentolamine as a provocative test for (Kerin et al.), 204
Impulse, cardiac, the: a new look at an old art (Basta and Bettinger), 96
Increase in blood pressure in the elderly, orthostatic (Berkman et al.), 131 (Letter to Editor)
Reply (Hull, Longo, and Triebwasser), 132
Infarct size, chronic cardiac denervation, and myocardial blood flow (Hellstrom), 270 (Letter to Editor)
Reply (Jones), 270
Infarcted and ischemic myocardium, noninvasively induced postextrasystolic potentiation of in patients with coronary artery disease (Cohn, Angoff, and Sloss), 187
Infarction, myocardial, acute, absence of any change in thyroid function following (Thompson, Baird, and Thomson), 406 (Annot.)
angina prior to, incidence and pattern of: a study of 577 cases (Harper et al.), 178
bedside management of (Gazes and Gaddy), 782
cardiorespiratory function and extravascular lung water following (Warnica, White, and Burgess), 469
effect of isoproterenol on regional myocardial perfusion and tissue oxygenation in (Schwartz, Grover, and Horwitz), 339
thrombosis of epicardial coronary veins in (Hansen), 696
anteroseptal, acute, prognostic value of echocardiographic evaluation of septal function in (Wiener et al.), 726
does DC cardioversion affect isoenzyme recognition of? (Reiffel, McCarthy, and Leahey), 810 (Annot.)
nonbacterial thrombotic endocarditis and (Fayemi and Deppisch), 405 (Annot.)
rupture of the interventricular septum complicating: pathological analysis of 10 patients with clinically diagnosed perforations (Hutchins), 165
of the ventricular septum as a complication of (Bedynek, Fenoglio, and McAllister), 773 (Clin. Path. Conf.)
transmural, acute, coronary arteriography in (Bertrand et al.), 61
Infections, viral, respiratory, and renal disease (Blandford), 125 (Annot.)
Initial vectors on the ECG, normal (Nevins, Das, and Saranathan), 130 (Letter to Editor)
Insufficiency, aortic, phasic changes in human right coronary blood flow before and after repair of (Folts et al.), 211
coronary, acute, or unstable angina pectoris, external noninvasive cardiac assistance and nitrate administration for patients with (Jett et al.), 195
Interval(s), AH and HV, in children with heart disease (Shakibi and Aryanpur), 130 (Letter to Editor)
prolongation, H-V, isolated, in symptomatic patients without documented heart block, significance of (Altschuler, Fisher, and Furman), 19
Q-T, and sleep apnea—a particularly lethal combination (Smith et al.), 505
Interventricular septal motion following cardiac surgery, abnormal: clinical, surgical, echocardiographic and radionuclide correlates (Vignola et al.), 27
septum, rupture of, complicating myocardial infarction: pathological analysis of 10 patients with clinically diagnosed perforations (Hutchins), 165
Into the ocean, of walking (Burch), 126 (Annot.)
Intracellular electrolytes and ventricular extrasystoles before and after potassium and magnesium infusions in patients on diuretic treatment (Dyckner and Wester), 12
Ischemia, coronary, acute, creatine kinase isoenzyme MB (CK-MB) in (Marmor et al.), 574
myocardial, acute, canine, electrophysiological and antiarrhythmic effects of lidocaine in (Kupersmith), 360
new physical sign during—limb venous engorgement, nine cases (Wilson et al.), 814 (Letter to Editor)
Ischemic and infarcted myocardium, noninvasively induced postextrasystolic potentiation of in patients with coronary artery disease (Cohn, Angoff, and Sloss), 187
and normal myocardium, role of carnitine in fatty acid metabolism of (Opie), 375
Isoenzyme, CK-MB, as a predictor of acute MI, reliability of (Marmor et al.), 269 (Letter to Editor)
Reply (Roberts), 269
creatine kinase, MB (CK-MB) in acute coronary ischemia (Marmor et al.), 574
recognition of myocardial infarction, does DC cardioversion affect? (Reiffel, McCarthy, and Leahey), 810 (Annot.)
Isolated T wave alternans (Vergassola), 271 (Letter to Editor)
Reply (Navarro-López et al.), 272
Isoproterenol, effect of on regional myocardial perfusion and tissue oxygenation in acute myocardial infarction (Schwartz, Grover, and Horwitz), 339
on the "early repolarization" syndrome, effect of (Morace et al.), 343
Isotopic cardiac output determination, venous delay, a major source of error in (Fouad et al.), 477

J

Jogging, of (Burch), 407 (Annot.)

K

Kinase isoenzyme, creatine, MB (CK-MB) in acute coronary ischemia (Marmor et al.), 574

L

Lead, single precordial, for ST segment monitoring: comparison with the multiple lead map (Capone and Most), 753
Left atrium, anomalous drainage of the right superior vena cava into the as an isolated anomaly. Rare case report (Vázquez-Pérez and Frontera-Izquierdo), 89

Left—continued
ventricular dilatation in patients with hypertrophic obstructive cardiomyopathy, progression to (ten Cate and Roelandt), 762
function before and following surgical treatment of mitral valve disease (Kennedy, Doces, and Stewart), 592
hypertrophy, ECG pattern of in nonobstructive hypertrophic cardiomyopathy: the significance of the mid-precordial changes (Chen, Nobuyoshi, and Kawai), 687
performance during and after sickle cell crisis (Val-Mejias et al.), 585
wall motion, limitations of the cardiokymograph for assessing (Crawford et al.), 719
Leukocytosis, fever, and sedimentation rate in acute MI (Duke), 273 (Letter to Editor)
Lidocaine, electrophysiological and antiarrhythmic effects of in canine acute myocardial ischemia (Kupersmith), 360
Lillehei-Kaster pivoting disc valve, clinical and hemodynamic results after combined aortic and mitral valve replacement with the (Nitter-Hauge et al.), 599
Limb venous engorgement—new physical sign during myocardial ischemia, nine cases (Wilson et al.), 814 (Letter to Editor)
Lipid disorders, treating (Manninen, Mälkönen, and Tuomilehto), 674 (Annot.)
Low-dose heparin prophylaxis of venous thrombosis: an editorial (Blaisdell), 685
Lung water, extravascular, and cardiorespiratory function following acute myocardial infarction (Warnica, White, and Burgess), 469
LV function, echocardiographic, in thyrotoxicosis (Lewis et al.), 460
LV function, post-PVC pressures in normals and in patients with abnormal (Eyer), 679 (Letter to Editor)
Reply (Hamby), 679

M

Magnesium and potassium infusions in patients on diuretic treatment, ventricular extrasystoles and intracellular electrolytes before and after (Dyckner and Wester), 12
Malnutrition, protein-calorie, adverse hemodynamic and ultrastructural changes in dog hearts subjected to (Abel et al.), 733
Management of acute myocardial infarction, bedside (Gazes and Gaddy), 782
of hypercholesterolemia, drug (Martz), 389
Mannitol, hyperosmotic, effects of in coronary reperfusion (Parker et al.), 745
Map, multiple lead, comparison with the: the single precordial lead for ST segment monitoring (Capone and Most), 753
MB (CK-MB), creatine kinase isoenzyme in acute coronary ischemia (Marmor et al.), 574
Medicine, propranolol in clinical (Ahlquist), 137
Metabolic and physiologic effects—clinical pharmacology of the new beta-adrenergic blocking drugs. Part 2 (Frishman and Silverman), 797
Metabolism, fatty acid, of normal and ischemic myocardium, role of carnitine in (Opie), 375
Metastatic carcinoma presenting as obstruction to the right ventricular outflow tract. Report of a case and review of the literature (Birmingham and Peretz), 229
Mexiletine (Therapy) (Danilo), 399
MI (myocardial infarction), acute, fever, leukocytosis, and sedimentation rate in (Duke), 273 (Letter to Editor)
provision of carbohydrate in (Opie), 268 (Letter to Editor)
Reply (Warren), 268
reliability of CK-MB isoenzyme as a predictor of (Marmor et al.), 269 (Letter to Editor)
Reply (Roberts), 269
Mid-precordial changes, the significance of in ECG pattern of left ventricular hypertrophy in nonobstructive hypertrophic cardiomyopathy (Chen, Nobuyoshi, and Kawai), 687
Mineral deficiency and atherosclerosis (Seely), 541 (Letter to Editor)
Reply (Chipperfield and Chipperfield), 541
Misdiagnosis of pericardial effusion in presence of MAC (Glaser), 411 (Letter to Editor)
Reply (Dashkoff), 412
Mitral and aortic valve replacement, combined, with the Lillehei-Kaster pivoting disc valve, clinical and hemodynamic results after (Nitter-Hauge et al.), 599
annulus calcification (MAC), misdiagnosis of pericardial effusion in presence of (Glaser), 411 (Letter to Editor)
Reply (Dashkoff), 412
commissurotomy, closed, from non-invasive ultrasound Doppler data and cardiac output, determination of pre- and postoperative flow obstruction in patients undergoing (Holen, Höie, and Fröysaker), 499
leaflet syndrome, billowing, the specific—mitral valve prolapse—or an insignificant non-ejection systolic click (Barlow and Pocock), 277
valve disease, left ventricular function before and following surgical treatment of (Kennedy, Doces, and Stewart), 592
echoes in patients with mitral valve prolapse syndrome (Liedtke, Babb, and DeJoseph), 286
flutter of associated with a diastolic murmur in the absence of disease (Joswig et al.), 635
prolapse, angiographic–echocardiographic correlation in (Cohen, Shah, and Spindola-Franco), 43
aprindine treatment of recurrent ventricular tachycardia in patients with (Troup and Zipes), 322
coronary artery spasm and (Pichard and Herman), 410 (Letter to Editor)
Reply (Buda), 410
in adults with congenital heart disease (Rippe et al.), 561
incidence of in subjects with thoracic skeletal abnormalities—a prospective study (Udoshi et al.), 303
noninvasive assessment of myocardial function in young patients with (Raeder and Burckhardt), 432
syndrome, mitral valve echoes in patients with (Liedtke, Babb, and DeJoseph), 286
the specific billowing mitral leaflet syndrome, or an insignificant non-ejection systolic click (Barlow and Pocock), 277
Modification of Type A behavior in post-infarction patients, the (Friedman), 551
Monitoring, ST segment, single precordial lead for: comparison with the multiple lead map (Capone and Most), 753
transtelephonic, evaluation of outpatient arrhythmias utilizing (Judson, Holmes, and Baker), 759
Motion, left ventricular wall, limitations of the cardiokymograph for assessing (Crawford et al.), 719
Multiplane echocardiographic analysis, utilizing a technique for, pathophysiologic observations on premature opening of the aortic valve (Cohen, Wharton, and Neill), 766
Multiple lead map, comparison with the: the single precordial lead for ST segment monitoring (Capone and Most), 753
Murmur, diastolic, associated with flutter of the mitral valve in the absence of disease (Joswig et al.), 635
Muscle dysfunction, papillary, cross-sectional echocardiographic spectrum of (Ogawa et al.), 312
Myocardial blood flow, chronic cardiac denervation, infarct size, and (Hellstrom), 270 (Letter to Editor)
Reply (Jones), 270
total and regional, in aortic regurgitation (Falsetti, Carroll, and Cramer), 485
function in young patients with mitral valve prolapse, noninvasive assessment of (Raeder and Burckhardt), 432

Myocardial—continued
infarction, acute, absence of any change in thyroid function following (Thompson, Baird, and Thomson), 406 (Annot.)
angina prior to, incidence and pattern of: a study of 577 cases (Harper et al.), 178
bedside management of (Gazes and Gaddy), 782
cardiorespiratory function and extravascular lung water following (Warnica, White, and Burgess), 469
effect of isoproterenol on regional myocardial perfusion and tissue oxygenation in (Schwartz, Grover, and Horwitz), 339
thrombosis of epicardial coronary veins in (Hansen), 696
anteroseptal, acute, prognostic value of echocardiographic evaluation of septal function in (Wiener et al.), 726
does DC cardioversion affect isoenzyme recognition of? (Reiffel, McCarthy, and Leahey), 810 (Annot.)
nonbacterial thrombotic endocarditis and (Fayemi and Deppisch), 405 (Annot.)
rupture of the interventricular septum complicating: pathological analysis of 10 patients with clinically diagnosed perforations (Hutchins), 165
of the ventricular septum as a complication of (Bedynek, Fenoglio, and McAllister), 773 (Clin. Path. Conf.)
transmural, acute, coronary arteriography in (Bertrand et al.), 61
ischemia, acute, canine, electrophysiological and antiarrhythmic effects of lidocaine in (Kupersmith), 360
new physical sign during—limb venous engorgement, nine cases (Wilson et al.), 814 (Letter to Editor)
oxygen consumption, left ventricular, and dynamics before and after coronary occlusion, comparative effect of counterpulsation and bypass on (McDonnell et al.), 78
perfusion, regional, effect of isoproterenol on and on tissue oxygenation in acute myocardial infarction (Schwartz, Grover, and Horwitz), 339
radionuclide assessment of with thallium-201 (Corne, Gotsman, and Atlan), 112
Myocardium, ischemic and infarcted, noninvasively induced postextrasystolic potentiation of in patients with coronary artery disease (Cohn, Angoff, and Sloss), 187
normal and ischemic, role of carnitine in fatty acid metabolism of (Opie), 375
Myoglobinuria and rhabdomyolysis (Forester), 814 (Letter to Editor)
Myxomas, atrial: a fifty year review (Bulkley and Hutchins), 639

N

New physical sign during myocardial ischemia—limb venous engorgement, nine cases (Wilson et al.), 814 (Letter to Editor)
treatment for congestive heart failure (Freis), 127 (Annot.)
Nitrate(s) administration and external, noninvasive cardiac assistance for patients with unstable angina pectoris or acute coronary insufficiency (Jett et al.), 195
"pharmacological phlebotomy" and pulmonary edema (Chiche and Baligadoo), 408 (Letter to Editor)
Reply—Systemic vascular pooling potency of vasodilator drugs (nitroglycerin, phentolamine, hydralazine) (Strauer and Scherpe), 408
Nitroglycerin and blood oxygen dissociation curve of normal subjects (Clerbaux et al.), 815 (Letter to Editor)
Nitroprusside therapy, normal-dose, fatal hypotension in (Montoliu et al.), 541 (Letter to Editor)
Nonbacterial thrombotic endocarditis and myocardial infarction (Fayemi and Deppisch), 405 (Annot.)
Noninvasive assessment of myocardial function in young patients with mitral valve prolapse (Raeder and Burckhardt), 432
diagnostic techniques in peripheral vascular disease (Barnes), 241
Noninvasively induced postextrasystolic potentiation of ischemic and infarcted myocardium in patients with coronary artery disease (Cohn, Angoff and Sloss), 187
Nonobstructive hypertrophic cardiomyopathy, ECG pattern of left ventricular hypertrophy in: the significance of the mid-precordial changes (Chen, Nobuyoshi, and Kawai), 687
Normal-dose nitroprusside therapy, fatal hypotension in (Montoliu et al.), 541 (Letter to Editor)
initial vectors on the ECG (Nevins, Das, and Saranathan), 130 (Letter to Editor)
NTG, stability of (Cacace, Harralson, and Clougherty), 817 (Letter to Editor)

O

Obstructive cardiomyopathy, hypertrophic, progression to left ventricular dilatation in patients with (ten Cate and Roelandt), 762
Occlusion, post-traumatic coronary, and early left ventricular aneurysm (Candell et al.), 509
Occlusive vascular disease, peripheral, pulmonary edema following radiological investigation of patients with: adverse reaction to contrast media (Malins), 676 (Annot.)
Ocean, of walking into the (Burch), 126 (Annot.)
Of acute anginal discomfort and tachycardia (Burch), 812 (Annot.)
conformists (Editorial), (Burch), 1
the digoxin-diuretic cardiomyopathy (Burch), 540 (Annot.)
jogging (Burch), 407 (Annot.)
peer review (Burch), 265 (Annot.)
walking into the ocean (Burch), 126 (Annot.)
when is a physician prepared? (Burch), 677 (Annot.)
Old books, why don't they read the? (Neurath), 680 (Letter to Editor)
Reply (Burch), 680
Orthostatic increase in blood pressure in the elderly (Berkman et al.), 131 (Letter to Editor)
Reply (Hull, Longo, and Triebwasser), 132
Outflow tract, right ventricular, metastatic carcinoma presenting as obstruction to the. Report of a case and review of the literature (Birmingham and Peretz), 229
Outpatient arrhythmias, evaluation of utilizing transtelephonic monitoring (Judson, Holmes, and Baker), 759
Output determination, isotopic cardiac, venous delay, a major source of error in (Fouad et al.), 477
Overload, volume—postpartum cardiac failure—heart failure due to? (Sanderson et al.), 613
Oxygen consumption, left ventricular myocardial, and dynamics before and after coronary occlusion, comparative effect of counterpulsation and bypass on (McDonnell et al.), 78
dissociation curve, blood, and nitroglycerin in normal subjects (Clerbaux et al.), 815 (Letter to Editor)

P

Pacemakers, second-hand (Thompson), 134 (Letter to Editor)
Pain, chest, and the esophagus with normal coronary arteries (Rosenthal and Cooper), 266 (Annot.)
Papillary muscle dysfunction, cross-sectional echocardiographic spectrum of (Ogawa et al.), 312
Pathophysiologic observations on premature opening of the aortic valve utilizing a technique for multiplane echocardiographic analysis (Cohen, Wharton, and Neill), 766

Pectoris, angina, or hypertension, patients with, effect of exercise on left ventricular ejection time in (Bowlby), 348
propranolol withdrawal in: a prospective study (Myers et al.), 298
Peer review, of (Burch), 265 (Annot.)
Perfusion, myocardial, regional, radionuclide assessment of with thallium-201 (Corne, Gotsman, and Atlan), 112
Pericardial disease, echocardiographic diagnosis of (Horowitz. Rossen, and Harrison), 420
effusion in presence of MAC, misdiagnosis of (Glaser), 411 (Letter to Editor)
Reply (Dashkoff), 412
knock, PR segment depression, and pericardial rub in pericarditis (Spodick), 411 (Letter to Editor)
Reply (Wheatley), 411
rub, pericardial knock, and PR segment depression in pericarditis (Spodick), 411 (Letter to Editor)
Reply (Wheatley), 411
Pericarditis, PR segment depression, pericardial knock, and pericardial rub in (Spodick), 411 (Letter to Editor)
Reply (Wheatley), 411
Peripartum cardiac failure, the etiology of (Davidson and Parry), 535 (Annot.)
Peripheral occlusive vascular disease, pulmonary edema following radiological investigation of patients with: adverse reaction to contrast media (Malins), 676 (Annot.)
vascular disease, noninvasive diagnostic techniques in (Barnes), 241
Pharmacodynamic and pharmacokinetic properties. Part 1 of Clinical pharmacology of the new beta-adrenergic blocking drugs (Frishman), 663
Pharmacokinetic and pharmacodynamic properties. Part 1 of Clinical pharmacology of the new beta-adrenergic blocking drugs (Frishman), 663
Pharmacological phlebotomy, nitrates, and pulmonary edema (Chiche and Baligadoo), 408 (Letter to Editor)
Reply—Systemic vascular pooling potency of vasodilator drugs (nitroglycerin, phentolamine, hydralazine) (Strauer and Scherpe), 408
Pharmacology, clinical, of the new beta-adrenergic blocking drugs. Part 1. Pharmacodynamic and pharmacokinetic properties (Frishman), 663
Part 2. Physiologic and metabolic effects (Frishman and Silverman), 797
Phentolamine, evaluation of, as a provocative test for idiopathic hypertrophic subaortic stenosis (Kerin et al.), 204
Phlebotomy, pharmacological, nitrates, and pulmonary edema (Chiche and Baligadoo), 408 (Letter to Editor)
Reply—Systemic vascular pooling potency of vasodilator drugs (nitroglycerin, phentolamine, hydralazine) (Strauer and Scherpe), 408
Physical training, role of in patients with coronary artery disease (Greenberg, Arbeit and Rubin), 527
Physician prepared, of when is a (Burch), 677 (Annot.)
Physiologic and metabolic effects—clinical pharmacology of the new beta-adrenergic blocking drugs. Part 2 (Frishman and Silverman), 797
Physiological sleep patterns and cardiac arrhythmias (Orr et al.), 128 (Annot.)
Pill and circulatory disease, the (Beral and Kay), 263 (Annot.)
Pivoting disc valve, Lillehei-Kaster, clinical and hemodynamic results after combined aortic and mitral valve replacement with the (Nitter-Hauge et al.), 599
Plasma concentrations, steady-state, of quinidine and propranolol (Mayersohn, Perrier, Fenster, and Marcus), 678 (Letter to Editor)
Reply (Kessler), 678
Postextrasystolic potentiation, noninvasively induced, of ischemic and infarcted myocardium in patients with coronary artery disease (Cohn, Angoff, and Sloss), 187
Post-infarction patients, the modification of Type A behavior in (Friedman), 551
Postoperative arrhythmias after coronary artery and cardiac valvular surgery detected by long-term electrocardiographic monitoring (Michelson, Morganroth, and MacVaugh), 442
follow-up 24 years later of aortocoronary sinus anastomosis (Dennish, Long, and Pepine), 631
Postpartum cardiac failure—heart failure due to volume overload? (Sanderson et al.), 613
Post-PVC pressures in normals and in patients with abnormal LV function (Eyer), 679 (Letter to Editor)
Reply (Hamby), 679
-traumatic coronary occlusion and early left ventricular aneurysm (Candell et al.), 509
Potassium and magnesium infusions in patients on diuretic treatment, ventricular extrasystoles and intracellular electrolytes before and after (Dyckner and Wester), 12
PR segment depression, pericardial knock, and pericardial rub in pericarditis (Spodick), 411 (Letter to Editor)
Reply (Wheatley), 411
Precordial lead, single, for ST segment monitoring: comparison with the multiple lead map (Capone and Most), 753
Premature opening of the aortic valve, pathophysiologic observations on utilizing a technique for multiplane echocardiographic analysis (Cohen, Wharton, and Neill), 766
ventricular contraction(s) (PVC) pressures, post-, in normals and in patients with abnormal LV function (Eyer), 679 (Letter to Editor)
Reply (Hamby), 679
site of origin of, significance of (Lewis et al.), 159
Prepared, of when is a physician (Burch), 677 (Annot.)
Pressure(s), arterial blood, effect of Chagas' disease on (Palmero, Caeiro, and Iosa), 38
blood, and sleep: further observations (Littler), 35
in the elderly, orthostatic increase in (Berkman et al.), 131 (Letter to Editor)
Reply (Hull, Longo, and Triebwasser), 132
(BP) measurement, data analysis in (Schaefer), 543 (Letter to Editor)
Reply (Geddes and Whistler), 543
post-PVC, in normals and in patients with abnormal LV function (Eyer), 679 (Letter to Editor)
Reply (Hamby), 679
Prolapse, mitral valve, angiographic–echocardiographic correlation in (Cohen, Shah, and Spindola-Franco), 43
aprindine treatment of recurrent ventricular tachycardia in patients with (Troup and Zipes), 322
coronary artery spasm and (Pichard and Herman), 410 (Letter to Editor)
Reply (Buda), 410
in adults with congenital heart disease (Rippe et al.), 561
incidence of in subjects with thoracic skeletal abnormalities—a prospective study (Udoshi et al.), 303
noninvasive assessment of myocardial function in young patients with (Raeder and Burckhardt), 432
the specific billowing mitral leaflet syndrome, or an insignificant non-ejection systolic click (Barlow and Pocock), 277
syndrome, mitral valve, mitral valve echoes in patients with (Liedtke, Babb, and DeJoseph), 286
Prolongation, Q-T interval, and sleep apnea—a particularly lethal combination (Smith et al.), 505
Prophylaxis, low-dose heparin, of venous thrombosis: an editorial (Blaisdell), 685
Propranolol and quinidine, clearances of (Reed, Talbert, and Ludden), 678 (Letter to Editor)
Reply (Kessler), 678
steady-state plasma concentrations of (Mayersohn, Perrier, Fenster, and Marcus), 678 (Letter to Editor)
Reply (Kessler), 678
in clinical medicine (Ahlquist), 137

Propranolol—continued
withdrawal in angina pectoris: a prospective study (Myers et al.), 298
Protein-calorie malnutrition, adverse hemodynamic and ultrastructural changes in dog hearts subjected to (Abel et al.), 733
Provision of carbohydrate in acute MI (Opie), 268 (Letter to Editor)
Reply (Warren), 268
Pulmonary atresia, echocardiographic diagnosis of with intact ventricular septum (Lewis et al.), 92
edema following radiological investigation of patients with peripheral occlusive vascular disease: adverse reaction to contrast media (Malins), 676 (Annot.)
nitrates, "pharmacological phlebotomy" and (Chiche and Baligadoo), 408 (Letter to Editor)
Reply—Systemic vascular pooling potency of vasodilator drugs (nitroglycerin, phentolamine, hydralazine) (Strauer and Scherpe), 408
PVC pressures, post-, in normals and in patients with abnormal LV function (Eyer), 679 (Letter to Editor)
Reply (Hamby), 679

Q

Q-T interval prolongation and sleep apnea—a particularly lethal combination (Smith et al.), 505
Qualitative radionuclide angiocardiography in the diagnosis of corrected transposition (Attie et al.), 141
Quinidine and propranolol, clearances of (Reed, Talbert, and Ludden), 678 (Letter to Editor)
Reply (Kessler), 678
steady-state plasma concentrations of (Mayersohn, Perrier, Fenster, and Marcus), 678 (Letter to Editor)
Reply (Kessler), 678

R

Radiographic views, reliability of coronary angiogram interpretation: an angiographic-pathologic correlation with a comparison of (Murphy, Galbraith, and de Soyza), 578
Radiological investigation of patients with peripheral occlusive vascular disease, pulmonary edema following: adverse reaction to contrast media (Malins), 676 (Annot.)
Radionuclide angiography, qualitative, in the diagnosis of corrected transposition (Attie et al.), 141
assessment of regional myocardial perfusion with thallium-201 (Corne, Gotsman, and Atlan), 112
clinical, surgical and echocardiographic correlates in abnormal interventricular septal motion following cardiac surgery (Vignola et al.), 27
Rationale and use of vasodilators in the management of congestive heart failure (Lakier, Khaja, and Stein), 519
Read the old books, why don't they? (Neurath), 680 (Letter to Editor)
Reply (Burch), 680
Recovery and activation, combined effects of graded hyperkalemia on (Sridharan, Horan, and Flowers), 622
Reduction in salt intake on hypertension, effect of (Morgan and Gillies), 811 (Annot.)
Re-entrant arrhythmias and concealed conduction (Chan and Pick), 644
Reflex, diving, use of the to terminate supraventricular tachycardia in a 2-week-old infant (Hamilton, Moodie, and Levy), 371
Regurgitation, aortic, total and regional myocardial blood flow in (Falsetti, Carroll, and Cramer), 485
Renal disease, respiratory viral infections and (Blandford), 125 (Annot.)
graft transplantation, statistical support for or against (Lange, Hoffmann, and Himmelmann), 808 (Annot.)
Reperfusion, coronary: effects of hyperosmotic mannitol (Parker et al.), 745
Repolarization, syndrome, early, effect of isoproterenol on (Morace et al.), 343
Respiratory viral infections and renal disease (Blandford), 125 (Annot.)
Resuscitation, cardiopulmonary (CPR) and seizure (Woodward), 542 (Letter to Editor)
Retrograde conduction in man, gap phenomenon in "the right and left bundle branch systems" during (Reddy and Harris), 216
Review, of peer (Burch), 265 (Annot.)
Rhabdomyolysis and myoglobinuria (Forester), 814 (Letter to Editor)
Right bundle branch block pattern, postoperative, abnormal septal motion in patients with (Shapiro, Boxer, and Krongrad), 147
coronary blood flow, human, before and after repair of aortic insufficiency, phasic changes in (Folts et al.), 211
ventricular outflow tract, metastatic carcinoma presenting as obstruction to the. Report of a case and review of the literature (Birmingham and Peretz), 229
Risk(s) factors, age and time in coronary disease (Burch), 415
of diagnostic cardiovascular catheterization, the (Karnegis and Heinz), 291
of early commissurotomy (Fowler), 132 (Letter to Editor)
Reply (Spencer), 133
Role of physical training in patients with coronary artery disease (Greenberg, Arbeit, and Rubin), 527
Rupture of interventricular septum complicating myocardial infarction: pathological analysis of 10 patients with clincally diagnosed perforations (Hutchins), 165
of the ventricular septum as a complication of myocardial infarction (Bedynek, Fenoglio, and McAllister), 773 (Clin. Path. Conf.)

S

Salt intake, reduction in, effect of on hypertension (Morgan and Gillies), 811 (Annot.)
Sarcoidosis of the cardiac conducting system (Abeler), 701
Second-hand pacemakers (Thompson), 134 (Letter to Editor)
Sedimentation rate, fever, and leukocytosis in acute MI (Duke), 273 (Letter to Editor)
Segment depression, PR, pericardial knock, and pericardial rub in pericarditis (Spodick), 411 (Letter to Editor)
Reply (Wheatley), 411
Segregation (by age), the cost and benefits of (Guntheroth), 549
Seizure and CPR (cardiopulmonary resuscitation) (Woodward), 542 (Letter to Editor)
Septal function in acute anteroseptal myocardial infarction, prognostic value of echocardiographic evaluation of (Wiener et al.), 726
motion, abnormal, in patients with postoperative right bundle branch block pattern (Shapiro, Boxer, and Krongrad), 147
interventricular, abnormal, following cardiac surgery: clinical, surgical, echocardiographic and radionuclide correlates (Vignola et al.), 27
Septum, interventricular, rupture of, complicating myocardial infarction: pathological analysis of 10 patients with clinically diagnosed perforations (Hutchins), 165
ventricular, intact, echocardiographic diagnosis of pulmonary atresia with (Lewis et al.), 92
rupture of, as a complication of myocardial infarction (Bedynek, Fenoglio, and McAllister), 773 (Clin. Path. Conf.)
Serotonin blockade during experimental coronary thrombosis (Kordenat and Kezdi), 329
Sickle cell crisis, left ventricular performance during and after (Val-Mejias et al.), 585

Single precordial lead for ST segment monitoring: comparison with the multiple lead map (Capone and Most), 753
Sinus anastomosis, aortocoronary: a postoperative follow-up 24 years later (Dennish, Long, and Pepine), 631
hypersensitivity, carotid–asystole and hypotension in the same patient (Sklaroff), 815 (Letter to Editor)
Site of origin of premature ventricular contractions, significance of (Lewis et al.), 159
Skeletal abnormalities, thoracic, incidence of mitral valve prolapse in subjects with–a prospective study (Udoshi et al.), 303
Sleep and blood pressure: further observations (Littler), 35
apnea and Q-T interval prolongation–a particularly lethal combination (Smith et al.), 505
patterns, physiological, and cardiac arrhythmias (Orr et al.), 128 (Annot.)
Spasm, coronary artery, and mitral valve prolapse (Pichard and Herman), 410 (Letter to Editor)
Reply (Buda), 410
Spinal man, hypertensive crises in (Naftchi and Tuckman), 536 (Annot.)
Spironolactone, clinical use of (Vaz), 545 (Letter to Editor)
Reply (Greenblatt and Ochs), 545
Spontaneous dehiscence of an aortic commissure complicating idiopathic aortic root dilatation (Silverman and Hutchins), 367
variability in arrhythmia frequency (Michelson and Morganroth), 815 (Letter to Editor)
ST segment monitoring, single precordial lead for: comparison with the multiple lead map (Capone and Most), 753
Stability of NTG (Cacace, Harralson, and Clougherty), 817 (Letter to Editor)
Statistical support for or against transplantation (renal graft) (Lange, Hoffmann, and Himmelmann), 808 (Annot.)
Steady-state plasma concentrations of quinidine and propranolol (Mayersohn, Perrier, Fenster, and Marcus), 678 (Letter to Editor)
Reply (Kessler), 678
Stenosis, idiopathic hypertrophic subaortic, evaluation of phentolamine as a provocative test for (Kerin et al.), 204
Subaortic stenosis, idiopathic hypertrophic, evaluation of phentolamine as a provocative test for (Kerin et al.), 204
Superior vena cava, right, anomalous drainage of the into the left atrium as an isolated anomaly. Rare case report (Vázquez-Pérez and Frontera-Izquierdo), 89
Supraventricular tachycardia in a 2-week-old infant, use of the diving reflex to terminate (Hamilton, Moodie, and Levy), 371
Surface-induced hypothermia and ether anesthesia on regional blood flow, effects of (Su et al.), 53
Surgery, coronary artery bypass, the benefits of. A suggestion for objective evaluation (Eskwith), 543 (Letter to Editor)
in the treatment of arteriosclerotic heart disease (ASHD) (May), 671 (Annot.)
Surgical treatment of mitral valve disease, left ventricular function before and following (Kennedy, Doces, and Stewart), 592
Systemic vascular pooling potency of vasodilator drugs (nitroglycerin, phentolamine, hydralazine) (Strauer and Scherpe), 408 (Letter to Editor, Reply to Chiche and Baligadoo)
Systolic click, non-ejection, mitral valve prolapse, the specific billowing mitral leaflet syndrome, or an insignificant (Barlow and Pocock), 277
hypertension, hazards in treatment of (Traub, Aygen, and Rosenfeld), 174

T

T wave alternans, isolated (Vergassola), 271 (Letter to Editor)
Reply (Navarro-López et al.), 272
Tachycardia, of acute anginal discomfort and (Burch), 812 (Annot.)
supraventricular, in a 2-week-old infant, use of the diving reflex to terminate (Hamilton, Moodie, and Levy), 371
ventricular, produced by hyperosmotic solutions injected into the left main coronary artery in dogs (Abe), 351
recurrent, aprindine treatment of in patients with mitral valve prolapse (Troup and Zipes), 322
Thallium-201, radionuclide assessment of regional myocardial perfusion with (Corne, Gotsman, and Atlan), 112
Therapy, heparin: a randomized prospective study (Wilson and Lampman), 155
complications with (Marble), 130 (Letter to Editor)
Thoracic skeletal abnormalities, incidence of mitral valve prolapse in subjects with–a prospective study (Udoshi et al.), 303
Thrombosis, coronary artery, vasospastic cause of, evidence in favor of the (Hellstrom), 449
experimental, serotonin blockade during (Kordenat and Kezdi), 329
of epicardial coronary veins in acute myocardial infarction (Hansen), 696
venous, low-dose heparin prophylaxis of: an editorial (Blaisdell), 685
Thrombotic endocarditis, nonbacterial, and myocardial infarction (Fayemi and Deppisch), 405 (Annot.)
Thyroid function, absence of any change in following acute myocardial infarction (Thompson, Baird, and Thomson), 406 (Annot.)
Thyrotoxicosis, echocardiographic left ventricular function in (Lewis et al.), 460
Time, age, and risk factors in coronary disease (Burch), 415
Tissue oxygenation and regional myocardial perfusion, effect of isoproterenol on in acute myocardial infarction (Schwartz, Grover, and Horwitz), 339
Tocainide (Therapy article) (Danilo), 259
Total and regional myocardial blood flow in aortic regurgitation (Falsetti, Carroll, and Cramer), 485
Transmural myocardial infarction, acute, coronary arteriography in (Bertrand et al.), 61
Transplantation (renal graft), statistical support for or against (Lange, Hoffmann, and Himmelmann), 808 (Annot.)
Transposition, corrected, qualitative radionuclide angiocardiography in the diagnosis of (Attie et al.), 141
Transtelephonic monitoring, evaluation of outpatient arrhythmias utilizing (Judson, Holmes, and Baker), 759
Treating lipid disorders (Manninen, Mälkönen, and Tuomilehto), 674 (Annot.)
Treatment for congestive heart failure, "new" (Freis), 127 (Annot.)
Type A behavior in post-infarction patients, the modification of (Friedman), 551

U

Ultrasound Doppler data, noninvasive, and cardiac output, determination of pre- and postoperative flow obstruction in patients undergoing closed mitral commissurotomy from (Holen, Höie, and Fröysaker), 499
Ultrastructural and hemodynamic changes, adverse, in dog hearts subjected to protein-calorie malnutrition (Abel et al.), 733
Unidirectional complete heart block (Khalilullah et al.), 608
Use of spironolactone, clinical (Vaz), 545 (Letter to Editor)
Reply (Greenblatt and Ochs), 545

V

Valve, aortic, pathyphysiologic observations on premature opening of the utilizing a technique for multiplane echocardiographic analysis (Cohen, Wharton, and Neill), 766

Valve—continued
disease, mitral, left ventricular function before and following surgical treatment of (Kennedy, Doces, and Stewart), 592
echoes, mitral, in patients with mitral valve prolapse syndrome (Liedtke, Babb, and DeJoseph), 286
mitral, flutter of associated with a diastolic murmur in the absence of disease (Joswig et al.), 635
pivoting disc, Lillehei-Kaster, clinical and hemodynamic results after combined aortic and mitral valve replacement with the (Nitter-Hauge et al.), 599
prolapse, mitral, angiographic–echocardiographic correlation in (Cohen, Shah, and Spindola-Franco), 43
aprindine treatment of recurrent ventricular tachycardia in patients with (Troup and Zipes), 322
coronary artery spasm and (Pichard and Herman), 410 (Letter to Editor)
Reply (Buda), 410
in adults with congenital heart disease (Rippe et al.), 561
incidence of in subjects with thoracic skeletal abnormalities—a prospective study (Udoshi et al.), 303
noninvasive assessment of myocardial function in young patients with (Raeder and Burckhardt), 432
the specific billowing mitral leaflet syndrome, or an insignificant non-ejection systolic click (Barlow and Pocock), 277
syndrome, mitral, mitral valve echoes in patients with (Liedtke, Babb, and DeJoseph), 286
replacement, combined aortic and mitral, with the Lillehei-Kaster pivoting disc valve, clinical and hemodynamic results after (Nitter-Hauge et al.), 599
Valvular involvement in bacterial endocarditis, location of (Covarrubias, Sheikh, and Ali), 272 (Letter to Editor)
surgery, cardiac, and coronary artery surgery, postoperative arrhythmias after detected by long-term electrocardiographic monitoring (Michelson, Morganroth, and MacVaugh), 442
Variability, spontaneous, in arrhythmia frequency (Michelson and Morganroth), 815 (Letter to Editor)
Vascular disease, peripheral, noninvasive diagnostic techniques in (Barnes), 241
occlusive, pulmonary edema following radiological investigation of patients with: adverse reaction to contrast media (Malins), 676 (Annot.)
pooling potency of vasodilator drugs (nitroglycerin, phentolamine, hydralazine), systemic (Strauer and Scherpe), 408 (Letter to Editor, Reply to Chiche and Baligadoo)
Vasodilator(s) drugs, systemic vascular pooling potency of (nitroglycerin, phentolamine, hydralazine) (Strauer and Scherpe), 408 (Letter to Editor, Reply to Chiche and Baligadoo)
in the management of congestive heart failure, rationale and use of (Lakier, Khaja, and Stein), 519
Vasospastic cause of coronary artery thrombosis, evidence in favor of the (Hellstrom), 449
Vectors, normal initial, on the ECG (Nevins, Das, and Sara nathan), 130 (Letter to Editor)
Veins, epicardial coronary, thrombosis of in acute myocardial infarction (Hansen), 696
Vena cava, superior, right, anomalous drainage of the into the left atrium as an isolated anomaly. Rare case report (Vázquez-Pérez and Frontera-Izquierdo), 89
Venous delay, a major source of error in isotopic cardiac output determination (Fouad et al.), 477
engorgement, limb—new physical sign during myocardial ischemia, nine cases (Wilson et al.), 814 (Letter to Editor)
thrombosis, low-dose heparin prophylaxis of: an editorial (Blaisdell), 685
Ventricular aneurysm, early left, post-traumatic coronary occlusion and (Candell et al.), 509
Ventricular—continued
asynergy, left, predictive value of electrocardiographic patterns in localizing in coronary artery disease (Arkin, Hueter, and Ryan), 453
contractions, premature, site of origin of, significance of (Lewis et al.), 159
dilatation, left, in patients with hypertrophic obstructive cardiomyopathy, progression to (ten Cate and Roelandt), 762
ejection fraction, left, effect of exercise on in men with coronary artery disease (Frischknecht et al.), 494
time, left, effect of exercise on in patients with hypertension or angina pectoris (Bowlby), 348
extrasystoles and intracellular electrolytes before and after potassium and magnesium infusions in patients on diuretic treatment (Dyckner and Wester), 12
fibrillation, atropine-induced: case report and review of the literature (Cooper and Abinader), 225
function, left, before and following surgical treatment of mitral valve disease (Kennedy, Doces, and Stewart), 592
echocardiographic, in thyrotoxicosis (Lewis et al.), 460
(LV function), post-PVC pressures in normals and in patients with abnormal (Eyer), 679 (Letter to Editor)
Reply (Hamby), 679
hypertrophy, left, ECG pattern of in nonobstructive hypertrophic cardiomyopathy: the significance of the mid-precordial changes (Chen, Nobuyoshi, and Kawai), 687
myocardial oxygen consumption, left, and dynamics before and after coronary occlusion, comparative effect of counterpulsation and bypass on (McDonnell et al.), 78
outflow tract, right, metastatic carcinoma presenting as obstruction to the. Report of a case and review of the literature (Birmingham and Peretz), 229
performance, left, during and after sickle cell crisis (Val-Mejias et al.), 585
septum, intact, echocardiographic diagnosis of pulmonary atresia with (Lewis et al.), 92
rupture of, as a complication of myocardial infarction (Bedynek, Fenoglio, and McAllister), 773 (Clin. Path. Conf.)
tachycardia produced by hyperosmotic solutions injected into the left main coronary artery in dogs (Abe), 351
recurrent, aprindine treatment of in patients with mitral valve prolapse (Troup and Zipes), 322
wall motion, left, limitations of the cardiokymograph for assessing (Crawford et al.), 719
Viral infections, respiratory, and renal disease (Blandford), 125 (Annot.)
Viscosity, hematocrit, and cerebral blood flow (Friedland and Grant), 404 (Annot.)
Volume overload—postpartum cardiac failure—heart failure due to? (Sanderson et al.), 613

W

Walking into the ocean, of (Burch), 126 (Annot.)
Wall motion, left ventricular, limitations of the cardiokymograph for assessing (Crawford et al.), 719
Wave alternans, isolated T (Vergassola), 271 (Letter to Editor)
Reply (Navarro-López et al.), 272
amplitude, atrial fibrillatory, relationship of to left atrial size and etiology of heart disease. An old generalization reexamined (Morganroth et al.), 184
forms, electrocardiographic, influence of hemodialysis on (Ishikawa, Nagasawa, and Shimada), 5
When is a physician prepared, of (Burch), 677 (Annot.)
Why don't they read the old books? (Neurath), 680 (Letter to Editor)
Reply (Burch), 680

Author index*

A

ABDULLA, ABDULLA M. (*See* Gerhardt et al.), 567
ABINADER, E. G. Mitral valve prolapse-systolic click murmur syndrome, 816 (Letter to Editor)
ADMON, D. (*See* Rod et al.), 604
AHMED, MOHAMED. (*See* Thompson et al.), 3
ALBERS, JAMES W. (*See* Kochar, Itskovitz and Albers), 271 (Annot.)
ALI, AMJAD. (*See* Codini et al.), 752
ALLEN, NEIL. (*See* Raizner, Allen, and Chahine), 472
ALLWORK, SALLY P. Maladie du Roger 1879: a new translation for the centenary, 307
ALPERT, BARRY L. (*See* Engel, Alpert, and Hickman), 716
ALPERT, BRUCE S., BLOOM, KENNETH R., GILDAY, DAVID, AND OLLEY, PETER M. The comparison between non-invasive and invasive methods of stroke volume determination in children, 763
ALVAREZ, HÉCTOR, AND SASSÉ, LEWIS. Pseudo tumor mitral valve prolapse sign, 672 (Letter to Editor)
AMEUR, A. (*See* Herreman et al.), 63
ANDERSON, GARY J. (*See* Levites and Anderson), 339
ANDREADIS, NICHOLAS. (*See* Mooss, Andreadis, Mohiuddin, and Sketch), 725
ANGELINI, PAOLO. (*See* Sung et al.), 87
ARAVANIS, CHRIST. Coronary heart disease—the doctor's dilemma, 138 (Letter)
ATKINS, JAMES M. (*See* Wildenthal and Atkins), 536 (Annot.)
ATTERHÖG, JAN-HENRIK, JONSSON, BJÖRN, AND SAMUELSSON, ROLF. Exercise testing: A prospective study of complication rates, 572

B

BABB, JOSEPH D. (*See* Liedtke and Babb), 673 (Letter to Editor)
BABBS, C. F., YIM, G. K. W., WHISTLER, S. J., TACKER, W. A., AND GEDDES, L. A. Elevation of ventricular defibrillation threshold in dogs by antiarrhythmic drugs, 345
BARANDUN, S. (*See* Hess et al.), 767
BARNES, ROBERT W. Reply, 541 (Letter to Editor)
BAROLDI, GIORGIO, FALZI, GUGLIELMO, AND MARIANI, FABIO. Sudden coronary death. A postmortem study in 208 selected cases compared to 97 "control" subjects, 20
BARRETT, PETER A., JORDAN, JAY L., MANDEL, WILLIAM J., YAMAGUCHI, IWAO, AND LAKS, MICHAEL M. The electrophysiologic effects of intravenous propranolol in the Wolff-Parkinson-White syndrome, 213
BARRY, WILLIAM H. (*See* Orlick et al.), 366
BATTLE, WILLIAM E. (*See* Codini et al.), 752
BEADLE, EDWARD M., JR., LUEPKER, RUSSELL V., AND WILLIAMS, PRESTON P. Pregnancy in a patient with porcine valve xenografts, 510
BECKER, ANTON E. (*See* Thiene, Rossi, and Becker), 447
BELKO, JOHN. (*See* Vukovich et al.), 399 (Annot.)
BEMIS, CHARLES E. (*See* Greenspan et al.), 83
BETTE, LUDWIG. (*See* Rettig et al.), 587
BLOCK, PETER C. (*See* Dimsdale et al.), 281
BLOOM, KENNETH R. (*See* Alpert et al.), 763
BODE, ROBERT S., JR. (*See* Cheitlin et al.), 689
BOURGIN, J. H. (*See* Herreman et al.), 63
BRUNDAGE, BRUCE H. (*See* Cheitlin et al.), 689
BULKLEY, BERNADINE H. Pathology of coronary artery bypass graft surgery, 539 (Annot.)
BURCH, GEORGE E. Of "bends" cardiomyopathy, 538 (Annot.)
——. Of bloodletting, 666 (Annot.)
——. Of paroxysmal nocturnal dyspnea, 812 (Annot.)
——. Of senile cardiomyopathy, 135 (Annot.)
——. Of solo practice, 271 (Annot.)
——. Of "The quality of life," 404 (Annot.)
BURCKHARDT, DIETER. (*See* Leutenegger et al.), 15
——. (*See* Leutenegger et al.), 562
BURGESS, MARY JO. (*See* Lyons and Burgess), 595
BURKART, FELIX. (*See* Leutenegger et al.), 15

C

CAMPBELL, J. KEITH. (*See* Olney et al.), 513
CAMPION, BRIAN C. (*See* Madison et al.), 505
CAPONE, ROBERT J. (*See* Grodman, Capone, and Most), 459
CARBONIN, P. (*See* Carosella et al.), 401 (Annot.)
CARLINER, NATHAN H., CROUTHAMEL, WILLIAM G., FISHER, MICHAEL L., MUGMON, MARC A., VASSAR, DEAN L., NARANG, PREM K., AND PLOTNICK, GARY D. Quinidine therapy in hospitalized patients with ventricular arrhythmias, 708
CARLSON, C. JEFFREY. (*See* Cheitlin et al.), 689
CAROSELLA, L., DI NARDO, P., WEISZ, A. M., AND CARBONIN, P. On the bioavailability of digitalis after single oral doses, 401 (Annot.)
CARROLL, ROBYN. (*See* Falsetti et al.), 331
CATANZANO, DONNA M. (*See* Dimsdale et al.), 281
CHAHINE, ROBERT A. (*See* Raizner, Allen, and Chahine), 472
CHANDRARATNA, P. A. N., VLAHOVICH, G., KONG, Y., AND WILSON, D. Incidence of mitral valve prolapse in one hundred clinically stable newborn baby girls: an echocardiographic study, 312
CHATTERJEE, KANU. (*See* Lekven et al.), 200
——. (*See* Greenberg et al.), 742
CHEITLIN, MELVIN D., GERTZ, EDWARD W., BRUNDAGE, BRUCE H., CARLSON, C. JEFFREY, QUASH, JOSEPH A., AND BODE, ROBERT S., JR. Rate of progression of severity of valvular aortic stenosis in the adult, 689
CHEVALIER, HENRI. Spontaneous resumption of sinus rhythm in an elderly patient after 13 years of permanent atrial fibrillation, 361

*July, pp. 1-140; August, pp. 141-276; September, pp. 277-408; October, pp. 409-544; November, pp. 545-678; December, pp. 679-842.

COCHRAN, PAUL T. Cardiac auscultation: a re-emphasis. Clues from physical maneuvers and pharmacologic agents, 141
CODINI, MICHELE A., TURNER, DAVID A., BATTLE, WILLIAM E., HASSAN, PHILIP, ALI, AMJAD, AND MESSER, JOSEPH V. Value and limitations of technetium-99m stannous pyrophosphate in the detection of acute myocardial infarction, 752
COHEN, MICHAEL V. (*See* Rosenthal, Kleid, and Cohen), 638
COMA-CANELLA, ISABEL. (*See* Lopez-Sendon H. et al), 495
——, LOPEZ-SENDON, J., AND GAMALLO, C. Low output syndrome in right ventricular infarction, 613
CONRAD, KENNETH A. IV quinidine administration, 406 (Letter to Editor)
COTOI, S., GEORGESCU, C., AND KIFOR, I. Analysis of human atrial fibrillatory waves using monophasic action potential technique, 465
CRAMER, JAMES A. (*See* Falsetti et al.), 331
CRAVER, JOSEPH M. (*See* Kaplan et al.), 580
CROUTHAMEL, WILLIAM G. (*See* Carliner et al.), 708

D

DAMATO, ANTHONY N. (*See* Reddy and Damato), 137 (Letter to Editor)
DAS GUPTA, D. S. (*See* Resnekov and Das Gupta), 653
DAVIS, RICHARD. (*See* Frishman et al.), 393
——. (*See* Frishman et al.), 526
DE CHAMPLAIN, JACQUES. (*See* Nadeau, and de Champlain), 548
DE FEYTEF P. J., MAJID, P. A., WARDEH, R., AND ROOS, J. P. Observations on unstable angina pectoris with particular respect to management, 431
DEGEORGES, M. (*See* Herreman et al.), 63
DE VERNEJOUL, F. (*See* Herreman et al.), 63
DE WARDENER, H. E. Treatment of acute glomerular nephritis, 523
DI BIANCO, ROBERT, GOTTDIENER, JOHN S., FLETCHER, ROSS D., AND PIPBERGER, HUBERT V. Left atrial overload: A hemodynamic, echocardiographic, electrocardiographic and vectorcardiographic study, 478
DI NARDO, P. (*See* Carosella et al.), 401 (Annot.)
DIMSDALE, JOEL E., HUTTER, ADOLPH M., JR, GILBERT, JOHN, HACKETT, THOMAS P., BLOCK, PETER C., AND CATANZANO, DONNA M. Predicting results of coronary angiography, 281
DLABAL, PAUL W. (*See* Wilson, Dlabal, and McGuire), 440
DOENECKE, PETER. (*See* Rettig et al.), 587
DONG, EUGENE V., JR. (*See* Orlick et al.), 366
DOOLEY, TERRYL K. (*See* Kawabori et al.), 16?
DUNKMAN, W. BRUCE. (*See* Morganroth et al.), 621
DUNN, MARVIN. (*See* Nicolosi, Pugh, and Dunn), 171

E

EDWARDS, MARSHALL J. Is hyperthermia a human teratogen? 277
EISENBERG, EDWARD. (*See* Frishman et al.), 798
EISENBERG, SHLOMO. (*See* Hasin et al.), 555
ELKAYAM, URI. (*See* Frishman et al.), 256
——. (*See* Frishman et al.), 393
——. (*See* Frishman et al.), 526
ENDO, TOYOSHI, KOMIYA, ICHIRO, TSUKUI, TOMOMICHI, YAMADA, TAKASHI, IZUMIYAMA, TOMIO, NAGATA, HAJIME, KONO, SHIRO, AND KAMATA, KAZUO. Reevaluation of a possible high incidence of hypertension in hypothyroid patients, 684
ENGEL, PETER J., ALPERT, BARRY L., AND HICKMAN, JAMES R., JR. The nature and prevalence of the abnormal exercise electrocardiogram in mitral valve prolapse, 716
ERLEBACHER, J. A. Transmural myocardial infarction with "normal" coronary arteries, 421

F

FACTOR, STEPHEN, AND FRISHMAN, WILLIAM. Sudden death in a narcotic addict four months following aortic valve replacement, 233
——. (*See* Koss and Factor), 777
FALSETTI, HERMAN L., VERANI, MARIO S., CRAMER, JAMES A., AND CARROLL, ROBYN. With the technical assistance of LENTH, RICK A. Total, phasic, and regional myocardial blood flow in aortic stenosis, 331
FALZI, GUGLIELMO. (*See* Baroldi, Flazi, and Mariani), 20
FAZZINI, P. F., MARCHI, F., PUCCI, P., LEDDA, F., AND MUGELLI, A. Effects of verapamil on ventricular premature beats of acute myocardial infarction, 816 (Letter to Editor)
FIELDS, WILLIAM S. Management of the asymptomatic carotid bruit, 1
FINLEY, P. (*See* Lindsey, Navin, and Finley), 405 (Letter to Editor)
FISHER, LLOYD. (*See* Laughlin, Fisher, and Sherrard), 629
FISHER, MICHAEL L. (*See* Carliner et al.), 708
FLETCHER, GERALD F. (*See* Johnston and Fletcher), 736
FLETCHER, ROSS D. (*See* Di Bianco et al.), 478
FOLLATH, FERENCE. (*See* Leutenegger et al.), 562
FRANCISCO, J. T. Reply, 675 (Letter to Editor)
FRIEDLANDER, JECHIEL. (*See* Hashin et al.), 555
FRISHMAN, WILLIAM. (*See* Factor and Frishman), 233
——, AND SILVERMAN, RALPH. Clinical pharmacology of the new beta-adrenergic blocking drugs. Part 3. Comparative clinical experience and new therapeutic applications, 119
——, ——, STROM, JOEL, ELKAYAM, URI, AND SONNENBLICK, EDMUND. Clinical pharmacology of the new beta-adrenergic blocking drugs. Part 4. Adverse effects. Choosing a β-adrenoreceptor blocker, 256
——, DAVIS, RICHARD, STROM, JOEL, ELKAYAM, URI, STAMPFER, MORRIS, RIBNER, HILLEL, WEINSTEIN, JEROME, AND SONNENBLICK, EDMUND. Clinical pharmacology of the new beta-adrenergic blocking drugs. Part 5. Pindolol (LB-46) therapy for supraventricular arrhythmia: a viable alternative to propranolol in patients with bronchospasm, 393
——, KOSTIS, JOHN, STROM, JOEL, HOSSLER, MARYHELEN, ELKAYAM, URI, GOLDNER, SUSAN, SILVERMAN, RALPH, DAVIS, RICHARD, WEINSTEIN, JEROME, AND SONNENBLICK, EDMUND. Clinical pharmacology of the new beta-adrenergic blocking drugs. Part 6. A comparison of pindolol and propranolol in treatmen. of patients with angina pectoris. The role of intrinsic sympathomimetic activity, 526
——, AND HALPRIN, STANLEY. Clinical pharmacology of the new beta-adrenergic blocking drugs. Part 7. New horizons in beta-adrenoceptor blockade therapy: Labetalol, 660
——, JACOB, HAROLD, EISENBERG, EDWARD, AND RIBNER, HILLEL. Clinical pharmacology of the new beta-adrenergic blocking drugs. Part 8. Self-poisoning with beta-adrenoceptor blocking agents: recognition and management, 798
FROMER, MARTIN. (*See* Leutenegger et al.), 562
FUHR, PETER. (*See* Leutenegger et al.), 15
FUJII, JUNICHI, WATANABE, HIROSHI, KOYAMA, SHINTARO, AND KATO, KAZUZO. Echocardiographic study on diastolic posterior wall movement and left ventricular filling by disease category, 144
FUKUI, YOICHI. (*See* Kambe et al.), 701

G

GAMALLO, C. (*See* Coma-Canella, Lopez-Sendon, and Gamallo), 613
GANGULY, ARUNABHA, AND WEINBERGER, MYRON H. Low renin hypertension: A current review of definitions and controversies, 642
GARNER, DANIEL. (*See* Laks, Garner, and Wong), 732

GEDDES, L. A. (*See* Tacker, Van Vleet and Geddes), 185
——. (*See* Babbs et al.), 345
GEORGE, JOSEPH. (*See* Kostis et al.), 351
GEORGESCU, C. (*See* Cotoi, Georgescu, and Kifor), 465
GERHARDT, ROBERT E., ABDULLA, ABDULLA M., MACH, SANDRA J., AND HUDSON, JAMES B. Isolated ultrafiltration in the therapy of volume overload accompanying oliguric vascular shock states, 567
GERTZ, EDWARD W. (*See* Cheitlin et al.), 689
GIGER, GUIDO. (*See* Leutenegger et al.), 15
GILBERT, JOHN. (*See* Dimsdale et al.), 281
GILDAY, DAVID. (*See* Alpert et al.), 763
GITEL, SANFORD N. (*See* Wessler and Gitel), 94
GLASER, JORAM. Calcified mitral ring in hypertrophic cardiomyopathy, 541 (Letters to Editor)
GLASSER, STEPHEN P. Atrial fibrillatory wave size and etiology of heart disease, 274 (Letter to Editor)
GOEBEL, M. (*See* Viol et al.), 813 (Annot.)
GOLD, JERRY H., SCHUDER, JOHN C., AND STOECKLE, HARRY. Contour graph for relating per cent success in achieving ventricular defibrillation to duration, current, and energy content of shock, 207
GOLDNER, SUSAN. (*See* Frishman et al.), 526
GOOCH, ALDEN S., PATEL, A. R., AND MARANHAO, VLADIR. Persistent ST segment elevation in left ventricular aneurysm before and after surgery, 11
GOTSMAN, MERVYN S. (*See* Hasin et al.), 555
——. (*See* Rod et al.), 604
GOTTDIENER, JOHN S. (*See* Di Bianco et al.), 478
GRÄDEL, ERICH. (*See* Leutenegger et al.), 15
GREENBERG, BARRY, CHATTERJEE, KANU, PARMLEY, WILLIAM W., WERNER, JEFFREY A., AND HOLLY, ANNE N. The influence of left ventricular filling pressure on atrial contribution to cardiac output, 742
GREENSPAN, MITCHELL, ISKANDRIAN, ABDULMASSIH S., SEGAL, BERNARD L., KIMBIRIS, DEMETRIOS, AND BEMIS, CHARLES E. Complete occlusion of the left main coronary artery, 83
GRODMAN, RICHARD S., CAPONE, ROBERT J., AND MOST, ALBERT S. Arrhythmia surveillance by transtelephonic monitoring: Comparison with Holter monitoring in symptomatic ambulatory patients, 459
GUERET, P. (*See* Herreman et al.), 63
GUERIN, F. (*See* Herreman et al.), 63
GUNTHEROTH, WARREN G. (*See* Kawabori et al.), 160
——. Sleep apnea and Q-T interval prolongation—A particularly lethal combination, 674 (Letter to Editor)

H

HACKETT, THOMAS P. (*See* Dimsdale et al.), 281
HALPRIN, STANLEY. (*See* Frishman and Halprin), 660
HAMPTON, J. R. (*See* Hill, Hampton, and Mitchell), 545
HANSON, E. LAWRENCE. What can we learn from the coronary bypass debate? 134 (Annot.)
HASIN, YONATHAN, EISENBERG, SHLOMO, FRIEDLANDER, JECHIEL, LEWIS, BASIL S., AND GOTSMAN, MERVYN S. Relationship between extent of coronary artery disease and correlative risk factors, 555
HASSAN, PHILIP. (*See* Codini et al.), 752
HAYASE, KIYOSHI. (*See* Kostis et al.), 351
HELIN, M. (*See* Raunio et al.), 176
HELLSTROM, H. R. Reply, 674 (Letter to Editor)
HERREMAN, F., AMEUR, A., DE VERNEJOUL, F., BOURGIN, J. H., GUERET, P., GUERIN, F., AND DEGEORGES, M. Pre- and postoperative hemodynamic and cineangiocardiographic assessment of left ventricular function in patients with aortic regurgitation, 63
HESS, T., STUCKI, P., BARANDUN, S., SCHOLTYSIK, G., AND RIESEN, W. Treatment of a case of lanatoside C intoxication with digoxin-specific $F(ab')_2$ antibody fragments, 767
HIBI, NORIO. (*See* Kambe et al.), 701
HICKMAN, JAMES R., JR. (*See* Engel, Alpert, and Hickman), 716
HILL, J. D., HAMPTON, J. R., AND MITCHELL, J. R. A. Home or hospital for myocardial infarction—who cares? 545
HOEFFEL, J. C., RAVAULT, M. C., WORMS, A. M., AND PERNOT, C. Atypical pulmonary stenosis: radiological features, 315
HOLLY, ANNE N. (*See* Greenberg et al.), 742
HOROWITZ, LEONARD N. (*See* Morganroth et al.), 621
HOSSLER, MARYHELEN. (*See* Frishman et al.), 526
HUDSON, JAMES B. (*See* Gerhardt et al.), 567
HUGHSON, W. G. (*See* Mann and Hughson), 666 (Annot.)
HULTGREN, HERBERT N. (*See* Orlick et al.), 366
HUTCHINS, GROVER M. (*See* Kuhajda and Hutchins), 294
HUTTER, ADOLPH M., JR. (*See* Dimsdale et al.), 281

I

ICHIMIYA, SATOSHI. (*See* Kambe et al.), 701
ILLINGWORTH, ROBIN. Surgical treatment of ruptured intracranial aneurysms, 269 (Annot.)
ING, T. S. (*See* Viol et al.), 813 (Annot.)
INOUE, M. (*See* Ishikawa et al.), 73
ISHIHARA, T. (*See* Ishikawa et al.), 73
ISHIKAWA, K., YANAGISAWA, A., ISHIHARA, T., TAMURA, T., AND INOUE, M. Sequential changes of orthogonal electrocardiograms in progressive muscular dystrophy of the Duchenne type, 73
ISKANDRIAN, ABDULMASSIH S. (*See* Greenspan et al.), 83
ISOHISA, ICHIRO. (*See* Numano et al.), 153
ITSKOVITZ, HAROLD D. (*See* Kochar, Itskovitz, and Albers), 271 (Annot.)
IZUMIYAMA, TOMIO. (*See* Endo et al.), 684

J

JACOB, HAROLD. (*See* Frishman et al.), 798
JADRAQUE, LUIS MARTIN. (*See* Lopez-Sendon H. et al.), 495
JANICKI, JOSEPH S. (*See* Weber and Janicki), 371
JOHNSTON, BARBARA L., AND FLETCHER, GERALD F. Dynamic electrocardiographic recording during sexual activity in recent post-myocardial infarction and revascularization patients, 736
JOKINEN, Y. (*See* Raunio et al.), 176
JONES, ELLIS L. (*See* Kaplan et al.), 580
JONSSON, BJÖRN. (*See* Atterhög, Jonsson, and Samuelsson), 572
JORDAN, JAY L. (*See* Barrett et al.), 213
JOSEPH, SIMON P. (*See* O'Neill and Joseph), 287
JOSEPHSON, MARK E. (*See* Morganroth et al.), 621
JUJI, TAKEO. (*See* Numano et al.), 153

K

KAMATA, KAZUO. (*See* Endo et al.), 684
KAMBE, TADASHI, HIBI, NORIO, FUKUI, YOICHI, NISHIMURA, KINYA, ICHIMIYA, SATOSHI, TOGUCHI, MASAO, AND SAKAMOTO, NOBUO. Clinical study on the right-sided Austin Flint murmur using intracardiac phonocardiography, 701
——. (*See* Suzuki et al.), 727
KAPLAN, JOEL A., CRAVER, JOSEPH M., JONES, ELLIS L., AND SUMPTER, RHEA. The role of the intra-aortic balloon in cardiac anesthesia and surgery, 580
KARAMITSOS, C. B. (*See* Sideris, Karamitsos, and Moulopoulos), 45
KATO, KAZUZO. (*See* Fujii et al.), 144
KATO, TADAYUKI. (*See* Suzuki et al.), 727
KAWABORI, ISAMU, STEVENSON, J. GEOFFREY, DOOLEY, TERRYL K., PHILLIPS, DAVID J., SYLVESTER, CARRIE M., AND GUNTHEROTH, WARREN G. The significance of carotid bruits in children: Transmitted murmur of vascular origin, studied by pulsed Doppler ultrasound, 160

KIFOR, I. (*See* Cotoi, Georgescu, and Kifor), 465
KIMBIRIS, DEMETRIOS. (*See* Greenspan et al.), 83
KIMCHI, A. (*See* Rod et al.), 604
KIRK, M. E. (*See* Stewart et al.), 228
KIRKLAND, D. J. Hair dye genotoxicity, 814 (Annot.)
KLEID, JACK J. (*See* Rosenthal, Kleid, and Cohen), 638
KLINE, R. L. Effect of somatic nerve stimulation on coronary blood flow in anesthetized dogs, 36
KOCHAR, MAHENDR S., ITSKOVITZ, HAROLD D., AND ALBERS, JAMES W. Treatment of orthostatic hypotension with indomethacin, 271 (Annot.)
KOMIYA, ICHIRO. (*See* Endo et al.), 684
KONG, Y. (*See* Chandraratna et al.), 312
KONO, SHIRO. (*See* Endo et al.), 684
KOSS, JEROME, AND FACTOR, STEPHEN M. Diabetes mellitus, malabsorption, and congestive heart failure in a middle-aged man, 777
KOSTIS, JOHN B., GEORGE, JOSEPH, HAYASE, KIYOSHI, MOREYRA, ABEL E., AND KUO, PETER T. Effect of glucose–insulin–potassium solution on the exercise performance of patients with coronary artery disease, 351
——. (*See* Frishman et al.), 526
KOUCHOUKOS, T. (*See* Oberman and Kouchoukos), 132 (Annot.)
KOYAMA, SHINTARO. (*See* Fujii et al.), 144
KRASNOW, NORMAN, AND STEIN, RICHARD. Reply, 541 (Letter to Editor)
KUHAJDA, FRANCIS P., AND HUTCHINS, GROVER M. Adrenal cortico-medullary junction necrosis: a morphologic marker for hypotension, 294
KUO, PETER T. (*See* Kostis et al.), 351

L

LACHMAN, ANTHONY S. (*See* Roberts and Lachman), 56
LAKS, MICHAEL M. (*See* Barrett et al.), 213
——, GARNER, DANIEL, AND WONG, VICTOR. Increased ejection fraction produced by a long-term subhypertensive infusion of norepinephrine in the conscious dog, 732
LARAGH, JOHN H. (*See* Morganti et al.), 490
LAUGHLIN, KAREN D., FISHER, LLOYD, AND SHERRARD, DONALD J. Blood pressure reductions during self-recording of home blood pressure, 629
LEACHMAN, ROBERT D. (*See* Sung et al.), 87
LEDDA, F. (*See* Fazzini et al.), 816 (Letter to Editor)
LEIER, CARL V. (*See* Ruff, Leier, and Schaal), 413
LEKVEN, JON, CHATTERJEE, KANU, TYBERG, JOHN V., AND PARMLEY, WILLIAM W. Reduction in ventricular endocardial and epicardial potentials during acute increments in left ventricular dimensions, 200
LEUTENEGGER, FRANK, GIGER, GUIDO, FUHR, PETER, RAEDER, ERNST A., BURKART, FELIX, SCHMITT, HANS, GRÄDEL, ERICH, AND BURCKHARDT, DIETER. Evaluation of aortocoronary venous bypass grafting for prevention of cardiac arrhythmias, 15
——, RAEDER, ERNST A., FROMER, MARTIN, FOLLATH, FERENCE, AND BURCKHARDT, DIETER. Progression of mild mitral stenosis and incidence of restenosis after open commissurotomy: A study using echocardiography, 562
LEVITES, RAFAEL, AND ANDERSON, GARY J. Electrophysiological effects of disopyramide phosphate during experimental myocardial ischemia, 339
LEWIS, BASIL S. (*See* Hasin et al.), 555
——. (*See* Rod et al.), 604
LIE, J. T. (*See* Olney et al.), 513
LIEDTKE, A. JAMES, AND BABB, JOSEPH D. Reply, 673 (Letter to Editor)
LINDSEY, D., NAVIN, T., AND FINLEY, P. Meaning of elevated CK-MB, 405 (Letter to Editor)
LIPAT, GREGORIO. (*See* Nathan, Lipat, and Sanders), 225
LIRON, M. Long-term prognosis of bacterial endocarditis, 136 (Letter to Editor)
LITTMANN, LÁSZLÓ, AND TENCZER, JÓZSEF. Programmed atrial versus programmed His bundle stimulation, 136 (Letter to Editor)
LOCKWOOD, WILLIAM R. Reply, 136 (Letter)
LOEWY, ERICH H. Vasospastic initiation of coronary artery thrombosis, 673 (Letter to Editor)
LOMBERA, FEDERICO. (*See* Lopez-Sendon H. et al.), 495
LOPEZ-OVEJERO, JORGE A. (*See* Morganti et al.), 490
LOPEZ-SENDON H., JOSE, COMA-CANELLA, ISABEL, LOMBERA, FEDERICO, AND JADRAQUE, LUIS MARTIN. Use of oral prazosin hydrochloride in congestive failure following acute myocardial infarction, 495
——. (*See* Coma-Canella, Lopez-Sendon, and Gamallo), 613
LORENZ, G. J. (*See* Viol et al.), 813 (Annot.)
LUEPKER, RUSSELL V. (*See* Beadle, Luepker, and Williams) 510
LUFSCHANOWSKI, ROBERTO. (*See* Sung et al.), 87
LYNCH, WILLIAM. (*See* Murphy and Lynch), 453
LYONS, CHALMERS J., AND BURGESS, MARY JO. Demonstration of re-entry within the canine specialized conduction system, 595

M

MACH, SANDRA J. (*See* Gerhardt et al.), 567
MADISON, JAMES P., SUKHUM, PRADUB, WILLIAMSON, DARYL P., AND CAMPION, BRIAN C. Echocardiography and fetal heart sounds in the diagnosis of fetal heart block, 505
MAEZAWA, HIDENORI. (*See* Numano et al.), 153
MAJID, P. A. (*See* de Feyter et al.), 431
MANDEL, WILLIAM J. (*See* Barrett et al.), 213
MANN, GEORGE V. Reply, 138 (Letter to Editor)
MANN, J. I., AND HUGHSON, W. G. Intermittent claudication—A preventable condition? 666 (Annot.)
MANOLAS, JAN, AND RUTISHAUSER, WILHELM. Use of apex-cardiography in the assessment of myocardial function in aortic stenosis, 321
MARANHAO, VLADIR. (*See* Gooch, Patel, and Maranhao), 11
MARCHI, F. (*See* Fazzini et al.), 816 (Letter to Editor)
MARIANI, FABIO. (*See* Baroldi, Falzi, and Mariani), 20
MAUBLANT, J. Thallium-201—an index of peripheral arterial perfusion, 541 (Letter to Editor)
MCGUIRE, STEPHEN A. (*See* Wilson, Dlabal, and McGuire), 440
MCMICHAEL, SIR JOHN. Fats and arterial disease, 409
MENDLOWITZ, MILTON. Primary, secondary or tertiary, 132 (Annot.)
MESSER, JOSEPH V. (*See* Codini et al.), 752
MICHELSON, ERIC L. (*See* Morganroth et al.), 621
MILVY, PAUL. On: "Of jogging," 136 (Letter to Editor)
MITCHELL, ANDREW. (*See* Thompson et al.), 3
MITCHELL, J. R. A. (*See* Hill, Hampton, and Mitchell), 545
MOHIUDDIN, SYED M. (*See* Mooss, Andreadis, Mohiuddin, and Sketch), 725
MOOSS, ARYAN N., ANDREADIS, NICHOLAS, MOHIUDDIN, SYED M., AND SKETCH, MICHAEL H. Effect of left anterior hemiblock on exercise-induced ST-T segment changes, 725
MOREYRA, ABEL E. (*See* Kostis et al.), 351
MORGAN, D. B. (*See* Thomas and Morgan), 268 (Annot.)
MORGANROTH, JOEL, PEARLMAN, ALAN S., DUNKMAN, W. BRUCE, HOROWITZ, LEONARD N., JOSEPHSON, MARK E., AND MICHELSON, ERIC L. Ethmozin: A new antiarrhythmic agent developed in the USSR. Efficacy and tolerance, 621
MORGANTI, ALBERTO, PICKERING, THOMAS G., LOPEZ-OVEJERO, JORGE A., AND LARAGH, JOHN H. Contrasting effects of acute beta blockade with propranolol on plasma catecholamines and renin in essential hypertension: a possible basis for the delayed antihypertensive response, 490
MOST, ALBERT S. (*See* Grodman, Capone, and Most), 459
MOULOPOULOS, S. D. (*See* Sideris, Karamitsos, and Moulopoulos), 45

MUGELLI, A. (*See* Fazzini et al.), 816 (Letter to Editor)
MUGMON, MARC A. (*See* Carliner et al.), 708
MURPHY, MARVIN L., AND LYNCH, WILLIAM. A comparison of the size of the arterial vascular bed to the right ventricular mass in patients with chronic obstructive pulmonary disease, 453

N

NADEAU, RÉGINALD A., AND DE CHAMPLAIN, JACQUES. Plasma catecholamines in acute myocardial infarction, 548
NAGATA, HAJIME. (*See* Endo et al.), 684
NARANG, PREM K. (*See* Carliner et al.), 708
NATHAN, M. P. RAVINDRA, LIPAT, GREGORIO, AND SANDERS, MICHAEL. Unusual echocardiographic findings in pericardial tamponade, 225
NAVIN, T. (*See* Lindsey, Navin, and Finley), 405 (Letter to Editor)
NICOLOSI, GIAN LUIGI, PUGH, DAVID M., AND DUNN, MARVIN. Sensitivity and specificity of echocardiography in the assessment of valve calcification in mitral stenosis, 171
NISHIMURA, KINYA. (*See* Kambe et al.), 701
NOAKES, T. D., AND OPIE, L. H. Marathon running and the heart: The South African experience, 669 (Annot.)
NUMANO, FUJIO, ISOHISA, ICHIRO, MAEZAWA, HIDENORI, AND JUJI, TAKEO. HL-A antigens in Takayasu's disease, 153

O

OBERMAN, ALBERT, AND KOUCHOUKOS, NICHOLAS T. Working status of patients following coronary bypass surgery, 132 (Annot.)
OKAZAKI, HARUO. (*See* Olney et al.), 513
OLLEY, PETER M. (*See* Alpert et al.), 763
OLNEY, BYRON A., SCHATTENBERG, THOMAS T., CAMPBELL, J. KEITH, OKAZAKI, HARUO, AND LIE, J. T. The consequences of the inconsequential: Marantic (nonbacterial thrombotic) endocarditis, 513
OLSEN, E. G. J. The pathology of cardiomyopathies. A critical analysis, 385
O'NEILL, GREGORY, AND JOSEPH, SIMON P. Pervenous retrieval of embolized catheters from the right heart and pulmonary arteries, 287
OPIE, L. H. (*See* Noakes and Opie), 669 (Annot.)
ORLICK, ARTHUR E., HULTGREN, HERBERT N., STONER, JOHN D., BARRY, WILLIAM H., WEXLER, LEWIS, AND DONG, EUGENE V., JR. Traumatic pulmonary artery-left atrial fistula: An unusual case of cyanosis in an adult, 366
OZAWA, TAKAYUKI. (*See* Suzuki et al.), 727

P

PANKEY, GEORGE A. The prevention and treatment of bacterial endocarditis, 102
PARMLEY, WILLIAM W. (*See* Lekven et al.), 200
——. (*See* Greenberg et al.), 742
PARSONNET, VICTOR. Stability of permanently implanted endocardial electrodes during open heart surgery, 812 (Annot.)
PATEL, A. R. (*See* Gooch, Patel, and Maranhao), 11
PATHY, M. S. Acute central chest pain in the elderly. A review of 296 consecutive hospital admissions during 1976 with particular reference to the possible role of beta-adrenergic blocking agents in inducing substernal pain, 168
PEARLMAN, ALAN S. (*See* Morganroth et al.), 621
PERNOT, C. (*See* Hoeffel et al.), 315
PHILLIPS, DAVID J. (*See* Kawabori et al.), 160
PICKERING, THOMAS G. (*See* Morganti et al.), 490
PIPBERGER, HUBERT V. (*See* Di Bianco et al.), 478
PLOTNICK, GARY D. Approach to the management of unstable angina, 243
——. (*See* Carliner et al.), 708
POHJOLA, S., SILTANEN, P., AND ROMO, M. The prognostic value of the P wave morphology in the discharge ECG in a 5-year follow-up study after myocardial infarction, 32
PRESCOTT, STEPHEN M. Hemodynamics for hematologists, 816 (Letter to Editor)
PUCCI, P. (*See* Fazzini et al.), 816 (Letter to Editor)
PUGH, DAVID M. (*See* Nicolosi, Pugh, and Dunn), 171
PYÖRÄLÄ, K. (*See* Raunio et al.), 176

Q

QUASH, JOSEPH A. (*See* Cheitlin et al.), 689

R

RAEDER, ERNST A. (*See* Leutenegger et al.), 15
——. (*See* Leutenegger et al.), 562
RAIZNER, ALBERT E., ALLEN, NEIL, AND CHAHINE, ROBERT A. Central and peripheral receptor areas in the reflex response to acute experimental hyperosmolality, 472
RAMSAY, LAWRENCE E. Alcohol and myocardial infarction in hypertensive men, 402 (Annot.)
RAUNIO, H., RISSANEN, V., ROMPPANEN, T., JOKINEN, Y., REHNBERG, S., HELIN, M., AND PYÖRÄLÄ, K. Changes in the QRS complex and ST segment in transmural and subendocardial myocardial infarctions. A clinicopathologic study, 176
RAVAULT, M. C. (*See* Hoeffel et al.), 315
REDDING, JOSEPH S. Cardiopulmonary resuscitation: an algorithm and some common pitfalls, 788
REDDY, C. PRATAP, AND DAMATO, ANTHONY N. Reply, 137 (Letter to Editor)
REHNBERG, S. (*See* Raunio et al.), 176
RESNEKOV, LEON, AND DAS GUPTA, D. S. Prevention of ventricular rhythm disturbances in patients with acute myocardial infarction, 653
RETTIG, GERD, DOENECKE, PETER, SEN, SEMI, VOLKMER, INGO, AND BETTE, LUDWIG. Complications with retained transvenous pacemaker electrodes, 587
REYNOLDS, JAMES L. Further thoughts on the diving reflex, 273 (Letter to Editor)
RIBNER, HILLEL. (*See* Frishman et al.), 393
——. (*See* Frishman et al.), 798
RIESEN, W. (*See* Hess et al.), 767
RISSANEN, V. (*See* Raunio et al.), 176
ROBERTS, ROBERT. Reply, 406 (Letter to Editor)
ROBERTS, WILLIAM C., AND LACHMAN, ANTHONY S. Mitral valve commissurotomy versus replacement. Considerations based on examination of operatively excised stenotic mitral valves, 56
ROD, J. L., ADMON, D., KIMCHI, A., GOTSMAN, M. S., AND LEWIS, B. S. Evaluation of the beta-blocking drug acebutolol in angina pectoris, 604
ROMO, M. (*See* Pohjola, Siltanen, and Romo), 32
ROMPPANEN, T. (*See* Raunio et al.), 176
ROOS, J. P. (*See* de Feyter et al.), 431
ROSENQUIST, GLENN C. (*See* Sweeney and Rosenquist), 194
ROSENTHAL, ROBERT, KLEID, JACK J., AND COHEN, MICHAEL V. Abnormal mitral valve motion associated with ventricular septal defect following acute myocardial infarction, 638
ROSSI, LINO. (*See* Thiene, Rossi, and Becker), 447
RUFF, PAUL, LEIER, CARL V., AND SCHAAL, STEPHEN F. Temporary atrial standstill, 413
RUTISHAUSER, WILHELM. (*See* Manolas, and Rutishauser), 321

S

SAKAMOTO, NOBUO. (*See* Kambe et al.), 701
——. (*See* Suzuki et al.), 727
SAMUELSSON, ROLF. (*See* Atterhög, Jonsson, and Samuelsson), 572
SANCHEZ-ZAMBRANO, SERGIO. (*See* Vukovich et al.), 399 (Annot.)
SANDERS, MICHAEL. (*See* Nathan, Lipat, and Sanders), 225
SASAHARA, ARTHUR A. (*See* Vukovich et al.), 399 (Annot.)
SASSÉ, LEWIS. (*See* Alvarez and Sassé), 672 (Letter to Editor)
SCHAAL, STEPHEN F. (*See* Ruff, Leier, and Schaal), 413
SCHATTENBERG, THOMAS T. (*See* Olney et al.), 513
SCHMITT, HANS. (*See* Leutenegger et al.), 15
SCHOLTYSIK, G. (*See* Hess et al.), 767
SCHUDER, JOHN C. (*See* Gold, Schuder, and Stoeckle), 207
SEGAL, BERNARD L. (*See* Greenspan et al.), 83
SEN, SEMI. (*See* Rettig et al.), 587
SHERRARD, DONALD J. (*See* Laughlin, Fisher, and Sherrard), 629
SIDERIS, D. A., KARAMITSOS, C. B., AND MOULOPOULOS, S. D. A quantitative study of parameters obtained by a bedside mechanographic method in valvular lesions, 45
SILTANEN, P. (*See* Pohjola, Siltanen, and Romo), 32
SILVER, MALCOLM D. Late complications of prosthetic heart valves: A pathologist's viewpoint, 668 (Annot.)
SILVERMAN, RALPH. (*See* Frishman and Silverman), 119
——. (*See* Frishman et al.), 256
——. (*See* Frishman et al.), 526
SKETCH, MICHAEL H. (*See* Mooss, Andreadis, Mohiuddin, and Sketch), 725
SKLAROFF, HERSCHEL J. The post-pulmonary infarction syndrome, 772
SONNENBLICK, EDMUND. (*See* Frishman et al.), 256
——. (*See* Frishman et al.), 393
——. (*See* Frishman et al.), 526
STAMPFER, MORRIS. (*See* Frishman et al.), 393
STEEG, CARL N., AND WOOLF, PAUL. Cardiovascular malformations in the fetal alcohol syndrome, 635
STEIN, RICHARD. (*See* Krasnow, and Stein), 541 (Letter to Editor)
STEVENSON, J. GEOFFREY. (*See* Kawabori et al.), 160
STEWART, J. A., WARNICA, J. W., KIRK, M. E., AND WINSBERG, F. Left atrial myxoma: False negative echocardiographic findings in a tumor demonstrated by coronary arteriography, 228
STOECKLE, HARRY. (*See* Gold, Schuder, and Stoeckle), 207
STONER, JOHN D. (*See* Orlick et al.), 366
STROM, JOEL. (*See* Frishman et al.), 256
——. (*See* Frishman et al.), 393
——. (*See* Frishman et al.), 526
STUCKI, P. (*See* Hess et al.), 767
SUGIYAMA, SATORU. (*See* Suzuki et al.), 727
SUKHUM, PRADUB. (*See* Madison et al.), 505
SUMPTER, RHEA. (*See* Kaplan et al.), 580
SUNG, CHUNG-SHIN, LEACHMAN, ROBERT D., ZERPA, FABIO, ANGELINI, PAOLO, AND LUFSCHANOWSKI, ROBERTO. Aortico–left ventricular tunnel, 87
SUZUKI, SHOHACHI, KATO, TADAYUKI, KAMBE, TADASHI, SAKAMOTO, NOBUO, SUGIYAMA, SATORU, AND OZAWA, TAKAYUKI. An experimental study of release arrhythmia: Occlusion time-dependent changes in ventricular fibrillation threshold, 727
SWEENEY, LAUREN J., AND ROSENQUIST, GLENN C. The normal anatomy of the atrial septum in the human heart, 194
SYLVESTER, CARRIE M. (*See* Kawabori et al.), 160

T

TACKER, W. A., JR., VAN VLEET, J. F., AND GEDDES, L. A. Electrocardiographic and serum enzymic alterations associated with cardiac alterations induced in dogs by single transthoracic damped sinusoidal defibrillator shocks of various strengths, 185
——. (*See* Babbs et al.), 345
TAMURA, T. (*See* Ishikawa et al.), 73
TENCZER, JÓZSEF. (*See* Littmann and Tenczer), 136 (Letter to Editor)
TERENIUS, LARS. Endorphins—the first three years, 681
THIENE, GAETANO, ROSSI, LINO, AND BECKER, ANTON E. The atrioventricular conduction system in dissecting aneurysm of the aorta, 447
THOMAS, T. H., AND MORGAN, D. B. Annotation on hyponatremia, 268 (Annot.)
THOMPSON, RICHARD, MITCHELL, ANDREW, AHMED, MOHAMED, TOWERS, MALCOLM, AND YACOUB, MAGDI. Conduction defects in aortic valve disease, 3
TOGUCHI, MASAO. (*See* Kambe et al.), 701
TOWERS, MALCOLM. (*See* Thompson et al.), 3
TSUKUI, TOMOMICHI. (*See* Endo et al.), 684
TURNER, DAVID A. (*See* Codini et al.), 752
TYBERG, JOHN V. (*See* Lekven et al.), 200

V

VAN VLEET, J. F. (*See* Tacker, Van Vleet and Geddes), 185
VASSAR, DEAN L. (*See* Carliner et al.), 708
VERANI, MARIO S. (*See* Falsetti et al.), 331
VIOL, G. W., GOEBEL, M., LORENZ, G. J., AND ING, T. S. Seating as a variable in clinical blood pressure measurement, 813 (Annot.)
VLAHOVICH, G. (*See* Chandraratna et al.), 312
VOLKMER, INGO. (*See* Rettig et al.), 587
VUKOVICH, ROBERT A., SANCHEZ-ZAMBRANO, SERGIO, SASAHARA, ARTHUR A., AND BELKO, JOHN. Refractory arrhythmia in the presence of congestive failure: successful beta sympatholytic treatment, 399 (Annot.)

W

WARD, C. A reappraisal of the clinical features in acute and chronic rheumatic heart disease: Etiological implications, 298
WARDEH, R. (*See* de Feyter et al.), 431
WARNICA, J. W. (*See* Stewart et al.), 228
WATANABE, HIROSHI. (*See* Fujii et al.), 144
WEBER, KARL T., AND JANICKI, JOSEPH S. The heart as a muscle-pump system and the concept of heart failure, 371
WEINBERGER, MYRON H. (*See* Ganguly and Weinberger), 642
WEINSTEIN, JEROME. (*See* Frishman et al.), 393
——. (*See* Frishman et al.), 526
WEISZ, A. M. (*See* Carosella et al.), 401 (Annot.)
WERNER, JEFFREY A. (*See* Greenberg et al.), 742
WESSLER, STANFORD, AND GITEL, SANFORD N. Low-dose heparin: Is the risk worth the benefit? 94
——. Reply, 816 (Letter to Editor)
WESTON, M. J. Sulfinpyrazone after myocardial infarction, 537 (Annot.)
WEXLER, LEWIS, (*See* Orlick et al.), 366
WHISTLER, S. J. (*See* Babbs et al.), 345
WHO/ISFC TASK FORCE. Classification of cardiac arrhythmias and conduction disturbances, 263
WILDENTHAL, KERN, AND ATKINS, JAMES M. Use of the "diving reflex" for the treatment of paroxysmal supraventricular tachycardia, 536 (Annot.)
WILLIAMS, ADRIAN J. Propranolol and marathon running, 542 (Letter to Editor)
WILLIAMS, PRESTON P. (*See* Beadle, Luepker, and Williams), 510
WILLIAMSON, DARYL P. (*See* Madison et al.), 505
WILSON, CHARLES L., DLABAL, PAUL W., AND MCGUIRE, STEPHEN A. Surgical treatment of anomalous left coronary artery from pulmonary artery: Follow-up in teenagers and adults, 440
WILSON, D. (*See* Chandraratna et al.), 312
WINSBERG, F. (*See* Stewart et al.), 228
WONG, VICTOR. (*See* Laks, Garner, and Wong), 732
WOO, ELAINE. Reply, 406 (Letter to Editor)
WOOLF, PAUL. (*See* Steeg and Woolf), 635
WORMS, A. M. (*See* Hoeffel et al.), 315

Y

YACOUB, MAGDI. (*See* Thompson et al.), 3
YAMADA, TAKASHI. (*See* Endo et al.), 684
YAMAGUCHI, IWAO. (*See* Barrett et al.), 213
YANAGISAWA, A. (*See* Ishikawa et al.), 73
YIM, G. K. W. (*See* Babbs et al.), 345

Z

ZERPA, FABIO. (*See* Sung et al.), 87
ZONERAICH, SAMUEL. Importance of correct diagnosis in cardiac conditions, 273 (Letter to Editor)

Subject index*

A

Abnormal exercise electrocardiogram in mitral valve prolapse, nature and prevalence of the (Engel, Alpert, and Hickman), 716
Acebutolol, b ta-blocking drug, in angina pectoris, evaluation of the (Rod et al.), 604
Acknowledgment to reviewers, 679
Action potential technique, monophasic, analysis of human atrial fibrillatory waves using (Cotoi, Georgescu, and Kifor), 465
Acute central chest pain in the elderly. A review of 296 consecutive hospital admissions during 1976 with particular reference to possible role of beta-adrenergic blocking agents in inducing substernal pain (Pathy), 168
  experimental hyperosmolality, central and peripheral receptor areas in the reflex response to (Raizner, Allen, and Chahine), 472
  glomerular nephritis, treatment of (de Wardener), 523
Administration, IV quinidine (Conrad), 406 (Letter to Editor)
  Reply (Woo), 406
Adrenal cortico-medullary junction necrosis: a morphologic marker for hypotension (Kuhajda and Hutchins), 294
Adverse effects in clinical pharmacology of the new beta-adrenergic blocking drugs. Part 4. Choosing a beta-adrenoreceptor blocker (Frishman et al.), 256
African, South, experience with marathon running and the heart (Noakes and Opie), 669 (Annot.)
Agent, antiarrhythmic, ethmozin, a new, developed in the USSR. Efficacy and tolerance (Morganroth et al.), 621
Alcohol and myocardial infarction in hypertensive men (Ramsay), 402 (Annot.)
  syndrome, fetal, cardiovascular malformations in the (Steeg and Woolf), 635
Algorithm and some common pitfalls, an: cardiopulmonary resuscitation (Redding), 788
Analysis, critical, of the pathology of cardiomyopathies (Olsen), 385
Anatomy of the atrial septum in the human heart, the normal (Sweeney and Rosenquist), 194
Anesthesia, cardiac, and surgery, the role of the intra-aortic balloon in (Kaplan et al.), 580
Aneurysm(s), intracranial, ruptured, surgical treatment of (Illingworth), 269 (Annot.)
  of the aorta, dissecting, the atrioventricular conduction system in (Thiene, Rossi, and Becker), 447
  ventricular, left, persistent ST segment elevation in before and after surgery (Gooch, Patel, and Maranhao), 11
Angina pectoris, comparison of pindolol and propranolol in treatment of patients with. The role of intrinsic sympathomimetic activity. Part 6 of Clinical pharmacology of the new beta-adrenergic blocking drugs (Frishman et al.), 526
  evaluation of the beta-blocking drug acebutolol in (Rod et al.), 604
  unstable, observations on, with particular respect to management (de Feyter et al.), 431
  unstable, approach to the management of (Plotnick), 243
Angiography, coronary, predicting results of (Dimsdale et al.), 281
Annotation on hyponatremia (Thomas and Morgan), 268 (Annot.)
Announcements, 140, 276, 408, 544, 678, 820
Anomalous left coronary artery from pulmonary artery, surgical treatment of: follow-up in teenagers and adults (Wilson, Dlabal, and McGuire), 440
Anterior hemiblock, left, effect of on exercise-induced ST-T segment changes (Mooss et al.), 725
Antiarrhythmic agent, a new, developed in the USSR—ethmozin. Efficacy and tolerance (Morganroth et al.), 621
  drugs, elevation of ventricular defibrillation threshold in dogs by (Babbs et al.), 345
Antibody fragments, F(ab')$_2$, digoxin-specific, treatment of a case of lanatoside C intoxication with (Hess et al.), 767
Antigens, HL-A, in Takayasu's disease (Numano et al.), 153
Antihypertensive response, delayed, a possible basis for the: contrasting effects of acute beta blockade with propranolol on plasma catecholamines and renin in essential hypertension (Morganti et al.), 490
Aorta, dissecting aneurysm of, the atrioventricular conduction system in (Thiene, Rossi, and Becker), 447
Aortic regurgitation, pre- and postoperative hemodynamic and cineangiocardiographic assessment of left ventricular function in patients with (Herreman et al.), 63
  stenosis, total, phasic, and regional myocardial blood flow in (Falsetti et al.), 331
    use of apexcardiography in the assessment of myocardial function in (Manolas and Rutishauser), 321
    valvular, in the adult, rate of progression of severity of (Cheitlin et al.), 689
  valve disease, conduction defects in (Thompson et al.), 3
    replacement, sudden death in a narcotic addict four months following (Factor and Frishman), 233
Aortico-left ventricular tunnel (Sung et al.), 87
Aortocoronary venous bypass grafting for prevention of cardiac arrhythmias, evaluation of (Leutenegger et al.), 15
Apexcardiography in the assessment of myocardial function in aortic stenosis, use of (Manolas and Rutishauser), 321
Apnea, sleep, and Q-T interval prolongation—a particularly lethal combination (Guntheroth), 674 (Letter to Editor)
  Reply (Francisco), 675
Approach to the management of unstable angina (Plotnick), 243
Arrhythmia(s), cardiac, and conduction disturbances, classification of (WHO/ISFC Task Force), 263 (Special report)
  evaluation of aortocoronary venous bypass grafting for prevention of (Leutenegger et al.), 15
  refractory, in the presence of congestive failure: successful beta sympatholytic treatment (Vukovich et al.), 399 (Annot.)
  release, experimental study of: occlusion time-dependent changes in ventricular fibrillation threshold (Suzuki et al.), 727
  supraventricular, pindolol (LB-46) therapy for: a viable alternative to propranolol in patients with bronchospasm. Part 5 of Clinical pharmacology of the new beta-adrenergic blocking drugs (Frishman et al.), 393
  surveillance by transtelephonic monitoring: comparison with Holter monitoring in symptomatic ambulatory patients (Grodman, Capone, and Most), 459
  ventricular, quinidine therapy in hospitalized patients with (Carliner et al.), 708

*July, pp. 1-140; August, pp. 141-276; September, pp. 277-408; October, pp. 409-544; November, pp. 545-678; December, pp. 679-842.

Arterial disease and fats (McMichael), 409
perfusion, peripheral, Thallium-201—an index of (Maublant), 541 (Letter to Editor)
Reply (Barnes), 541
vascular bed, comparison of the size of to the right ventricular mass in patients with chronic obstructive pulmonary disease (Murphy and Lynch), 453
Arteriography, coronary, false negative echocardiographic findings in a tumor demonstrated by: left atrial myxoma (Stewart et al.), 228
Artery(ies) bypass graft surgery, coronary, pathology of (Bulkley), 539 (Annot.)
coronary, anomalous left, from pulmonary artery, surgical treatment of: follow-up in teenagers and adults (Wilson, Dlabal, and McGuire), 440
left main, complete occlusion of the (Greenspan et al.), 83
"normal," transmural myocardial infarction with (Erlebacher), 421
disease, coronary, effect of glucose-insulin-potassium solution on the exercise performance of patients with (Kostis et al.), 351
relationship between extent of and correlative risk factors (Hasin et al.), 555
pulmonary, and right heart, pervenous retrieval of embolized catheters from the (O'Neill and Joseph), 287
-left atrial fistula, traumatic: an unusual case of cyanosis in an adult (Orlick et al.), 366
surgical treatment of anomalous left coronary artery from: follow-up in teenagers and adults (Wilson, Dlabal, and McGuire), 440
thrombosis, coronary, vasospastic initiation of (Loewy), 673 (Letter to Editor)
Reply (Hellstrom), 674
Asymptomatic carotid bruit, management of (Fields), 1
Atrial contribution to cardiac output, influence of left ventricular filling pressure on (Greenberg et al.), 742
fibrillation, permanent, spontaneous resumption of sinus rhythm in an elderly patient after 13 years of (Chevalier), 361
fibrillatory wave(s), human, analysis of using monophasic action potential technique (Cotoi, Georgescu, and Kifor), 465
size and etiology of heart disease (Glasser), 274 (Letter to Editor)
fistula, left-traumatic pulmonary artery: an unusual case of cyanosis in an adult (Orlick et al.), 366
myxoma, left: false negative echocardiographic findings in a tumor demonstrated by coronary arteriography (Stewart et al.), 228
overload, left: a hemodynamic, echocardiographic, electrocardiographic and vectorcardiographic study (Di Bianco et al.), 478
programmed, versus programmed His bundle stimulation (Littmann and Tenczer), 136 (Letter to Editor)
Reply (Reddy and Damato), 137
septum in the human heart, the normal anatomy of the (Sweeney and Rosenquist), 194
standstill, temporary (Ruff, Leier, and Schaal), 413
Atrioventricular conduction system in dissecting aneurysm of the aorta, the (Thiene, Rossi, and Becker), 447
Atypical pulmonary stenosis: radiological features (Hoeffel et al.), 315
Auscultation, cardiac: a re-emphasis. Clues from physical maneuvers and pharmacologic agents (Cochran), 141
Austin Flint murmur, right-sided, clinical study on the using intracardiac phonocardiography (Kambe et al.), 710

B

Bacterial endocarditis, long-term prognosis of (Liron), 136 (Letter to Editor)
Reply (Lockwood), 136
prevention and treatment of (Pankey), 102
Balloon, intra-aortic, in cardiac anesthesia and surgery, role of the (Kaplan et al.), 580
Beats, premature, ventricular, of acute myocardial infarction, effects of verapamil on (Fazzini et al.), 816 (Letter to Editor)
Bedside mechanographic method in valvular lesions, a quantitative study of parameters obtained by a (Sideris, Karamitsos, and Moulopoulos), 45
"Bends" cardiomyopathy, of (Burch), 538 (Annot.)
Beta-adrenergic blocking agents in inducing substernal pain, possible role of; a review of 296 consecutive hospital admissions during 1976 with particular reference to. Acute central chest pain in the elderly (Pathy), 168
drugs, clinical pharmacology of the new. Part 3. Comparative clinical experience and new therapeutic applications (Frishman and Silverman), 119
Part 4. Adverse effects. Choosing a beta-adrenoreceptor blocker (Frishman et al.), 256
Part 5. Pindolol (LB-46) therapy for supraventricular arrhythmia: a viable alternative to propranolol in patients with bronchospasm (Frishman et al.), 393
Part 6. A comparison of pindolol and propranolol in treatment of patients with angina pectoris. The role of intrinsic sympathomimetic activity (Frishman et al.), 526
Part 7. New horizons in beta-adrenoceptor blockade therapy: Labetalol (Frishman and Halprin), 660
Part 8. Self-poisoning with beta-adrenoceptor blocking agents: recognition and management (Frishman et al.), 798
adrenoceptor blockade therapy, new horizons in with labetalol. Part 7. Clinical pharmacology of the new beta-adrenergic blocking drugs (Frishman and Halprin), 660
blocking agents, self-poisoning with: recognition and management. Part 8 of Clinical pharmacology of the new beta-adrenergic blocking drugs (Frishman et al.), 798
-adrenoreceptor blocker, choosing a. Part 4. Adverse effects. Clinical pharmacology of the new beta-adrenergic blocking drugs (Frishman et al.), 256
blockade, acute, contrasting effects of with propranolol on plasma catecholamines and renin in essential hypertension: a possible basis for delayed antihypertensive response (Morganti et al.), 490
-blocking drug acebutolol in angina pectoris, evaluation of the (Rod et al.), 604
sympatholytic treatment, successful: refractory arrhythmia in the presence of congestive failure (Vukovich et al.), 399 (Annot.)
Bioavailability of digitalis after single oral doses, on the (Carosella et al.), 401 (Annot.)
Block, heart, fetal, echocardiography and fetal heart sounds in the diagnosis of (Madison et al.), 505
Blockade, beta, acute, contrasting effects of with propranolol on plasma catecholamines and renin in essential hypertension: a possible basis for the delayed antihypertensive response (Morganti et al.), 490
therapy, beta-adrenoceptor, new horizons in with labetalol. Part 7. Clinical pharmacology of the new beta-adrenergic blocking drugs (Frishman and Halprin), 660
Blocker, beta-adrenoreceptor, choosing a. Part 4. Adverse effects. Clinical pharmacology of the new beta-adrenergic blocking drugs (Frishman et al.), 256
Blocking agents, beta-adrenergic, in inducing substernal pain, possible role of: a review of 296 consecutive hospital admissions during 1976 with particular reference to. Acute central chest pain in the elderly (Pathy), 168
-adrenoceptor, self-poisoning with: recognition and management. Part 8 of Clinical pharmacology of the new beta-adrenergic blocking drugs (Frishman et al.), 798
drugs, new beta-adrenergic, clinical pharmacology of the. Part 3. Comparative clinical experience and new therapeutic applications (Frishman and Silverman), 119

Blocking drugs, new beta-adrenergic—continued
Part 4. Adverse effects. Choosing a beta-adrenoreceptor blocker (Frishman et al.), 256
Part 5. Pindolol (LB-46) therapy for supraventricular arrhythmia: a viable alternative to propranolol in patients with bronchospasm (Frishman et al.), 393
Part 6. A comparison of pindolol and propranolol in treatment of patients with angina pectoris. The role of intrinsic sympathomimetic activity (Frishman et al.), 526
Part 7. New horizons in beta-adrenoceptor blockade therapy: Labetalol (Frishman and Halprin), 660
Part 8. Self-poisoning with beta-adrenoceptor blocking agents: recognition and management (Frishman et al.), 798
Blood flow, coronary, in anesthetized dogs, effect of somatic nerve stimulation on (Kline), 39
myocardial, total, phasic, and regional, in aortic stenosis (Falsetti et al.), 331
pressure, home, blood pressure reductions during self-recording of (Laughlin, Fisher, and Sherrard), 629
measurement, clinical, seating as a variable in (Viol et al.), 813 (Annot.)
reductions during self-recording of home blood pressure (Laughlin, Fisher, and Sherrard), 629
Bloodletting, of (Burch), 666 (Annot.)
Book reviews, 139, 275, 407, 543, 676, 819
Books received, 139, 275, 407, 543, 677, 819
Bronchospasm, propranolol in patients with, pindolol (LB-46) therapy for supraventricular arrhythmia, a viable alternative to. Part 5 of Clinical pharmacology of the new beta-adrenergic blocking drugs (Frishman et al.), 393
Bruit(s), carotid, asymptomatic, management of (Fields), 1
in children, carotid, significance of: transmitted murmur or vascular origin, studied by pulsed Doppler ultrasound (Kawabori et al.), 160
Bundle stimulation, His, programmed, versus programmed atrial stimulation (Littmann and Tenczer), 136 (Letter to Editor)
Reply (Reddy and Damato), 137
Bypass debate, coronary, what can we learn from the (Hanson), 134 (Annot.)
graft surgery, coronary artery, pathology of (Bulkley), 539 (Annot.)
grafting, aortocoronary venous, for prevention of cardiac arrhythmias, evaluation of (Leutenegger et al.), 15
surgery, coronary, working status of patients following (Oberman and Kouchoukos), 132 (Annot.)

C

Calcified mitral ring in hypertrophic cardiomyopathy (Glaser), 541 (Letter to Editor)
Reply (Krasnow and Stein), 541
Canine specialized conduction system, demonstration of reentry within the (Lyons and Burgess), 595
Cardiac alterations induced in dogs by single transthoracic damped sinusoidal defibrillator shocks of various strengths, electrocardiographic and serum enzymic alterations associated with (Tacker, Van Vleet, and Geddes), 185
anesthesia and surgery, the role of the intra-aortic balloon in (Kaplan et al.), 580
arrhythmias and conduction disturbances, classification of (WHO/ISFC Task Force), 263 (Special report)
evaluation of aortocoronary venous bypass grafting for prevention of (Leutenegger et al.), 15
auscultation: a re-emphasis. Clues from physical maneuvers and pharmacologic agents (Cochran), 141
conditions, importance of correct diagnosis in (Zoneraich), 273 (Letter to Editor)
output, atrial contribution to, influence of left ventricular filling pressure on (Greenberg et al.), 742
Cardiomyopathy(ies), "bends," of (Burch), 538 (Annot.)
Cardiomyopathy(ies)—continued
hypertrophic, calcified mitral ring in (Glaser), 541 (Letter to Editor)
Reply (Krasnow and Stein), 541
pathology of. A critical analysis (Olsen), 385
senile, of (Burch), 135 (Annot.)
Cardiopulmonary resuscitation: an algorithm and some common pitfalls (Redding), 788
Cardiovascular malformations in the fetal alcohol syndrome (Steeg and Woolf), 635
Carotid bruit(s), asymptomatic, management of (Fields), 1
in children, significance of: transmitted murmur or vascular origin, studied by pulsed Doppler ultrasound (Kawabori et al.), 160
Catecholamines, plasma, and renin in essential hypertension, contrasting effects of acute beta blockade with propranolol on: a possible basis for the delayed antihypertensive response (Morganti et al.), 490
in acute myocardial infarction (Nadeau and de Champlain), 548
Catheters, embolized, pervenous retrieval of from the right heart and pulmonary arteries (O'Neill and Joseph), 287
Centenary, new translation for the: Maladie du Roger 1879 (Allwork), 307
Central and peripheral receptor areas in the reflex response to acute experimental hyperosmolality (Raizner, Allen, and Chahine), 472
chest pain, acute, in the elderly. A review of 296 consecutive hospital admissions during 1976 with particular reference to the possible role of beta-adrenergic blocking agents in inducing substernal pain (Pathy), 168
Chronic obstructive pulmonary disease, comparison of the size of the arterial vascular bed to the right ventricular mass in patients with (Murphy and Lynch), 453
Cineangiocardiographic and hemodynamic assessment, pre- and postoperative, of left ventricular function in patients with aortic regurgitation (Herreman et al.), 63
CK-MB, elevated, meaning of (Lindsey, Navin, and Finley), 405 (Letter to Editor)
Reply (Roberts), 406
Classification of cardiac arrhythmias and conduction disturbances (WHO/ISFC Task Force), 263 (Special report)
Claudication, intermittent—a preventable condition? (Mann and Hughson), 666 (Annot.)
Click murmur syndrome, systolic, mitral valve prolapse–(Abinader), 816 (Letter to Editor)
Clinical blood pressure measurement, seating as a variable in (Viol et al.), 813 (Annot.)
experience, comparative, and new therapeutic applications. Part 3 of Clinical pharmacology of the new beta-adrenergic blocking drugs (Frishman and Silverman), 119
features in acute and chronic rheumatic heart disease, reappraisal of: etiological implications (Ward), 298
pharmacology of the new beta-adrenergic blocking drugs. Part 3. Comparative clinical experience and new therapeutic applications (Frishman and Silverman), 119
Part 4. Adverse effects. Choosing a beta-adrenoreceptor blocker (Frishman et al.), 256
Part 5. Pindolol (LB-46) therapy for supraventricular arrhythmia: a viable alternative to propranolol in patients with bronchospasm (Frishman et al.), 393
Part 6. A comparison of pindolol and propranolol in treatment of patients with angina pectoris. The role of intrinsic sympathomimetic activity (Frishman et al.), 526
Part 7. New horizons in beta-adrenoceptor blockade therapy: Labetalol (Frishman and Halprin), 660
Part 8. Self-poisoning with beta-adrenoceptor blocking agents: recognition and management (Frishman et al.), 798

Clinical—continued
study on the right-sided Austin Flint murmur using intracardiac phonocardiography (Kambe et al), 701
Commissurotomy, open, progression of mild mitral stenosis and incidence of restenosis after: a study using echocardiography (Leutenegger et al.), 562
valve, mitral, versus replacement. Considerations based on examination of operatively excised stenotic mitral valves (Roberts and Lachman), 56
Complication(s), late, of prosthetic heart valves: a pathologist's viewpoint (Silver), 668 (Annot.)
rates, exercise testing—a prospective study of (Atterhög Jonsson, and Samuelsson), 572
with retained transvenous pacemaker electrodes (Rettig et al.), 587
Condition, a preventable?—intermittent claudication (Mann and Hughson), 666 (Annot.)
Conduction defects in aortic valve disease (Thompson et al.), 3
disturbances and cardiac arrhythmias, classification of (WHO/ISFC Task Force), 263 (Special report)
system, atrioventricular, in dissecting aneurysm of the aorta, the (Thiene, Rossi and Becker), 447
specialized, canine, demonstration of re-entry within the (Lyons and Burgess), 595
Congestive failure following acute myocardial infarction, use of oral prazosin hydrochloride in (Lopez-Sendon H. et al.), 495
refractory arrhythmia in the presence of: successful beta sympatholytic treatment (Vukovich et al.), 399 (Annot.)
heart failure, diabetes mellitus, and malabsorption in a middle-aged man. A case of thesaurosclerosis (Koss and Factor), 777
Consequences of the inconsequential: Marantic (nonbacterial thrombotic) endocarditis (Olney et al.), 513
Contour graph for relating per cent success in achieving ventricular defibrillation to duration, current, and energy content of shock (Gold, Schuder, and Stoeckle), 207
Coronary angiography, predicting results of (Dimsdale et al.), 281
arteriography, false negative echocardiographic findings in a tumor demonstrated by: left atrial myxoma (Stewart et al.), 228
artery(ies), anomalous left, from pulmonary artery, surgical treatment of: follow-up in teenagers and adults (Wilson, Dlabal, and McGuire), 440
bypass graft surgery, pathology of (Bulkley), 539 (Annot.)
disease, effect of glucose-insulin-potassium solution on the exercise performance of patients with (Kostis et al.), 351
relationship between extent of and correlative risk factors (Hasin et al.), 555
main, left, complete occlusion of the (Greenspan et al.), 83
"normal," transmural myocardial infarction with (Erlebacher), 421
thrombosis, vasospastic initiation of (Loewy), 673 (Letter to Editor)
Reply (Hellstrom), 674
blood flow in anesthetized dogs, effect of somatic nerve stimulation on (Kline), 39
bypass debate, what can we learn from the (Hanson), 134 (Annot.)
surgery, working status of patients following (Oberman and Kouchoukos), 132 (Annot.)
death, sudden. A postmortem study in 208 selected cases compared to 97 "control" subjects (Baroldi, Falzi, and Mariani), 20
heart disease— the doctor's dilemma (Aravanis), 138 (Letter to Editor)
Reply (Mann), 138
Correct diagnosis in cardiac conditions, importance of (Zoneraich), 273 (Letter to Editor)
Correlative risk factors, relationship between extent of coronary artery disease and (Hasin et al.), 555
Cortico-medullary junction necrosis, adrenal: a morphologic marker for hypotension (Kuhajda and Hutchins), 294
Critical analysis of the pathology of cardiomyopathies (Olsen), 385
Cyanosis in an adult, an unusual case of: traumatic pulmonary artery-left atrial fistula (Orlick et al.), 366

D

Death, sudden coronary. A postmortem study in 208 selected cases compared to 97 "control" subjects (Baroldi, Falzi, and Mariani), 20
in a narcotic addict four months following aortic valve replacement (Factor and Frishman), 233
Debate, coronary bypass, what can we learn from the (Hanson), 134 (Annot.)
Defects, conduction, in aortic valve disease (Thompson et al.), 3
Defibrillation threshold, ventricular, elevation of in dogs by antiarrhythmic drugs (Babbs et al.), 345
ventricular, contour graph for relating per cent success in achieving to duration, current and energy content of shock (Gold, Schuder, and Stoeckle), 207
Defibrillator shocks of various strengths, single transthoracic damped sinusoidal, electrocardiographic and serum enzymic alterations associated with cardiac alterations induced in dogs by (Tacker, Van Vleet, and Geddes), 185
Demonstration of re-entry within the canine specialized conduction system (Lyons and Burgess), 595
Diabetes mellitus, malabsorption, and congestive heart failure in a middle-aged man. A case of thesaurosclerosis (Koss and Factor), 777
Diagnosis, correct in cardiac conditions, importance of (Zoneraich), 273 (Letter to Editor)
Diastolic posterior wall movement and left ventricular filling by disease category, echocardiographic study on (Fujii et al.), 144
Digitalis after single oral doses, on the bioavailability of (Carosella et al.), 401 (Annot.)
Digoxin-specific $F(ab')_2$ antibody fragments, treatment of a case of lanatoside C intoxication with (Hess et al.), 767
Dilemma, the doctor's—coronary heart disease (Aravanis), 138 (Letter to Editor)
Reply (Mann), 138
Discharge ECG, prognostic value of the P wave morphology in the in a 5-year follow-up study after myocardial infarction (Pohjola, Siltanen and Romo), 32
Disease, arterial, and fats (McMichael), 409
category, echocardiographic study on diastolic posterior wall movement and left ventricular filling by (Fujii et al.), 144
Disopyramide phosphate during experimental myocardial ischemia, electrophysiological effects of (Levites and Anderson), 339
Dissecting aneurysm of the aorta, the atrioventricular conduction system in (Thiene, Rossi, and Becker), 447
Disturbances, ventricular rhythm, prevention of in patients with acute myocardial infarction (Resnekov and Das Gupta), 653
Diving reflex for the treatment of paroxysmal supraventricular tachycardia, use of the (Wildenthal and Atkins), 536 (Annot.)
further thoughts on the (Reynolds), 273 (Letter to Editor)
Doctor's dilemma—coronary heart disease (Aravanis), 138 (Letter to Editor)
Reply (Mann), 138
Doppler ultrasound, transmitted murmur or vascular origin, studied by: significance of carotid bruits in children (Kawabori et al.), 160
Drug(s), antiarrhythmic, elevation of ventricular defibrillation threshold in dogs by (Babbs et al.), 345
beta-blocking, acebutolol, in angina pectoris, evaluation of the (Rod et al.), 604

Duchenne type of progressive muscular dystrophy, sequential changes of orthogonal electrocardiograms in (Ishikawa et al.), 73
Dye genotoxicity, hair (Kirkland), 814 (Annot.)
Dynamic electrocardiographic recording during sexual activity in recent post-myocardial infarction and revascularization patients (Johnston and Fletcher), 736
Dyspnea, nocturnal, paroxysmal, of (Burch), 812 (Annot.)
Dystrophy, muscular, progressive, of the Duchenne type, sequential changes of orthogonal electrocardiograms in (Ishikawa et al.), 73

E

ECG, discharge, prognostic value of the P wave morphology in the in a 5-year follow-up study after myocardial infarction (Pohjola, Siltanen, and Romo), 32
Echocardiographic findings, false negative, in a tumor demonstrated by coronary arteriography: left atrial myxoma (Stewart et al.), 228
in pericardial tamponade, unusual (Nathan, Lipat, and Sanders), 225
hemodynamic, electrocardiographic and vectorcardiographic study of left atrial overload (Di Bianco et al.), 478
study of incidence of mitral valve prolapse in 100 clinically stable newborn baby girls (Chandraratna et al.), 312
on diastolic posterior wall movement and left ventricular filling by disease category (Fujii et al.), 144
Echocardiography, a study using: progression of mild mitral stenosis and incidence of restenosis after open commissurotomy (Leutenegger et al.), 562
and fetal heart sounds in the diagnosis of fetal heart block (Madison et al.), 505
in the assessment of valve calcification in mitral stenosis, sensitivity and specificity of (Nicolosi, Pugh, and Dunn), 171
Ejection fraction, increased, produced by a long-term subhypertensive infusion of norepinephrine in the conscious dog (Laks, Garner, and Wong), 732
Elderly, acute central chest pain in the. A review of 296 consecutive hospital admissions during 1976 with particular reference to the possible role of beta-adrenergic blocking agents in inducing substernal pain (Pathy), 168
Electrocardiogram(s), exercise, abnormal, in mitral valve prolapse, nature and prevalence of the (Engel, Alpert, and Hickman), 716
Electrocardiograms, orthogonal, in progressive muscular dystrophy of the Duchenne type, sequential changes of (Ishikawa et al.), 73
Electrocardiographic and serum enzymic alterations associated with cardiac alterations induced in dogs by single transthoracic damped sinusoidal defibrillator shocks of various strengths (Tacker, Van Vleet, and Geddes), 185
hemodynamic, echocardiographic and vectorcardiographic study of left atrial overload (Di Bianco et al.), 478
recording, dynamic, during sexual activity in recent post-myocardial infarction and revascularization patients (Johnston and Fletcher), 736
Electrodes, endocardial, permanently implanted, stability of during open heart surgery (Parsonnet), 812 (Annot.)
pacemaker, transvenous, retained, complications with (Rettig et al.), 587
Electrophysiological effects of disopyramide phosphate during experimental myocardial ischemia (Levites and Anderson), 339
of intravenous propranolol in the Wolff-Parkinson-White syndrome (Barrett et al.), 213
Elevated CK-MB, meaning of (Lindsey, Navin, and Finley), 405 (Letter to Editor)
Reply (Roberts), 406
Elevation of ventricular defibrillation threshold in dogs by antiarrhythmic drugs (Babbs et al.), 345
Elevation—continued
persistent ST segment in left ventricular aneurysm before and after surgery (Gooch, Patel, and Maranhao), 11
Embolized catheters from the right heart and pulmonary arteries, pervenous retrieval of (O'Neill and Joseph), 287
Endocardial and epicardial potentials, ventricular, during acute increments in left ventricular dimensions, reduction in (Lekven et al.), 200
electrodes, permanently implanted, stability of during open heart surgery (Parsonnet), 812 (Annot.)
Endocarditis, bacterial, long-term prognosis of (Liron), 136 (Letter to Editor)
Reply (Lockwood), 136
prevention and treatment of (Pankey), 102
Marantic (nonbacterial thrombotic): consequences of the inconsequential (Olney et al.), 513
Endorphins—the first three years (Terenius), 681
Epicardial and ventricular endocardial potentials during acute increments in left ventricular dimensions, reductions in (Lekven et al.), 200
Ethmozin: a new antiarrhythmic agent developed in the USSR. Efficacy and tolerance (Morganroth et al.), 621
Etiological implications in a reappraisal of the clinical features in acute and chronic rheumatic heart disease (Ward), 298
Etiology of heart disease, atrial fibrillatory wave size and (Glasser), 274 (Letter to Editor)
Exercise electrocardiogram, abnormal, in mitral valve prolapse, nature and prevalence of the (Engel, Alpert, and Hickman), 716
-induced ST-T segment changes, effect of left anterior hemiblock on (Mooss et al.), 725
performance of patients with coronary artery disease, effect of glucose-insulin-potassium solution on the (Kostis et al.), 351
testing: a prospective study of complication rates (Atterhög, Jonsson, and Samuelsson), 572
Extent of coronary artery disease and correlative risk factors, relationship between (Hasin et al.), 555

F

F(ab')$_2$ antibody fragments, digoxin-specific, treatment of a case of lanatoside C intoxication with (Hess et al.), 767
Factors, risk, correlative, relationship between extent of coronary artery disease and (Hasin et al.), 555
Failure, congestive, following acute myocardial infarction, use of oral prazosin hydrochloride in (Lopez-Sendon H. et al.), 495
refractory arrhythmia in the presence of: successful beta sympatholytic treatment (Vukovich et al.), 399 (Annot.)
heart, congestive, diabetes mellitus, and malabsorption in a middle-aged man. A case of thesaurosclerosis (Koss and Factor), 777
the heart as a muscle-pump system and the concept of (Weber and Janicki), 371
Fats and arterial disease (McMichael), 409
Fetal alcohol syndrome, cardiovascular malformations in the (Steeg and Woolf), 635
heart block, echocardiography and fetal heart sounds in the diagnosis of (Madison et al.), 505
sounds and echocardiography in the diagnosis of fetal heart block (Madison et al.), 505
Fibrillation, atrial, permanent, spontaneous resumption of sinus rhythm in an elderly patient after 13 years of (Chevalier), 361
threshold, ventricular, occlusion time-dependent changes in: an experimental study of release arrhythmia (Suzuki et al.), 727
Fibrillatory, wave(s), atrial, human, analysis of using monophasic action potential technique (Cotoi, Georgescu, and Kifor), 465
size, atrial, and etiology of heart disease (Glasser), 274 (Letter to Editor)

Filling pressure, ventricular, left, on atrial contribution to cardiac output, influence of (Greenberg et al.), 742
First three years—endorphins (Terenius), 681
Fistula, atrial, left-traumatic pulmonary artery: an unusual case of cyanosis in an adult (Orlick et al.), 366
Flow, blood, myocardial, total, phasic, and regional, in aortic stenosis (Falsetti et al.), 331
Further thoughts on the diving reflex (Reynolds), 273 (Letter to Editor)

G

Genotoxicity, hair dye (Kirkland), 814 (Annot.)
Glomerular nephritis, acute, treatment of (de Wardener), 523
Glucose-insulin-potassium solution, effect of on the exercise performance of patients with coronary artery disease (Kostis et al.), 351
Graft surgery, bypass, coronary artery, pathology of (Bulkley), 539 (Annot.)

H

Hair dye genotoxicity (Kirkland), 814 (Annot.)
Heart and marathon running, the: the South African experience (Noakes and Opie), 669 (Annot.)
as a muscle-pump system and the concept of heart failure (Weber and Janicki), 371
block, fetal, echocardiography and fetal heart sounds in the diagnosis of (Madison et al.), 505
disease, coronary—the doctor's dilemma (Aravanis), 138 (Letter to Editor)
Reply (Mann), 138
etiology of, atrial fibrillatory wave size and (Glasser), 274 (Letter to Editor)
rheumatic, acute and chronic, reappraisal of the clinical features in: etiological implications (Ward), 298
failure, congestive, diabetes mellitus, and malabsorption in a middle-aged man. A case of thesaurosclerosis (Koss and Factor), 777
the heart as a muscle-pump system and the concept of (Weber and Janicki), 371
human, the normal anatomy of the atrial septum in the (Sweeney and Rosenquist), 194
right, and pulmonary arteries, pervenous retrieval of embolized catheters from the (O'Neill and Joseph), 287
sounds, fetal, and echocardiography in the diagnosis of fetal heart block (Madison et al.), 505
surgery, open, stability of permanently implanted endocardial electrodes during (Parsonnet), 812 (Annot.)
valves, prosthetic, late complications of: a pathologist's viewpoint (Silver), 668 (Annot.)
Hematologists, hemodynamics for (Prescott), 816 (Letter to Editor)
Reply (Wessler), 816
Hemiblock, anterior, left, effect of on exercise-induced ST-T segment changes (Mooss et al.), 725
Hemodynamic(s) and cineangiocardiographic assessment of left ventricular function in patients with aortic regurgitation, pre- and postoperative (Herreman et al.), 63
echocardiographic, electrocardiographic and vectorcardiographic study of left atrial overload (Di Bianco et al.), 478
for hematologists (Prescott), 816 (Letter to Editor)
Reply (Wessler), 816
Heparin, low-dose: is the risk worth the benefit? (Wessler and Gitel), 94
High incidence of hypertension in hypothyroid patients, re-evaluation of a possible (Endo et al.), 684
His bundle stimulation, programmed, programmed atrial versus (Littmann and Tenczer), 136 (Letter to Editor)
Reply (Reddy and Damato), 137
HL-A antigens in Takayasu's disease (Numano et al.), 153
Holter monitoring in symptomatic ambulatory patients: comparison of with arrhythmia surveillance by transtelephonic monitoring (Grodman, Capone, and Most), 459
Home blood pressure, blood pressure reductions during self-recording of (Laughlin, Fisher, and Sherrard), 629
or hospital for myocardial infarction—who cares? (Hill, Hampton, and Mitchell), 545
Hospital or home for myocardial infarction—who cares? (Hill, Hampton, and Mitchell), 545
Hospitalized patients with ventricular arrhythmias, quinidine therapy in (Carliner et al.), 708
Human atrial fibrillatory waves, analysis of using monophasic action potential technique (Cotoi, Georgescu, and Kifor), 465
heart, the normal anatomy of the atrial septum in the (Sweeney and Rosenquist), 194
teratogen, is hyperthermia a? (Edwards), 277
Hydrochloride, prazosin, oral, use of in congestive failure following acute myocardial infarction (Lopez-Sendon H. et al.), 495
Hyperosmolality, acute experimental, central and peripheral receptor areas in the reflex response to (Raizner, Allen, and Chahine), 472
Hypertension, essential, contrasting effects of acute beta blockade with propranolol on plasma catecholamines and renin in: a possible basis for the delayed antihypertensive response (Morganti et al.), 490
in hypothyroid patients, re-evaluation of a possible high incidence of (Endo et al.), 684
renin, low: a current review of definitions and controversies (Ganguly and Weinberger), 642
Hypertensive men, alcohol and myocardial infarction in (Ramsay), 402 (Annot.)
Hyperthermia—is it a human teratogen? (Edwards), 277
Hypertrophic cardiomyopathy, calcified mitral ring in (Glaser), 541 (Letter to Editor)
Reply (Krasnow and Stein), 541
Hyponatremia, annotation on (Thomas and Morgan), 268 (Annot.)
Hypotension, a morphologic marker for: adrenal corticomedullary junction necrosis (Kuhajda and Hutchins), 294
orthostatic, treatment of with indomethacin (Kochar, Itskovitz, and Albers), 271 (Annot.)
Hypothyroid patients, high incidence of hypertension in, re-evaluation of a possible (Endo et al.), 684

I

Importance of correct diagnosis in cardiac conditions (Zoneraich), 273 (Letter to Editor)
Increased ejection fraction produced by a long-term subhypertensive infusion of norepinephrine in the conscious dog (Laks, Garner, and Wong), 732
Index of peripheral arterial perfusion—Thallium-201 (Maublant), 541 (Letter to Editor)
Reply (Barnes), 541
Indomethacin, treatment of orthostatic hypotension with (Kochar, Itskovitz, and Albers), 271 (Annot.)
Infarction(s), myocardial, acute, abnormal mitral valve motion associated with ventricular septal defect following (Rosenthal, Kleid, and Cohen), 638
effects of verapamil on ventricular premature beats of (Fazzini et al.), 816 (Letter to Editor)
plasma catecholamines in (Nadeau and de Champlain), 548
prevention of ventricular rhythm disturbances in patients with (Resnekov and Das Gupta), 653
use of oral prazosin hydrochloride in congestive failure following (Lopez-Sendon H. et al.), 495
value and limitations of technetium-99m stannous pyrophosphate in the detection of (Codini et al.), 752
and alcohol in hypertensive men (Ramsay), 402 (Annot.)
home or hospital for—who cares? (Hill, Hampton, and Mitchell), 545

Infarction, myocardial—continued
prognostic value of the P wave morphology in the discharge ECG in a 5-year follow-up study after (Pohjola, Siltanen and Romo), 32
sulfinpyrazone after (Weston), 537 (Annot.)
transmural and subendocardial, changes in the QRS complex and ST segment in. A clinicopathologic study (Raunio et al.), 176
with "normal" coronary arteries (Erlebacher), 421
post-myocardial, and revascularization patients, dynamic electrocardiographic recording during sexual activity in recent (Johnston and Fletcher), 736
syndrome, the post-pulmonary (Sklaroff), 772
ventricular, right, low output syndrome in (Coma-Canella, Lopez-Sendon, and Gamallo), 613
Initiation of coronary artery thrombosis, vasospastic (Loewy), 673 (Letter to Editor)
Reply (Hellstrom), 674
Insulin-glucose-potassium solution, effect of on the exercise performance of patients with coronary artery disease (Kostis et al.), 351
Intermittent claudication—a preventable condition? (Mann and Hughson), 666 (Annot.)
Interval prolongation, Q-T, and sleep apnea—a particularly lethal combination (Guntheroth), 674 (Letter to Editor)
Reply (Francisco), 675
Intoxication, lanatoside C, with digoxin-specific F(ab')$_2$ antibody fragments, treatment of a case of (Hess et al.), 767
Intra-aortic balloon in cardiac anesthesia and surgery, role of the (Kaplan et al.), 580
Intracardiac phonocardiography, clinical study on the right-sided Austin Flint murmur using (Kambe et al.), 701
Intracranial aneurysms, ruptured, surgical treatment of (Illingworth), 269 (Annot.)
Intravenous propranolol in the Wolff-Parkinson-White syndrome, electrophysiologic effects of (Barrett et al.), 213
Intrinsic sympathomimetic activity, the role of. Clinical pharmacology of the new beta-adrenergic blocking drugs. Part 6. A comparison of pindolol and propranolol in treatment of patients with angina pectoris (Frishman et al.), 526
Invasive and noninvasive methods of stroke volume determination in children, comparison between (Alpert et al.), 763
Is hyperthermia a human teratogen? (Edwards), 277
Ischemia, myocardial, electrophysiological effects of disopyramide phosphate during experimental (Levites and Anderson), 339
IV quinidine administration (Conrad), 406 (Letter to Editor)
Reply (Woo), 406

J

Jogging, on of (Milvy), 136 (Letter to Editor)
Junction necrosis, adrenal cortico-medullary: a morphologic marker for hypotension (Kuhajda and Hutchins), 294

L

Labetalol:new horizons in beta-adrenoceptor blockade therapy. Part 7. Clinical pharmacology of the new beta-adrenergic blocking drugs (Frishman and Halprin), 660
Lanatoside C intoxication with digoxin-specific F(ab')$_2$ antibody fragments, treatment of a case of (Hess et al.), 767
Late complications of prosthetic heart valves: a pathologist's viewpoint (Silver), 668 (Annot.)
(LB-46) pindolol therapy for supraventricular arrhythmia:a viable alternative to propranolol in patients with bronchospasm. Part 5 of Clinical pharmacology of the new beta-adrenergic blocking drugs (Frishman et al.), 393
Left anterior hemiblock on exercise-induced ST-T segment changes, effect of (Mooss et al.), 725
atrial myxoma: false negative echocardiographic findings in a tumor demonstrated by coronary arteriography (Stewart et al.), 228
overload:a hemodynamic, echocardiographic, electrocardiographic and vectorcardiographic study (Di Bianco et al.), 478
ventricular-aortico tunnel (Sung et al.), 87
filling pressure on atrial contribution to cardiac output, influence of (Greenberg et al.), 742
Lesions, valvular, quantitative study of parameters obtained by a bedside mechanographic method in (Sideris, Karamitsos, and Moulopoulos), 45
Lethal combination, a particularly—sleep apnea and Q-T interval prolongation (Guntheroth), 674 (Letter to Editor)
Reply (Francisco), 675
"Life, of the quality of" (Burch), 404 (Annot.)
Long-term prognosis of bacterial endocarditis (Liron), 136 (Letter to Editor)
Reply (Lockwood), 136
Low-dose heparin:is the risk worth the benefit? (Wessler and Gitel), 94
output syndrome in right ventricular infarction (Coma-Canella, Lopez-Sendon, and Gamallo), 613
renin hypertension: a current review of definitions and controversies (Ganguly and Weinberger), 642

M

Main coronary artery, left, complete occlusion of the (Greenspan et al.), 83
Malabsorption, diabetes mellitus, and congestive heart failure in a middle-aged man. A case of thesaurosclerosis (Koss and Factor), 777
Maladie du Roger 1879: a new translation for the centenary (Allwork), 307
Malformations, cardiovascular, in the fetal alcohol syndrome (Steeg and Woolf), 635
Management of the asymptomatic carotid bruit (Fields), 1
unstable angina, approach to the (Plotnick), 243
pectoris—particular respect to and observations on (de Feyter et al.), 431
Marantic (nonbacterial thrombotic) endocarditis: consequences of the inconsequential (Olney et al.), 513
Marathon running and propranolol (Williams), 542 (Letter to Editor)
and the heart:the South African experience (Noakes and Opie), 669 (Annot.)
Meaning of elevated CK-MB (Lindsey, Navin, and Finley), 405 (Letter to Editor)
Reply (Roberts), 406
Mechanographic method, bedside, in valvular lesions, a quantitative study of parameters obtained by a (Sideris, Karamitsos, and Moulopoulos), 45
Mellitus, diabetes, malabsorption, and congestive heart failure in a middle-aged man. A case of thesaurosclerosis (Koss and Factor), 777
Mild mitral stenosis, progression of and incidence of restenosis after open commissurotomy:a study using echocardiography (Leutenegger et al.), 562
Mitral ring, calcified, in hypertrophic cardiomyopathy (Glaser), 541 (Letter to Editor)
Reply (Krasnow and Stein), 541
stenosis, mild, progression of and incidence of restonosis after open commissurotomy:a study using echocardiography (Leutenegger et al.), 562
valve calcification in, sensitivity and specificity of echocardiography in the assessment of (Nicolosi, Pugh, and Dunn), 171
valve(s) commissurotomy versus replacement. Considerations based on examination of operatively excised stenotic mitral valves (Roberts and Lachman), 56
motion, abnormal, associated with ventricular septal defect following acute myocardial infarction (Rosenthal, Kleid, and Cohen), 638

Mitral valve—continued
prolapse in 100 clinically stable newborn baby girls, incidence of: an echocardiographic study (Chandraratna et al.), 312
nature and prevalence of the abnormal exercise electrocardiogram in (Engel, Alpert, and Hickman), 716
sign, pseudo tumor (Alvarez and Sasse), 672 (Letter to Editor)
Reply (Liedtke and Babb), 673
-systolic click murmur syndrome (Abinader), 816, (Letter to Editor)
stenotic, operatively excised, considerations of mitral valve commissurotomy versus replacement based on examination of (Roberts and Lachman), 56
Monitoring, arrhythmia, comparison of Holter and transtelephonic in symptomatic ambulatory patients (Grodman, Capone, and Most), 459
Monophasic action potential technique, analysis of human atrial fibrillatory waves using (Cotoi, Georgescu, and Kifor), 465
Murmur, Austin-Flint, right-sided, clinical study on the using intracardiac phonocardiography (Kambe et al.), 701
or vascular origin, transmitted, studied by pulsed Doppler ultrasound: significance of carotid bruits in children (Kawabori et al.), 160
syndrome, click, systolic, mitral valve prolapse- (Abinader), 816 (Letter to Editor)
Muscle-pump system, the heart as a and the concept of heart failure (Weber and Janicki), 371
Muscular dystrophy of the Duchenne type, progressive, sequential changes of orthogonal electrocardiograms in (Ishikawa et al.), 73
Myocardial blood flow, total, phasic, and regional, in aortic stenosis (Falsetti et al.), 331
function in aortic stenosis, use of apexcardiography in the assessment of (Manolas and Rutishauser), 321
infarction(s), acute, abnormal mitral valve motion associated with ventricular septal defect following (Rosenthal, Kleid, and Cohen), 638
effects of verapamil on ventricular premature beats of (Fazzini et al.), 816 (Letter to Editor)
plasma catecholamines in (Nadeau and de Champlain), 548
prevention of ventricular rhythm disturbances in patients with (Resnekov and Das Gupta), 653
use of oral prazosin hydrochloride in congestive failure following (Lopez-Sendon H. et al.), 495
value and limitations of technetium-99m stannous pyrophosphate in the detection of (Codini et al.), 752
and alcohol in hypertensive men (Ramsay), 402 (Annot.)
home or hospital for—who cares? (Hill, Hampton, and Mitchell), 545
prognostic value of the P wave morphology in the discharge ECG in a 5-year follow-up study after (Pohjola, Siltanen, and Romo), 32
sulfinpyrazone after (Weston), 537 (Annot.)
transmural and subendocardial, changes in the QRS complex and ST segment in. A clinicopathologic study (Raunio et al.), 176
with "normal" coronary arteries (Erlebacher), 421
ischemia, electrophysiological effects of disopyramide phosphate during experimental (Levites and Anderson), 339
Myxoma, atrial, left: false negative echocardiographic findings in a tumor demonstrated by coronary arteriography (Stewart et al.), 228

N

Narcotic addict, sudden death in a four months following aortic valve replacement (Factor and Frishman), 233
Necrosis, junction, adrenal cortico-medullary: a morphologic marker for hypotension (Kuhajda and Hutchins), 294
Nephritis, glomerular, acute, treatment of (de Wardener), 523
Nerve stimulation, somatic, on coronary blood flow in anesthetized dogs, effect of (Kline), 39
New antiarrhythmic agent developed in the USSR—ethmozin. Efficacy and tolerance (Morganroth et al.), 621
translation of Maladie du Roger 1879 for the centenary (Allwork), 307
Newborn baby girls, incidence of mitral valve prolapse in 100 clinically stable: an echocardiographic study (Chandraratna et al.), 312
Nocturnal dyspnea, paroxysmal, of (Burch), 812 (Annot.)
Nonbacterial thrombotic (Marantic) endocarditis: consequences of the inconsequential (Olney et al.), 513
Noninvasive and invasive methods of stroke volume determination in children, comparison between (Alpert et al.), 763
Norepinephrine, long-term, subhypertensive infusion of in the conscious dog, increased ejection fraction produced by a (Laks, Garner, and Wong), 732
Normal anatomy of the atrial septum in the human heart, the (Sweeney and Rosenquist), 194
coronary arteries, transmural myocardial infarction with (Erlebacher), 421

O

Observations on unstable angina pectoris with particular respect to management (de Feyter et al.), 431
Obstructive pulmonary disease, chronic, comparison of the size of the arterial vascular bed to the right ventricular mass in patients with (Murphy and Lynch), 453
Occlusion of the left main coronary artery, complete (Greenspan et al.), 83
time-dependent changes in ventricular fibrillation threshold:an experimental study of release arrhythmia (Suzuki et al.), 727
Of "bends" cardiomyopathy (Burch), 538 (Annot.)
bloodletting (Burch), 666 (Annot.)
jogging, on (Milvy), 136 (Letter to Editor)
paroxysmal nocturnal dyspnea (Burch), 812 (Annot.)
senile cardiomyopathy (Burch), 135 (Annot.)
solo practice (Burch), 271 (Annot.)
"The quality of life" (Burch), 404 (Annot.)
Oliguric vascular shock states, isolated ultrafiltration in the therapy of volume overload accompanying (Gerhardt et al.), 567
On: "Of jogging" (Milvy), 136 (Letter to Editor)
the bioavailability of digitalis after single oral doses (Carosella et al.), 401 (Annot.)
Open heart surgery, stability of permanently implanted endocardial electrodes during (Parsonnet), 812 (Annot.)
Operatively excised stenotic mitral valves, considerations of mitral valve commissurotomy versus replacement based on examination of (Roberts and Lachman), 56
Oral doses, single, on the bioavailability of digitalis after (Carosella et al.), 401 (Annot.)
prazosin hydrochloride in congestive failure following acute myocardial infarction, use of (Lopez-Sendon H. et al.), 495
Orthogonal electrocardiograms in progressive muscular dystrophy of the Duchenne type, sequential changes of (Ishikawa et al.), 73
Orthostatic hypotension, treatment of with indomethacin (Kochar, Itskovitz, and Albers), 271 (Annot.)
Output, cardiac, atrail contribution to, influence of left ventricular filling pressure on (Greenberg et al.), 742
syndrome, low, in right ventricular infarction (Coma-Canella, Lopez-Sendon, and Gamallo), 613
Overload, left atrial:a hemodynamic, echocardiographic, electrocardiographic and vectorcardiographic study (Di Bianco et al.), 478
volume, accompanying oliguric vascular shock states, isolated ultrafiltration in the therapy of (Gerhardt et al.), 567

P

P wave morphology, prognostic value of the in the discharge ECG in a 5-year follow-up study after myocardial infarction (Pohjola, Siltanen and Romo), 32

Pacemaker electrodes, transvenous, retained, complications with (Rettig et al.), 587

Paroxysmal nocturnal dyspnea, of (Burch), 812 (Annot.)
supraventricular tachycardia, use of the "diving reflex" for the treatment of (Wildenthal and Atkins), 536 (Annot.)

Pathologist's viewpoint of late complications of prosthetic heart valves (Silver), 668 (Annot.)

Pathology of cardiomyopathies. A critical analysis (Olsen), 385
of coronary artery bypass graft surgery (Bulkley), 539 (Annot.)

Pectoris, angina, comparison of pindolol and propranolol in treatment of patients with. The role of intrinsic sympathomimetic activity. Part 6 of Clinical pharmacology of the new beta-adrenergic blocking drugs (Frishman et al.), 526
evaluation of the beta-blocking drug acebutolol in (Rod et al.), 604
unstable, observations on, with particular respect to management (de Feyter et al.), 431

Perfusion, arterial, peripheral, Thallium-201—an index of (Maublant), 541 (Letter to Editor)
Reply (Barnes), 541

Pericardial tamponade, unusual echocardiographic findings in (Nathan, Lipat, and Sanders), 225

Peripheral and central receptor areas in the reflex response to acute experimental hyperosmolality (Raizner, Allen, and Chahine), 472
arterial perfusion, Thallium-201—an index of (Maublant), 541 (Letter to Editor)
Reply (Barnes), 541

Permanent atrial fibrillation, spontaneous resumption of sinus rhythm in an elderly patient after 13 years of (Chevalier), 361

Permanently implanted endocardial electrodes during open heart surgery, stability of (Parsonnet), 812 (Annot.)

Persistent ST segment elevation in left ventricular aneurysm before and after surgery (Gooch, Patel, and Maranhao), 11

Pervenous retrieval of embolized catheters from the right heart and pulmonary arteries (O'Neill and Joseph), 287

Pharmacologic agents and physical maneuvers in a re-emphasis of cardiac auscultation (Cochran), 141

Pharmacology of the new beta-adrenergic blocking drugs, clinical. Part 3. comparative clinical experience and new therapeutic applications (Frishman and Silverman), 119
Part 4. Adverse effects. Choosing a beta-adrenoreceptor blocker (Frishman et al.), 256
Part 5. Pindolol (LB-46) therapy for supraventricular arrhythmia:a viable alternative to propranolol in patients with bronchospasm (Frishman et al.), 393
Part 6. A comparison of pindolol and propranolol in treatment of patients with angina pectoris. The role of intrinsic sympathomimetic activity (Frishman et al.), 526
Part 7. New horizons in beta-adrenoceptor blockade therapy:Labetalol (Frishman and Halprin), 660
Part 8. Self-poisoning with beta-adrenoceptor blocking agents:recognition and management (Frishman et al.), 798

Phonocardiography, intracardiac, clinical study on the right-sided Austin Flint murmur using (Kambe et al.), 701

Physical maneuvers and pharmacologic agents in a re-emphasis of cardiac auscultation (Cochran), 141

Pindolol (LB-46) therapy for supraventricular arrhythmia:a viable alternative to propranolol in patients with bronchospasm. Part 5 of Clinical pharmacology of the new beta-adrenergic blocking drugs (Frishman et al.), 393

Pindolol—continued
and propranol, a comparison of in treatment of patients with angina pectoris. The role of intrinsic sympathomimetic activity. Part 6 of Clinical pharmacology of the new beta-adrenergic blocking drugs (Frishman et al.), 526

Plasma catecholamines and renin in essential hypertension, contrasting effects of acute beta blockade with propranolol on:a possible basis for the delayed antihypertensive response (Morganti et al.), 490
in acute myocardial infarction (Nadeau and de Champlain), 548

Porcine valve xenografts, pregnancy in a patient with (Beadle, Luepker, and Williams), 510

Posterior wall movement, diastolic, and left ventricular filling by disease category, echocardiographic study on (Fujii et al.), 144

Post-myocardial infarction and revascularization patients, dynamic electrocardiographic recording during sexual activity in recent (Johnston and Fletcher), 736
-pulmonary infarction syndrome, the (Sklaroff), 772

Potassium-insulin-glucose solution, effect of on the exercise performance of patients with coronary artery disease (Kostis et al.), 351

Potential, action, technique, monophasic analysis of human atrial fibrillatory waves using (Cotoi, Georgescu, and Kifor), 465

Practice, solo, of (Burch), 271 (Annot.)

Prazosin hydrochloride, oral, use of in congestive failure following acute myocardial infarction (Lopez-Sendon H. et al.), 495

Predicting results of coronary angiography (Dimsdale et al.), 281

Pregnancy in a patient with porcine valve xenografts (Beadle, Luepker, and Williams), 510

Premature beats, ventricular, of acute myocardial infarction, effects of verapamil on (Fazzini et al.), 816 (Letter to Editor)

Pressure, blood, home, blood pressure reductions during self-recording of (Laughlin, Fisher, and Sherrard), 629
measurement, clinical, seating as a variable in (Viol et al.), 813 (Annot.)
filling, ventricular, left, on atrial contribution to cardiac output, influence of (Greenberg et al.), 742
reductions, blood, during self-recording of home blood pressure (Laughlin, Fisher, and Sherrard), 629

Preventable condition?—intermittent claudication (Mann and Hughson), 666 (Annot.)

Prevention and treatment of bacterial endocarditis, the (Pankey), 102
of ventricular rhythm disturbances in patients with acute myocardial infarction (Resnekov and Das Gupta), 653

Primary, secondary or tertiary (Mendlowitz), 132 (Annot.)

Prognosis of bacterial endocarditis, long-term (Liron), 136 (Letter to Editor)
Reply (Lockwood), 136

Programmed atrial versus programmed His bundle stimulation (Littmann and Tenczer), 136 (Letter to Editor)
Reply (Reddy and Damato), 137

Progression, rate of, of severity of valvular aortic stenosis in the adult (Cheitlin et al.), 689

Prolapse, mitral valve, in 100 clinically stable newborn baby girls, incidence of:an echocardiographic study (Chandraratna et al.), 312
-systolic click murmur syndrome (Abinader), 816 (Letter to Editor)
sign, pseudo tumor mitral valve (Alvarez and Sasse), 672 (Letter to Editor)
Reply (Liedtke and Babb), 673
valve, mitral, nature and prevalence of the abnormal exercise electrocardiogram in (Engel, Alpert, and Hickman), 716

Prolongation, Q-T interval, and sleep apnea—a particularly lethal combination (Guntheroth), 674 (Letter to Editor)
Reply (Francisco), 675

Propranolol and marathon running (Williams), 542 (Letter to Editor)
and pindolol, a comparison of in treatment of patients with angina pectoris. The role of intrinsic sympathomimetic activity. Part 6 of Clinical pharmacology of the new beta-adrenergic blocking drugs (Frishman et al.), 526
contrasting effects of acute beta blockade with on plasma catecholamines and renin in essential hypertension: a possible basis for the delayed antihypertensive response (Morganti et al.), 490
in patients with bronchospasm, pindolol (LB-46) therapy for supraventricular arrhythmia, a viable alternative to. Part 5 of Clinical pharmacology of the new beta-adrenergic blocking drugs (Frishman et al.), 393
intravenous, in the Wolff-Parkinson-White syndrome, electrophysiologic effects of (Barrett et al.), 213
Prosthetic heart valves, late complications of: a pathologist's viewpoint (Silver), 668 (Annot.)
Pseudo tumor mitral valve prolapse sign (Alvarez and Sasse), 672 (Letter to Editor)
Reply (Liedtke and Babb), 673
Pulmonary artery(ies) and right heart, pervenous retrieval of embolized catheters from the (O'Neill and Joseph), 287
–left atrial fistula, traumatic: an unusual case of cyanosis in an adult (Orlick et al.), 366
surgical treatment of anomalous left coronary artery from: follow-up in teenagers and adults (Wilson, Dlabal, an McGuire), 440
disease, chronic obstructive, comparison of the size of the arterial vascular bed to the right ventricular mass in patients with (Murphy and Lynch), 453
stenosis, atypical: radiological features (Hoeffel et al.), 315
Pump-muscle system, the heart as a and the concept of heart failure (Weber and Janicki), 371
Pyrophosphate, stannous, technetium-99m, in the detection of acute myocardial infarction, value and limitations of (Codini et al.), 752

Q

QRS complex and ST segment in transmural and subendocardial myocardial infarctions, changes in. A clinicopathology study (Raunio et al.), 176
Q-T interval prolongation and sleep apnea—a particularly lethal combination (Guntheroth), 674 (Letter to Editor)
Reply (Francisco), 675
"Quality of life, the," of (Burch), 404 (Annot.)
Quinidine administration, IV (Conrad), 406 (Letter to Editor)
Reply (Woo), 406
therapy in hospitalized patients with ventricular arrhythmias (Carliner et al.), 708

R

Radiological features of atypical pulmonary stenosis (Hoeffel et al.), 315
Rate(s), complication, exercise testing—a prospective study of (Atterhög, Jonsson, and Samuelsson), 572
of progression of severity of valvular aortic stenosis in the adult (Cheitlin et al.), 689
Reappraisal of clinical features in acute and chronic rheumatic heart disease: etiological implications (Ward), 298
Receptor areas, central and peripheral, in the reflex response to acute experimental hyperosmolality (Raizner, Allen, and (Chahine), 472
Reductions, blood pressure, during self-recording of home blood pressure (Laughlin, Fisher, and Sherrard), 629
Re-entry, demonstration of, within the canine specialized conduction system (Lyons and Burgess), 595
Re-evaluation of a possible high incidence of hypertension in hypothyroid patients (Endo et al.), 684
Reflex, diving, for the treatment of paroxysmal supraventricular tachycardia, use of the (Wildenthal and Atkins), 536 (Annot.)
further thoughts on the (Reynolds), 273 (Letter to Editor)
response to acute experimental hyperosmolality, central and peripheral receptor areas in the (Raizer, Allen, and Chahine), 472
Refractory arrhythmia in the presence of congestive failure: successful beta sympatholytic treatment (Vukovich et al.), 399 (Annot.)
Regurgitation, aortic, pre- and postoperative hemodynamic and cineangiocardiographic assessment of left ventricular function in patients with (Herreman et al.), 63
Release arrhythmia, experimental study of: occlusion time-dependent changes in ventricular fibrillation threshold (Suzuki et al.), 727
Renin and plasma catecholamines in essential hypertension, contrasting effects of acute beta blockade with propranolol on: a possible basis for the delayed antihypertensive response (Morganti et al.), 490
hypertension, low: a current review of definitions and controversies (Ganguly and Weinberger), 642
Restenosis, incidence of after open commissurotomy, progression of mild mitral stenosis and: a study using echocardiography (Leutenegger et al.), 562
Results of coronary angiography, predicting (Dimsdale et al.), 281
Resuscitation, cardiopulmonary: an algorithm and some common pitfalls (Redding), 788
Retained transvenous pacemaker electrodes, complications with (Rettig et al.), 587
Retrieval, pervenous, of embolized catheters from the right heart and pulmonary arteries (O'Neill and Joseph), 287
Revascularization and post-myocardial infarction patients, dynamic electrocardiographic recording during sexual activity in recent (Johnston and Fletcher), 736
Rheumatic heart disease, acute and chronic, reappraisal of the clinical features in: etiological implications (Ward), 298
Rhythm disturbances, ventricular, in patients with acute myocardial infarction, prevention of (Resnekov and Das Gupta), 653
Right heart and pulmonary arteries, pervenous retrieval of embolized catheters from the (O'Neill and Joseph), 287
ventricular infarction, low output syndrome in (Coma-Canella, Lopez-Sendon, and Gamallo), 613
Ring, mitral, calcified, in hypertrophic cardiomyopathy (Glaser), 541 (Letter to Editor)
Reply (Krasnow and Stein), 541
Risk factors, correlative, relationship between extent of coronary artery disease and (Hasin et al.), 555
of low-dose heparin—is it worth the benefit? (Wessler and Gitel), 94
Roger, Maladie du, 1879: a new translation for the centenary (Allwork), 307
Running, marathon, and propranolol (Williams), 542 (Letter to Editor)
and the heart: the South African experience (Noakes and Opie), 669 (Annot.)
Ruptured intracranial aneurysms, surgical treatment of (Illingworth), 269 (Annot.)

S

Seating as a variable in clinical blood pressure measurement (Viol et al.), 813 (Annot.)
Secondary, primary or tertiary (Mendlowitz), 132 (Annot.)
Segment changes, ST-T, exercise-induced, effect of left anterior hemiblock on (Mooss et al.), 725
Self-poisoning with beta-adrenoceptor blocking agents: recognition and management. Part 8 of Clinical pharmacology of the new beta-adrenergic blocking drugs (Frishman et al.), 798

Self–continued
-recording of home blood pressure, blood pressure reductions during (Laughlin, Fisher, and Sherrard), 629
Senile cardiomyopathy, of (Burch), 135 (Annot.)
Septal defect, ventricular, abnormal mitral valve motion associated with following acute myocardial infarction (Rosenthal, Kleid, and Cohen), 638
Septum, atrial, in the human heart, the normal anatomy of the (Sweeney and Rosenquist), 194
Serum enzymic and electrocardiographic alterations associated with cardiac alterations induced in dogs by single transthoracic damped sinusoidal defibrillator shocks of various strengths (Tacker, Van Vleet, and Geddes), 185
Severity of valvular aortic stenosis in the adult, rate of progression of (Cheitlin et al.), 689
Sexual activity, dynamic electrocardiographic recording during in recent post-myocardial infarction and revascularization patients (Johnston and Fletcher), 736
Shock, duration, current, and energy content of, contour graph for relating per cent success in achieving ventricular defibrillation to (Gold, Schuder, and Stoeckle), 207
states, vascular, oliguric, isolated ultrafiltration in the therapy of volume overload accompanying (Gerhardt et al.), 567
Sinus rhythm, spontaneous resumption of in an elderly patient after 13 years of permanent atrial fibrillation (Chevalier), 361
Sinusoidal defibrillator shocks of various strengths, single transthoracic damped, electrocardiographic and serum enzymic alterations associated with cardiac alterations induced in dogs by (Tacker, Van Vleet, and Geddes), 185
Sleep apnea and Q-T interval prolongation–a particularly lethal combination (Guntheroth), 674 (Letter to Editor)
Reply (Francisco), 675
Solo practice, of (Burch), 271 (Annot.)
Somatic nerve stimulation on coronary blood flow in anesthetized dogs, effect of (Kline), 39
South African experience with marathon running and the heart (Noakes and Opie), 669 (Annot.)
Specialized conduction system, canine, demonstration of reentry within the (Lyons and Burgess), 595
Spontaneous resumption of sinus rhythm in an elderly patient after 13 years of permanent atrial fibrillation (Chevalier), 361
ST segment and QRS complex in transmural and subendocardial myocardial infarctions, changes in. A clinicopathologic study (Raunio et al.), 176
elevation, persistent, in left ventricular aneurysm before and after surgery (Gooch, Patel, and Maranhao), 11
ST-T segment changes, exercise-induced, effect of left anterior hemiblock on (Mooss et al.), 725
Standstill, atrial temporary (Ruff, Leier, and Schaal), 413
Stannous pyrophosphate, technetium-99m, in the detection of acute myocardial infarction, value and limitations of (Codini et al.), 752
Stenosis, aortic, total, phasic, and regional myocardial blood flow in (Falsetti et al.), 331
use of apexcardiography in the assessment of myocardial function in (Manolas and Rutishauser), 321
valvular, in the adult, rate of progression of severity of (Cheitlin et al.), 689
mitral, mild, progression of and incidence of restenosis after open commissurotomy: a study using echocardiography (Leutenegger et al.), 562
valve calcification in, sensitivity and specificity of echocardiography in the assessment of (Nicolosi, Pugh, and Dunn), 171
pulmonary, atypical: radiological features (Hoeffel et al.), 315
Stenotic mitral valves, operatively excised, considerations of mitral valve commissurotomy versus replacement based on examination of (Roberts and Lachman), 56
Stroke volume determination in children, comparison between noninvasive and invasive methods of (Alpert et al.), 763
Subendocardial and transmural myocardial infarctions, changes in the QRS complex and ST segment in. A clinicopathologic study (Raunio et al.), 176
Subhypertensive infusion of norepinephrine in the conscious dog, increased ejection fraction produced by a long-term (Laks, Garner, and Wong), 732
Substernal pain, possible role of beta-adrenergic blocking agents in inducing; a review of 296 consecutive hospital admissions during 1976 with particular reference to. Acute central chest pain in the elderly (Pathy), 168
Sudden coronary death. A postmortem study in 208 selected cases compared to 97 "control" subjects (Baroldi, Falzi, and Mariani), 20
death in a narcotic addict four months following aortic valve replacement (Factor and Frishman), 233
Sulfinpyrazone after myocardial infarction (Weston), 537 (Annot.)
Supraventricular arrhythmia, pindolol (LB-46) therapy for: a viable alternative to propranolol in patients with bronchospasm. Part 5 of Clinical pharmacology of the new beta-adrenergic blocking drugs (Frishman et al.), 393
tachycardia, paroxysmal, use of the "diving reflex" for the treatment of (Wildenthal and Atkins), 536 (Annot.)
Surgery, cardiac anesthesia and, the role of the intra-aortic balloon in (Kaplan et al.), 580
coronary bypass, working status of patients following (Oberman and Kouchoukos), 132 (Annot.)
Surgical treatment of anomalous left coronary artery from pulmonary artery: follow-up in teenagers and adults (Wilson, Dlabal, and McGuire), 440
of ruptured intracranial aneurysms (Illingworth), 269 (Annot.)
Surveillance, arrhythmia, by transtelephonic monitoring: comparison with Holter monitoring in symptomatic ambulatory patients (Grodman, Capone, and Most), 459
Sympathomimetic activity, intrinsic, the role of. Clinical pharmacology of the new beta-adrenergic blocking drugs. Part 6. A comparison of pindolol and propranolol in treatment of patients with angina pectoris (Frishman et al.), 526
Syndrome, infarction, the post-pulmonary (Sklaroff), 772
Systolic click murmur syndrome, mitral valve prolapse–(Abinader), 816 (Letter to Editor)

T

Tachycardia, paroxysmal supraventricular, use of the "diving reflex" for the treatment of (Wildenthal and Atkins), 536 (Annot.)
Takayasu's disease, HL-A antigens in (Numano et al.), 153
Tamponade, pericardial, unusual echocardiographic findings in (Nathan, Lipat, and Sanders), 225
Technetium-99m stannous pyrophosphate in the detection of acute myocardial infarction, value and limitations of (Codini et al.), 752
Temporary atrial standstill (Ruff, Leier, and Schaal), 413
Teratogen, human, is hyperthermia a? (Edwards), 277
Tertiary, primary or secondary (Mendlowitz), 132 (Annot.)
Testing, exercise: a prospective study of complication rates (Atterhög, Jonsson, and Samuelsson), 572
Thallium-201–an index of peripheral arterial perfusion (Maublant), 541 (Letter to Editor)
Reply (Barnes), 541
"The quality of life", of (Burch), 404 (Annot.)
Therapeutic applications, new, and comparative clinical experience. Part 3 of Clinical pharmacology of the new beta-adrenergic blocking drugs (Frishman and Silverman), 119
Thesaurosclerosis, a case of. Diabetes mellitus, malabsorption, and congestive heart failure in a middle-aged man (Koss and Factor), 777

Thoughts on the diving reflex, further (Reynolds) 273 (Letter to Editor)
Three years, the first—endorphins (Terenius), 681
Threshold, ventricular defibrillation, elevation of in dogs by antiarrhythmic drugs (Babbs et al.), 345
fibrillation, occlusion time-dependent changes in: an experimental study of release arrhythmia (Suzuki et al.), 727
Thrombosis, coronary artery, vasospastic initiation of (Loewy), 673 (Letter to Editor)
Reply (Hellstrom), 674
Thrombotic nonbacterial (Marantic) endocarditis: consequences of the inconsequential (Olney et al.), 513
Time-dependent changes, occlusion, in ventricular fibrillation threshold: an experimental study of release arrhythmia (Suzuki et al.), 727
Total, phasic, and regional myocardial blood flow in aortic stenosis (Falsetti et al.), 331
Translation of Maladie du Roger 1879 for the centenary, a new (Allwork), 307
Transmural and subendocardial myocardial infarctions, changes in the QRS complex and ST segment in. A clinicopathologic study (Raunio et al.), 176
myocardial infarction with "normal" coronary arteries (Erlebacher), 421
Transtelephonic monitoring, arrhythmia surveillance by: comparison with Holter monitoring in symptomatic ambulatory patients (Grodman, Capone, and Most), 459
Transthoracic damped sinusoidal defibrillator shocks of various strengths, single, electrocardiographic and serum enzymic alterations associated with cardiac alterations induced in dogs by (Tacker, Van Vleet, and Geddes), 185
Transvenous pacemaker electrodes, retained, complications with (Rettig et al.), 587
Traumatic pulmonary artery-left atrial fistula: an unusual case of cyanosis in an adult (Orlick et al.), 366
Treatment and prevention of bacterial endocarditis, the (Pankey), 102
of acute glomerular nephritis (de Wardener), 523
of orthostatic hypotension with indomethacin (Kochar, Itskovitz, and Albers), 271 (Annot.)
Tumor, false negative echocardiographic findings in a demonstrated by coronary arteriography: left atrial myxoma (Stewart et al.), 228
pseudo, mitral valve prolapse sign (Alvarez and Sasse), 672 (Letter to Editor)
Reply (Liedtke and Babb), 673
Tunnel, ventricular, aortico-left (Sung et al.), 87

U

Ultrafiltration, isolated, in the therapy of volume overload accompanying oliguric vascular shock states (Gerhardt et al.), 567
Ultrasound, Doppler, transmitted murmur or vascular origin, studied by: significance of carotid bruits in children (Kawabori et al.), 160
Unstable angina, approach to the management of (Plotnick), 243
pectoris, observations on, with particular respect to management (de Feyter et al.), 431
Unusual echocardiographic findings in pericardial tamponade (Nathan, Lipat, and Sanders), 225
USSR—ethmozin, a new antiarrhythmic agent developed in the. Efficacy and tolerance (Morganroth et al.), 621

V

Valve(s) calcification in mitral stenosis, sensitivity and specificity of echocardiography in assessment of (Nicolosi, Pugh, and Dunn), 171
commissurotomy, mitral, versus replacement. Considerations based on examination of operatively excised stenotic mitral valves (Roberts and Lachman), 56
Valve—continued
disease, aortic, conduction defects in (Thompson et al.), 3
heart, prosthetic, late complications of: a pathologist's viewpoint (Silver), 668 (Annot.)
motion, mitral, abnormal, associated with ventricular septal defect following acute myocardial infarction (Rosenthal, Kleid, and Cohen), 638
prolapse, mitral, in 100 clinically stable newborn baby girls, incidence of: an echocardiographic study (Chandraratna et al.), 312
nature and prevalence of the abnormal exercise electrocardiogram in (Engel, Alpert, and Hickman), 716
-systolic click murmur syndrome (Abinader), 816 (Letter to Editor)
sign, mitral, pseudo tumor (Alvarez and Sasse), 672 (Letter to Editor)
Reply (Liedtke and Babb), 673
replacement, aortic, sudden death in a narcotic addict four months following (Factor and Frishman), 233 (Clinical Pathologic Conference)
mitral, versus commissurotomy. Considerations based on examination of operatively excised stenotic mitral valves (Roberts and Lachman), 56
xenografts, porcine, pregnancy in a patient with (Beadle, Luepker, and Williams), 510
Valvular aortic stenosis in the adult, rate of progression of severity of (Cheitlin et al.), 689
lesions, quantitative study of parameters obtained by a bedside mechanographic method in (Sideris, Karamitsos, and Moulopoulos), 45
Variable in clinical blood pressure measurement, seating as a (Viol et al.), 813 (Annot.)
Vascular bed, arterial, comparison of the size of to the right ventricular mass in patients with chronic obstructive pulmonary disease (Murphy and Lynch), 453
origin or murmur, transmitted, studied by pulsed Doppler ultrasound: significance of carotid bruits in children (Kawabori et al.), 160
shock states, oliguric, isolated ultrafiltration in the therapy of volume overload accompanying (Gerhardt et al.), 567
Vasospastic initiation of coronary artery thrombosis (Loewy), 673 (Letter to Editor)
Reply (Hellstrom), 674
Vectorcardiographic, hemodynamic, echocardiographic and electrocardiographic study of left atrial overload (Di Bianco et al.), 478
Venous bypass grafting, aortocoronary, for prevention of cardiac arrhythmias, evaluation of (Leutenegger et al.), 15
Ventricular aneurysm, left, persistent ST segment elevation in before and after surgery (Gooch, Patel, and Maranhao), 11
arrhythmias, quinidine therapy in hospitalized patients with (Carliner et al.), 708
defibrillation, contour graph for relating per cent success in achieving to duration, current, and energy content of shock (Gold, Schuder, and Stoeckle), 207
threshold, elevation of in dogs by antiarrhythmic drugs (Babbs et al.), 345
dimensions, left, reduction in ventricular endocardial and epicardial potentials during acute increments in (Lekven et al.), 200
endocardial and epicardial potentials during acute increments in left ventricular dimensions, reduction in (Lekven et al.), 200
fibrillation threshold, occlusion time-dependent changes in: an experimental study of release arrhythmia (Suzuki et al.), 727
filling, left, by disease category, echocardiographic study on diastolic posterior wall movement and (Fujii et al.), 144
pressure, left, on atrial contribution to cardiac output, influence of (Greenberg et al.), 742
function, left, in patients with aortic regurgitation, pre- and postoperative hemodynamic and cineangiocardiographic assessment of (Herreman et al.), 63
Ventricular infarction, right, low output syndrome in (Coma-Canella, Lopez-Sendon, and Gamallo), 613

Ventricular—continued
mass, right, comparison of the size of the arterial vascular bed to the in patients with chronic obstructive pulmonary disease (Murphy and Lynch), 453
premature beats of acute myocardial infarction, effects of verapamil on (Fazzini et al.), 816 (Letter to Editor)
rhythm disturbances in patients with acute myocardial infarction, prevention of (Resnekov and Das Gupta), 653
septal defect, abnormal mitral valve motion associated with following acute myocardial infarction (Rosenthal, Kleid, and Cohen), 638
tunnel, aortico-left (Sung et al.), 87
Verapamil, effects of on ventricular premature beats of acute myocardial infarction (Fazzini et al.), 816 (Letter to Editor)
Volume determination, stroke, in children, comparison between noninvasive and invasive methods of (Alpert et al.), 763
overload accompanying oliguric vascular shock states, isolated ultrafiltration in the therapy of (Gerhardt et al.), 567

W

Wave morphology, P, prognostic value of the in the discharge ECG in a 5-year follow-up study after myocardial infarction (Pohjola, Siltanen and Romo), 32
size, atrial fibrillatory, and etiology of heart disease (Glasser), 274 (Letter to Editor)
What can we learn from the coronary bypass debate (Hanson), 134 (Annot.)
Wolff-Parkinson-White syndrome, electrophysiologic effects of intravenous propranolol in the (Barrett et al.), 213
Working status of patients following coronary bypass surgery (Oberman and Kouchoukos), 132 (Annot.)

X

Xenografts, valve, porcine, pregnancy in a patient with (Beadle, Luepker, and Williams), 510